








Date: 23.JUN.2024 15:54:09







Date: 23.JUN.2024 15:55:50



















Date: 23.JUN.2024 17:15:17



Date: 23.JUN.2024 17:16:28





Min emission bandwidth



Test Result



TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant10	5745	15.80	5737.08	5752.88	0.5	PASS
		5785	16.28	5776.84	5793.12	0.5	PASS
		5825	15.88	5817.24	5833.12	0.5	PASS
11AX20SISO	Ant10	5745	18.24	5735.80	5754.04	0.5	PASS
		5785	18.68	5775.72	5794.40	0.5	PASS
		5825	18.24	5815.84	5834.08	0.5	PASS
11AX40SISO	Ant10	5755	36.88	5736.12	5773.00	0.5	PASS
		5795	37.84	5776.04	5813.88	0.5	PASS
11AX80SISO	Ant10	5775	77.76	5736.12	5813.88	0.5	PASS




Test Graphs











Maximum power spectral density



Test Result



TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant10	5180	7.28	≤11.00	PASS
		5220	7.35	≤11.00	PASS
		5240	7.28	≤11.00	PASS
		5260	7.38	≤11.00	PASS
		5300	7.30	≤11.00	PASS
		5320	7.37	≤11.00	PASS
		5500	7.50	≤11.00	PASS
		5580	7.40	≤11.00	PASS
		5700	7.03	≤11.00	PASS
		5745	4.67	≤30.00	PASS
		5785	4.58	≤30.00	PASS
11AX20SISO	Ant10	5180	6.83	≤11.00	PASS
		5220	6.87	≤11.00	PASS
		5240	7.15	≤11.00	PASS
		5260	6.49	≤11.00	PASS
		5300	6.72	≤11.00	PASS
		5320	6.44	≤11.00	PASS
		5500	6.67	≤11.00	PASS
		5580	6.59	≤11.00	PASS
		5700	6.54	≤11.00	PASS
		5745	3.78	≤30.00	PASS
		5785	4.23	≤30.00	PASS
11AX40SISO	Ant10	5190	3.80	≤11.00	PASS
		5230	4.10	≤11.00	PASS
		5270	4.39	≤11.00	PASS
		5310	3.91	≤11.00	PASS
		5510	4.12	≤11.00	PASS
		5550	3.79	≤11.00	PASS
		5670	4.26	≤11.00	PASS
		5755	1.32	≤30.00	PASS
		5795	1.18	≤30.00	PASS
11AX80SISO	Ant10	5210	0.39	≤11.00	PASS
		5290	0.14	≤11.00	PASS
		5530	0.14	≤11.00	PASS
		5610	0.03	≤11.00	PASS
		5775	-2.58	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor is compensated in the graph.







Test Graphs





































































<802.11ax Partial RU>

Maximum power spectral density


Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SISO	Ant10	5180	26Tone	RU0	10.94	≤11.00	PASS
			52Tone	RU37	10.76	≤11.00	PASS
			106Tone	RU53	8.05	≤11.00	PASS
		5320	26Tone	RU8	10.44	≤11.00	PASS
			52Tone	RU40	10.66	≤11.00	PASS
			106Tone	RU54	7.76	≤11.00	PASS
		5500	26Tone	RU0	10.82	≤11.00	PASS
			52Tone	RU37	10.72	≤11.00	PASS
			106Tone	RU53	7.85	≤11.00	PASS
		5700	26Tone	RU8	10.94	≤11.00	PASS
			52Tone	RU40	10.49	≤11.00	PASS
			106Tone	RU54	7.17	≤11.00	PASS
		5745	26Tone	RU0	10.43	≤30.00	PASS
			52Tone	RU37	7.46	≤30.00	PASS
			106Tone	RU53	4.84	≤30.00	PASS
5825	26Tone	RU8	10.92	≤30.00	PASS		
	52Tone	RU40	8.31	≤30.00	PASS		
	106Tone	RU54	4.39	≤30.00	PASS		



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor is compensated in the graph.







Test Graphs






























Appendix B. AC Conducted Emission Test Results

Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	39.36	-16.64	56.00	19.10	10.13	10.13	Average
2 *	0.15	55.66	-10.34	66.00	35.40	10.13	10.13	QP
3	0.20	36.81	-16.73	53.54	16.40	10.26	10.15	Average
4	0.20	47.01	-16.53	63.54	26.60	10.26	10.15	QP
5	0.28	28.41	-22.40	50.81	7.90	10.36	10.15	Average
6	0.28	36.01	-24.80	60.81	15.50	10.36	10.15	QP
7	0.34	25.72	-23.55	49.27	5.19	10.37	10.16	Average
8	0.34	32.52	-26.75	59.27	11.99	10.37	10.16	QP
9	0.51	23.09	-22.91	46.00	2.80	10.13	10.16	Average
10	0.51	30.99	-25.01	56.00	10.70	10.13	10.16	QP
11	0.99	23.49	-22.51	46.00	3.10	10.23	10.16	Average
12	0.99	34.79	-21.21	56.00	14.40	10.23	10.16	QP