



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.90	0.34	5.24	16.24	Complies
40	5200	4.53	0.34	4.87	16.24	Complies
48	5240	4.85	0.34	5.19	16.24	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.98	0.34	5.32	16.24	Complies
40	5200	3.86	0.34	4.20	16.24	Complies
48	5240	4.53	0.34	4.87	16.24	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.29	16.24	Complies
40	5200	7.56	16.24	Complies
48	5240	8.04	16.24	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.10	0.66	2.76	16.24	Complies
46	5230	1.92	0.66	2.58	16.24	Complies




Date: 7_JUN.2022 17:20:15




Date: 7_JUN.2022 17:20:58

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.06	0.66	1.72	16.24	Complies
46	5230	1.04	0.66	1.70	16.24	Complies



Date: 7_JUN.2022 17:13:57




Date: 7_JUN.2022 17:15:09

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.28	16.24	Complies
46	5230	5.17	16.24	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.40	1.23	-1.17	16.24	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.32	1.23	-1.09	16.24	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.88	16.24	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.15	0.42	6.57	16.24	Complies
40	5200	6.34	0.42	6.76	16.24	Complies
48	5240	6.02	0.42	6.44	16.24	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.28	0.42	4.70	16.24	Complies
40	5200	4.50	0.42	4.92	16.24	Complies
48	5240	4.71	0.42	5.13	16.24	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.74	16.24	Complies
40	5200	8.94	16.24	Complies
48	5240	8.84	16.24	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.43	0.79	4.22	16.24	Complies
46	5230	3.08	0.79	3.87	16.24	Complies




Date: 7_JUN.2022 17:44:08




Date: 7_JUN.2022 17:44:33

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.25	0.79	2.04	16.24	Complies
46	5230	1.40	0.79	2.19	16.24	Complies



Date: 7_JUN.2022 17:34:20




Date: 7_JUN.2022 17:35:06

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.28	16.24	Complies
46	5230	6.12	16.24	Complies


Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.44	1.38	1.82	16.24	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.61	1.38	-0.23	16.24	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.93	16.24	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.55	0.32	5.87	11.00	Complies
60	5300	5.58	0.32	5.90	11.00	Complies
64	5320	5.62	0.32	5.94	11.00	Complies

CH52




Date: 7.JUN.2022 16:46:21

CH60



Date: 7.JUN.2022 16:45:21


CH64



Date: 7.JUN.2022 16:45:47


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.07	0.34	5.41	10.24	Complies
60	5300	5.09	0.34	5.43	10.24	Complies
64	5320	5.23	0.34	5.57	10.24	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.38	0.34	4.72	10.24	Complies
60	5300	4.59	0.34	4.93	10.24	Complies
64	5320	4.73	0.34	5.07	10.24	Complies





Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.09	10.24	Complies
60	5300	8.20	10.24	Complies
64	5320	8.34	10.24	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.07	0.66	2.73	10.24	Complies
62	5310	2.10	0.66	2.76	10.24	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.95	0.66	1.61	10.24	Complies
62	5310	1.16	0.66	1.82	10.24	Complies




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.22	10.24	Complies
62	5310	5.33	10.24	Complies


Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.83	1.23	-0.60	10.24	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.31	1.23	-1.08	10.24	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.18	10.24	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.07	0.42	6.49	10.24	Complies
60	5300	5.49	0.42	5.91	10.24	Complies
64	5320	6.15	0.42	6.57	10.24	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.38	0.42	4.80	10.24	Complies
60	5300	4.08	0.42	4.50	10.24	Complies
64	5320	4.75	0.42	5.17	10.24	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.73	10.24	Complies
60	5300	8.27	10.24	Complies
64	5320	8.93	10.24	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.15	0.79	3.94	10.24	Complies
62	5310	3.13	0.79	3.92	10.24	Complies




Date: 7_JUN.2022 17:45:16




Date: 7_JUN.2022 17:45:45

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.34	0.79	2.13	10.24	Complies
62	5310	1.61	0.79	2.40	10.24	Complies



Date: 7_JUN.2022 17:37:01




Date: 7_JUN.2022 17:37:53

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.14	10.24	Complies
62	5310	6.24	10.24	Complies


Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.34	1.38	1.72	10.24	Complies



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.49	1.38	-0.11	10.24	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.91	10.24	Complies

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.06	0.32	6.38	11.00	Complies
116	5580	6.12	0.32	6.44	11.00	Complies
140	5700	6.64	0.32	6.96	11.00	Complies

CH100




Date: 29_JUL_2022 18:17:45

CH116



Date: 29_JUL_2022 18:18:58


CH140



Date: 29_JUL_2022 18:19:23


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.48	0.34	5.82	10.24	Complies
116	5580	5.64	0.34	5.98	10.24	Complies
140	5700	6.20	0.34	6.54	10.24	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.31	0.34	6.65	10.24	Complies
116	5580	6.08	0.34	6.42	10.24	Complies
140	5700	6.42	0.34	6.76	10.24	Complies






Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.27	10.24	Complies
116	5580	9.22	10.24	Complies
140	5700	9.66	10.24	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.49	0.66	4.15	10.24	Complies
110	5550	3.14	0.66	3.80	10.24	Complies
134	5670	3.30	0.66	3.96	10.24	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.68	0.66	4.34	10.24	Complies
110	5550	3.14	0.66	3.80	10.24	Complies
134	5670	2.73	0.66	3.39	10.24	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.26	10.24	Complies
110	5550	6.81	10.24	Complies
134	5670	6.69	10.24	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.88	1.23	2.11	10.24	Complies
122	5610	0.24	1.23	1.47	10.24	Complies




Date: 29_JUL_2022 18:32:48




Date: 29_JUL_2022 18:34:16

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.87	1.23	2.10	10.24	Complies
122	5610	0.42	1.23	1.65	10.24	Complies



Date: 29_JUL_2022 18:33:18




Date: 29_JUL_2022 18:33:50

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.12	10.24	Complies
122	5610	4.57	10.24	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.03	0.42	5.45	10.24	Complies
116	5580	5.56	0.42	5.98	10.24	Complies
140	5700	5.46	0.42	5.88	10.24	Complies



Date: 29_JUL_2022 18:37:33




Date: 29_JUL_2022 18:38:59




Date: 29_JUL_2022 18:39:51

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.41	0.42	5.83	10.24	Complies
116	5580	5.66	0.42	6.08	10.24	Complies
140	5700	5.37	0.42	5.79	10.24	Complies



Date: 29_JUL_2022 18:37:58



Date: 29_JUL_2022 18:38:37




Date: 29_JUL_2022 18:40:11

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.65	10.24	Complies
116	5580	9.04	10.24	Complies
140	5700	8.84	10.24	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.83	0.79	3.62	10.24	Complies
110	5550	2.71	0.79	3.50	10.24	Complies
134	5670	2.60	0.79	3.39	10.24	Complies



Date: 29_JUL_2022 18:42:06




Date: 29_JUL_2022 18:42:45




Date: 29_JUL_2022 19:25:26

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.12	0.79	3.91	10.24	Complies
110	5550	2.55	0.79	3.34	10.24	Complies
134	5670	2.71	0.79	3.50	10.24	Complies



Date: 29_JUL_2022 18:41:36



Date: 29_JUL_2022 18:43:22




Date: 29_JUL_2022 19:25:52

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.78	10.24	Complies
110	5550	6.43	10.24	Complies
134	5670	6.46	10.24	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.48	1.38	1.86	10.24	Complies
122	5610	0.82	1.38	2.20	10.24	Complies




Date: 29_JUL_2022 19:17:24




Date: 29_JUL_2022 19:28:03

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.33	1.38	1.71	10.24	Complies
122	5610	0.43	1.38	1.81	10.24	Complies



Date: 29_JUL_2022 19:16:56



Date: 29_JUL_2022 19:28:29


Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.80	10.24	Complies
122	5610	5.02	10.24	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.80	0.32	5.12	30.00	Complies
157	5785	4.33	0.32	4.65	30.00	Complies
165	5825	4.61	0.32	4.93	30.00	Complies

CH149




Date: 7 JUN 2022 18:01:23

CH157



Date: 7 JUN 2022 18:03:23




CH165



Date: 7 JUN 2022 18:05:25




Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.53	0.34	4.87	29.24	Complies
157	5785	4.15	0.34	4.49	29.24	Complies
165	5825	4.59	0.34	4.93	29.24	Complies



Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.21	0.34	4.55	29.24	Complies
157	5785	4.15	0.34	4.49	29.24	Complies
165	5825	3.95	0.34	4.29	29.24	Complies




Test Mode UNII-3_TX AC(VHT20) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.72	29.24	Complies
157	5785	7.50	29.24	Complies
165	5825	7.63	29.24	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.15	0.66	2.81	29.24	Complies
159	5795	2.37	0.66	3.03	29.24	Complies




Date: 8 JUN 2022 01:10:54




Date: 8 JUN 2022 01:14:06

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.40	0.66	3.06	29.24	Complies
159	5795	2.03	0.66	2.69	29.24	Complies



Date: 8 JUN 2022 01:42:25




Date: 8 JUN 2022 01:43:35

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.95	29.24	Complies
159	5795	5.87	29.24	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.65	1.23	0.58	29.24	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.78	1.23	0.45	29.24	Complies




Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.53	29.24	Complies


Test Mode UNII-3_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.80	0.42	5.22	29.24	Complies
157	5785	4.73	0.42	5.15	29.24	Complies
165	5825	4.85	0.42	5.27	29.24	Complies



Test Mode UNII-3_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.75	0.42	5.17	29.24	Complies
157	5785	5.11	0.42	5.53	29.24	Complies
165	5825	5.00	0.42	5.42	29.24	Complies




Test Mode UNII-3_TX AX(HE20) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.20	29.24	Complies
157	5785	8.35	29.24	Complies
165	5825	8.35	29.24	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.47	0.79	2.26	29.24	Complies
159	5795	1.46	0.79	2.25	29.24	Complies




Date: 8 JUN 2022 01:21:05




Date: 8 JUN 2022 01:25:33

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.79	0.79	2.58	29.24	Complies
159	5795	1.76	0.79	2.55	29.24	Complies



Date: 8 JUN 2022 01:32:09




Date: 8 JUN 2022 01:34:25

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.44	29.24	Complies
159	5795	5.41	29.24	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.59	1.38	0.79	29.24	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.74	1.38	0.64	29.24	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.73	29.24	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
13.2	5179.9599
12	5179.9750
10.8	5179.9799
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.7461

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-5	5179.9799
5	5179.9750
15	5179.9599
25	5179.9750
35	5179.9599
45	5179.9750
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.7461

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
13.2	5259.9950
12	5259.9799
10.8	5259.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7529

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-5	5259.9750
5	5259.9748
15	5259.9750
25	5259.9750
35	5259.9750
45	5259.9950
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.7885

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
13.2	5500.1350
12	5500.1350
10.8	5500.1350
Maximum Deviation (MHz)	0.1350
Maximum Deviation (ppm)	24.5477

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-5	5500.1150
5	5500.1302
15	5500.1302
25	5500.1199
35	5500.1148
45	5500.1148
Maximum Deviation (MHz)	0.1302
Maximum Deviation (ppm)	23.6636

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
13.2	5744.9599
12	5744.9799
10.8	5744.9799
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	6.9843

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-5	5744.9599
5	5744.9799
15	5744.9599
25	5744.9599
35	5744.9599
45	5744.9750
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	6.9843

End of Test Report