


802.11 n HT40/5510MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.5178	23.07	15.68	38.75	54.00	15.25	150	313	Horizontal
2	5511.9935	66.29	16.01	82.30	/	/	150	305	Horizontal
1	5460.5178	26.91	15.68	42.59	54.00	11.41	150	87	Vertical
2	5512.5188	75.77	16.01	91.78	/	/	150	11	Vertical

----- The following blanks -----

802.11 n HT40/5590MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.5178	35.57	15.68	51.25	74.00	22.75	150	358	Horizontal
2	5587.9815	82.28	16.13	98.41	/	/	150	84	Horizontal
1	5460.5178	36.61	15.68	52.29	74.00	21.71	150	18	Vertical
2	5591.8334	91.79	16.14	107.93	/	/	150	7	Vertical

----- The following blanks -----

802.11 n HT40/5590MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.6928	22.46	15.68	38.14	54.00	15.86	150	148	Horizontal
2	5592.0085	67.56	16.14	83.70	/	/	150	88	Horizontal
1	5460.6928	23.59	15.68	39.27	54.00	14.73	150	4	Vertical
2	5592.0085	75.76	16.14	91.90	/	/	150	102	Vertical

----- The following blanks -----

802.11 n HT40/5670MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672.6813	81.77	16.13	97.90	/	/	150	72	Horizontal
2	5725.0675	35.33	16.17	51.50	74.00	22.50	150	324	Horizontal
3	5728.1491	37.22	16.17	53.39	74.00	20.61	150	89	Horizontal
1	5673.3817	91.50	16.13	107.63	/	/	150	10	Vertical
2	5725.0675	37.19	16.17	53.36	74.00	20.64	150	183	Vertical
3	5728.9895	39.03	16.17	55.20	74.00	18.80	150	286	Vertical

----- The following blanks -----

802.11 n HT40/5670MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672.1211	67.15	16.14	83.29	/	/	150	80	Horizontal
2	5725.0675	22.74	16.17	38.91	54.00	15.09	150	76	Horizontal
1	5671.7008	76.26	16.14	92.40	/	/	150	10	Vertical
2	5725.0675	24.00	16.17	40.17	54.00	13.83	150	86	Vertical

----- The following blanks -----

802.11ac VHT80 mode/5210MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5149.0345	38.69	14.13	52.82	74.00	21.18	150	135	Horizontal
2	5150.035	37.85	14.14	51.99	74.00	22.01	150	111	Horizontal
3	5206.3632	80.67	14.54	95.21	/	/	150	123	Horizontal
1	5149.7349	43.86	14.14	58.00	74.00	16.00	150	357	Vertical
2	5150.035	42.59	14.14	56.73	74.00	17.27	150	2	Vertical
3	5206.4632	89.25	14.54	103.79	/	/	150	357	Vertical

----- The following blanks -----

802.11ac VHT80 mode/5210MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5149.7349	25.22	14.14	39.36	54.00	14.64	150	115	Horizontal
2	5150.035	24.83	14.14	38.97	54.00	15.03	150	115	Horizontal
3	5207.4637	62.99	14.54	77.53	/	/	150	123	Horizontal
1	5149.6348	30.42	14.14	44.56	54.00	9.44	150	357	Vertical
2	5150.035	30.13	14.14	44.27	54.00	9.73	150	4	Vertical
3	5207.1636	69.88	14.54	84.42	/	/	150	0	Vertical

----- The following blanks -----

802.11 ac VHT80/5290MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5280.6598	79.67	14.97	94.64	/	/	150	135	Horizontal
2	5350.059	36.17	15.15	51.32	74.00	22.68	150	71	Horizontal
1	5296.3762	87.80	15.06	102.86	/	/	150	84	Vertical
2	5350.059	43.38	15.15	58.53	74.00	15.47	150	92	Vertical

----- The following blanks -----

802.11 ac VHT80/5290MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5287.017	62.48	15.00	77.48	/	/	150	138	Horizontal
2	5350.059	23.58	15.15	38.73	54.00	15.27	150	146	Horizontal
1	5287.3702	69.12	15.00	84.12	/	/	150	92	Vertical
2	5350.059	29.93	15.15	45.08	54.00	8.92	150	88	Vertical

----- The following blanks -----

802.11 ac VHT80/5530MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5457.016	39.27	15.66	54.93	74.00	19.07	150	316	Horizontal
2	5460.6928	37.44	15.68	53.12	74.00	20.88	150	84	Horizontal
3	5535.1051	80.41	16.04	96.45	/	/	150	76	Horizontal
1	5458.5918	39.84	15.67	55.51	74.00	18.49	150	83	Vertical
2	5460.6928	37.66	15.68	53.34	74.00	20.66	150	87	Vertical
3	5535.9805	80.19	16.04	96.23	/	/	150	78	Vertical

----- The following blanks -----

802.11 ac VHT80/5530MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5457.5413	24.86	15.66	40.52	54.00	13.48	150	312	Horizontal
2	5460.6928	23.95	15.68	39.63	54.00	14.37	150	312	Horizontal
3	5537.3812	61.93	16.05	77.98	/	/	150	97	Horizontal
1	5457.5413	31.56	15.66	47.22	54.00	6.78	150	4	Vertical
2	5460.6928	29.34	15.68	45.02	54.00	8.98	150	4	Vertical
3	5537.3812	70.53	16.05	86.58	/	/	150	99	Vertical

----- The following blanks -----

802.11 ac VHT80/5610MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5615.953	79.48	16.15	95.63	/	/	150	96	Horizontal
2	5725.0675	36.28	16.17	52.45	74.00	21.55	150	124	Horizontal
3	5725.6278	36.69	16.17	52.86	74.00	21.14	150	168	Horizontal
1	5605.0275	89.43	16.15	105.58	/	/	150	2	Vertical
2	5725.0675	36.51	16.17	52.68	74.00	21.32	150	127	Vertical
3	5725.6278	38.55	16.17	54.72	74.00	19.28	150	195	Vertical

----- The following blanks -----

802.11 ac VHT80/5610MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5614.5523	62.06	16.15	78.21	/	/	150	88	Horizontal
2	5725.0675	22.76	16.17	38.93	54.00	15.07	150	76	Horizontal
1	5614.6923	70.59	16.15	86.74	/	/	150	7	Vertical
2	5725.0675	24.15	16.17	40.32	54.00	13.68	150	282	Vertical

----- The following blanks -----

802.11ax HE20 mode/5180MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	35.81	14.14	49.95	74.00	24.05	150	282	Horizontal
2	5178.049	87.46	14.34	101.80	/	/	150	114	Horizontal
1	5150.035	37.82	14.14	51.96	74.00	22.04	150	5	Vertical
2	5181.1506	95.27	14.37	109.64	/	/	150	357	Vertical

----- The following blanks -----

802.11ax HE20 mode/5180MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	23.03	14.14	37.17	54.00	16.83	150	91	Horizontal
2	5181.0505	66.44	14.37	80.81	/	/	150	119	Horizontal
1	5150.035	24.87	14.14	39.01	54.00	14.99	150	5	Vertical
2	5181.0505	73.39	14.37	87.76	/	/	150	358	Vertical

----- The following blanks -----

802.11ax HE20 mode/5200MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	35.11	14.14	49.25	74.00	24.75	150	314	Horizontal
2	5203.0615	86.96	14.51	101.47	/	/	150	131	Horizontal
1	5150.035	37.47	14.14	51.61	74.00	22.39	150	200	Vertical
2	5203.1616	96.18	14.51	110.69	/	/	150	88	Vertical

----- The following blanks -----

802.11ax HE20 mode/5200MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	23.02	14.14	37.16	54.00	16.84	150	114	Horizontal
2	5201.0605	67.37	14.50	81.87	/	/	150	123	Horizontal
1	5150.035	24.40	14.14	38.54	54.00	15.46	150	5	Vertical
2	5200.9605	74.46	14.50	88.96	/	/	150	2	Vertical

----- The following blanks -----

802.11ax HE20 mode/5240MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	35.91	14.14	50.05	74.00	23.95	150	170	Horizontal
2	5239.0795	86.71	14.73	101.44	/	/	150	126	Horizontal
1	5150.035	36.70	14.14	50.84	74.00	23.16	150	176	Vertical
2	5243.6818	95.50	14.75	110.25	/	/	150	357	Vertical

----- The following blanks -----

802.11ax HE20 mode/5240MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	22.90	14.14	37.04	54.00	16.96	150	114	Horizontal
2	5240.7804	65.50	14.74	80.24	/	/	150	126	Horizontal
1	5150.035	24.06	14.14	38.20	54.00	15.80	150	357	Vertical
2	5240.8804	73.01	14.74	87.75	/	/	150	89	Vertical

----- The following blanks -----

802.11 ax HE20/5260MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5255.9375	86.14	14.83	100.97	/	/	150	119	Horizontal
2	5350.059	34.06	15.15	49.21	74.00	24.79	150	114	Horizontal
1	5260.7054	94.37	14.85	109.22	/	/	150	0	Vertical
2	5350.059	34.71	15.15	49.86	74.00	24.14	150	208	Vertical

----- The following blanks -----

802.11 ax HE20/5260MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5258.4097	65.85	14.84	80.69	/	/	150	135	Horizontal
2	5350.059	20.97	15.15	36.12	54.00	17.88	150	314	Horizontal
1	5257.3502	72.54	14.83	87.37	/	/	150	348	Vertical
2	5350.059	22.05	15.15	37.20	54.00	16.80	150	4	Vertical

----- The following blanks -----

802.11 ax HE20/5280MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5277.4812	87.80	14.95	102.75	/	/	150	131	Horizontal
2	5350.059	33.92	15.15	49.07	74.00	24.93	150	62	Horizontal
1	5284.7214	94.35	14.99	109.34	/	/	150	212	Vertical
2	5350.059	34.98	15.15	50.13	74.00	23.87	150	0	Vertical

----- The following blanks -----

802.11ax HE20/5280MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5281.013	67.31	14.97	82.28	/	/	150	139	Horizontal
2	5350.059	21.02	15.15	36.17	54.00	17.83	150	314	Horizontal
1	5281.013	73.21	14.97	88.18	/	/	150	96	Vertical
2	5350.059	22.28	15.15	37.43	54.00	16.57	150	88	Vertical

----- The following blanks -----

802.11 ax HE20/5320MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5318.0965	86.30	15.10	101.40	/	/	150	131	Horizontal
2	5350.059	34.01	15.15	49.16	74.00	24.84	150	95	Horizontal
1	5320.7454	93.99	15.10	109.09	/	/	150	96	Vertical
2	5350.059	35.80	15.15	50.95	74.00	23.05	150	4	Vertical

----- The following blanks -----

802.11ax HE20/5320MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5321.0985	65.21	15.11	80.32	/	/	150	142	Horizontal
2	5350.059	21.14	15.15	36.29	54.00	17.71	150	146	Horizontal
1	5321.0985	73.06	15.11	88.17	/	/	150	88	Vertical
2	5350.059	23.05	15.15	38.20	54.00	15.80	150	4	Vertical

----- The following blanks -----

802.11 ax HE20/5500MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.1676	35.49	15.68	51.17	74.00	22.83	150	8	Horizontal
2	5505.5153	85.43	16.00	101.43	/	/	150	76	Horizontal
1	5460.3427	38.15	15.68	53.83	74.00	20.17	150	99	Vertical
2	5508.6668	94.14	16.01	110.15	/	/	150	99	Vertical

----- The following blanks -----

802.11 ax HE20/5500MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.3427	22.66	15.68	38.34	54.00	15.66	150	64	Horizontal
2	5507.4412	64.66	16.00	80.66	/	/	150	308	Horizontal
1	5460.3427	25.32	15.68	41.00	54.00	13.00	150	4	Vertical
2	5507.2661	72.85	16.00	88.85	/	/	150	11	Vertical

----- The following blanks -----

802.11ax HE20/5600MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.3427	35.63	15.68	51.31	74.00	22.69	150	220	Horizontal
2	5603.3892	85.94	16.15	102.09	/	/	150	89	Horizontal
1	5460.3427	37.26	15.68	52.94	74.00	21.06	150	14	Vertical
2	5602.8639	94.47	16.15	110.62	/	/	150	4	Vertical

----- The following blanks -----

802.11ax HE20/5600MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.3427	22.44	15.68	38.12	54.00	15.88	150	313	Horizontal
2	5602.6888	65.29	16.14	81.43	/	/	150	88	Horizontal
1	5460.3427	23.62	15.68	39.30	54.00	14.70	150	4	Vertical
2	5592.1836	72.42	16.14	88.56	/	/	150	103	Vertical

----- The following blanks -----

802.11ax HE20/5700MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5699.1546	84.58	16.13	100.71	/	/	150	84	Horizontal
2	5725.0675	34.85	16.17	51.02	74.00	22.98	150	76	Horizontal
1	5705.0375	93.31	16.14	109.45	/	/	150	103	Vertical
2	5725.0675	37.93	16.17	54.10	74.00	19.90	150	82	Vertical

----- The following blanks -----

802.11ax HE20/5700MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5704.7574	63.56	16.14	79.70	/	/	150	76	Horizontal
2	5725.0675	22.68	16.17	38.85	54.00	15.15	150	108	Horizontal
1	5704.8974	72.07	16.14	88.21	/	/	150	83	Vertical
2	5725.0675	24.52	16.17	40.69	54.00	13.31	150	87	Vertical

----- The following blanks -----

802.11ax HE40 mode/5190MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5143.1316	37.03	14.09	51.12	74.00	22.88	150	319	Horizontal
2	5150.035	35.65	14.14	49.79	74.00	24.21	150	334	Horizontal
3	5187.6538	85.09	14.42	99.51	/	/	150	127	Horizontal
1	5149.6348	40.20	14.14	54.34	74.00	19.66	150	357	Vertical
2	5150.035	38.14	14.14	52.28	74.00	21.72	150	272	Vertical
3	5187.2536	93.73	14.40	108.13	/	/	150	357	Vertical

----- The following blanks -----

802.11ax HE40 mode/5190MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	23.17	14.14	37.31	54.00	16.69	150	114	Horizontal
2	5187.6538	64.46	14.42	78.88	/	/	150	122	Horizontal
1	5150.035	25.31	14.14	39.45	54.00	14.55	150	357	Vertical
2	5192.2561	71.44	14.44	85.88	/	/	150	2	Vertical

----- The following blanks -----

802.11ax HE40 mode/5230MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	35.95	14.14	50.09	74.00	23.91	150	335	Horizontal
2	5224.072	84.56	14.64	99.20	/	/	150	127	Horizontal
1	5150.035	38.24	14.14	52.38	74.00	21.62	150	200	Vertical
2	5228.7744	92.45	14.66	107.11	/	/	150	92	Vertical

----- The following blanks -----

802.11ax HE40 mode/5230MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	23.10	14.14	37.24	54.00	16.76	150	114	Horizontal
2	5227.1736	64.07	14.65	78.72	/	/	150	126	Horizontal
1	5150.035	25.48	14.14	39.62	54.00	14.38	150	357	Vertical
2	5227.6738	70.46	14.66	85.12	/	/	150	0	Vertical

----- The following blanks -----

802.11 ax HE40/5270MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5275.1856	84.88	14.94	99.82	/	/	150	134	Horizontal
2	5350.059	34.34	15.15	49.49	74.00	24.51	150	163	Horizontal
1	5270.9475	91.57	14.92	106.49	/	/	150	192	Vertical
2	5350.059	35.04	15.15	50.19	74.00	23.81	150	96	Vertical

----- The following blanks -----

802.11 ax HE40/5270MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5274.8324	64.25	14.93	79.18	/	/	150	139	Horizontal
2	5350.059	21.01	15.15	36.16	54.00	17.84	150	107	Horizontal
1	5272.1836	70.50	14.92	85.42	/	/	150	97	Vertical
2	5350.059	22.63	15.15	37.78	54.00	16.22	150	85	Vertical

----- The following blanks -----

802.11 ax HE40/5310MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5307.5013	84.52	15.09	99.61	/	/	150	135	Horizontal
2	5350.059	34.67	15.15	49.82	74.00	24.18	150	34	Horizontal
1	5312.9755	92.52	15.10	107.62	/	/	150	188	Vertical
2	5350.059	38.41	15.15	53.56	74.00	20.44	150	192	Vertical

----- The following blanks -----

802.11ax HE40/5310MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5312.2691	63.23	15.09	78.32	/	/	150	142	Horizontal
2	5350.059	21.39	15.15	36.54	54.00	17.46	150	147	Horizontal
1	5312.2691	71.22	15.09	86.31	/	/	150	92	Vertical
2	5350.059	25.27	15.15	40.42	54.00	13.58	150	88	Vertical

----- The following blanks -----

802.11 ax HE40/5510MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.5178	35.44	15.68	51.12	74.00	22.88	150	303	Horizontal
2	5513.044	83.62	16.01	99.63	/	/	150	90	Horizontal
1	5460.5178	41.26	15.68	56.94	74.00	17.06	150	93	Vertical
2	5515.1451	93.13	16.02	109.15	/	/	150	2	Vertical

----- The following blanks -----

802.11ax HE40/5510MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.5178	23.09	15.68	38.77	54.00	15.23	150	339	Horizontal
2	5514.6198	62.57	16.02	78.59	/	/	150	95	Horizontal
1	5460.5178	26.30	15.68	41.98	54.00	12.02	150	105	Vertical
2	5512.1686	70.83	16.01	86.84	/	/	150	357	Vertical

----- The following blanks -----

802.11 ax HE40/5590MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.6928	35.27	15.68	50.95	74.00	23.05	150	214	Horizontal
2	5592.7089	84.39	16.14	100.53	/	/	150	83	Horizontal
1	5460.6928	35.75	15.68	51.43	74.00	22.57	150	120	Vertical
2	5591.8334	93.65	16.14	109.79	/	/	150	4	Vertical

----- The following blanks -----

802.11 ax HE40/5590MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.6928	22.21	15.68	37.89	54.00	16.11	150	339	Horizontal
2	5592.0085	61.92	16.14	78.06	/	/	150	102	Horizontal
1	5460.6928	22.74	15.68	38.42	54.00	15.58	150	104	Vertical
2	5592.1836	70.84	16.14	86.98	/	/	150	8	Vertical

----- The following blanks -----

802.11ax HE40/5670MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672.1211	82.83	16.14	98.97	/	/	150	79	Horizontal
2	5725.0675	35.08	16.17	51.25	74.00	22.75	150	250	Horizontal
3	5729.6898	37.21	16.17	53.38	74.00	20.62	150	230	Horizontal
1	5667.4987	93.00	16.14	109.14	/	/	150	88	Vertical
2	5725.0675	36.15	16.17	52.32	74.00	21.68	150	4	Vertical
3	5728.5693	38.22	16.17	54.39	74.00	19.61	150	88	Vertical

----- The following blanks -----

802.11ax HE40/5670MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672.2611	62.54	16.14	78.68	/	/	150	79	Horizontal
2	5725.0675	22.60	16.17	38.77	54.00	15.23	150	315	Horizontal
1	5671.981	70.81	16.14	86.95	/	/	150	16	Vertical
2	5725.0675	23.51	16.17	39.68	54.00	14.32	150	8	Vertical

----- The following blanks -----

802.11ax HE80 mode/5210MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	37.59	14.14	51.73	74.00	22.27	150	135	Horizontal
2	5208.5643	82.58	14.55	97.13	/	/	150	135	Horizontal
1	5150.035	44.82	14.14	58.96	74.00	15.04	150	357	Vertical
2	5210.8654	91.38	14.56	105.94	/	/	150	357	Vertical

----- The following blanks -----

802.11ax HE80 mode/5210MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	25.10	14.14	39.24	54.00	14.76	150	115	Horizontal
2	5207.2636	62.55	14.54	77.09	/	/	150	122	Horizontal
1	5150.035	25.16	14.14	39.30	54.00	14.70	150	124	Vertical
2	5207.1636	61.86	14.54	76.40	/	/	150	116	Vertical

----- The following blanks -----

802.11ax HE80/5290MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5291.0785	82.10	15.03	97.13	/	/	150	130	Horizontal
2	5350.059	37.61	15.15	52.76	74.00	21.24	150	138	Horizontal
1	5295.8464	90.09	15.06	105.15	/	/	150	84	Vertical
2	5350.059	45.17	15.15	60.32	74.00	13.68	150	0	Vertical

----- The following blanks -----

802.11ax HE80/5290MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5287.3702	62.22	15.00	77.22	/	/	150	139	Horizontal
2	5350.059	23.57	15.15	38.72	54.00	15.28	150	147	Horizontal
1	5287.1936	68.76	15.00	83.76	/	/	150	93	Vertical
2	5350.059	29.91	15.15	45.06	54.00	8.94	150	89	Vertical

----- The following blanks -----

802.11ax HE80/5530MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5458.0665	38.46	15.66	54.12	74.00	19.88	150	91	Horizontal
2	5460.6928	37.16	15.68	52.84	74.00	21.16	150	331	Horizontal
3	5538.6068	80.35	16.05	96.40	/	/	150	86	Horizontal
1	5457.7164	45.70	15.66	61.36	74.00	12.64	150	2	Vertical
2	5460.6928	41.03	15.68	56.71	74.00	17.29	150	100	Vertical
3	5531.7784	89.01	16.04	105.05	/	/	150	84	Vertical

----- The following blanks -----

802.11ax HE80/5530MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5457.8914	24.84	15.66	40.50	54.00	13.50	150	335	Horizontal
2	5460.6928	23.80	15.68	39.48	54.00	14.52	150	339	Horizontal
3	5536.1556	60.16	16.05	76.21	/	/	150	98	Horizontal
1	5457.3662	29.93	15.66	45.59	54.00	8.41	150	104	Vertical
2	5460.6928	28.04	15.68	43.72	54.00	10.28	150	104	Vertical
3	5537.2061	68.53	16.05	84.58	/	/	150	97	Vertical

----- The following blanks -----

802.11ax HE80/5610MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5616.2331	80.99	16.15	97.14	/	/	150	90	Horizontal
2	5725.0675	35.31	16.17	51.48	74.00	22.52	150	191	Horizontal
1	5611.0505	90.29	16.15	106.44	/	/	150	88	Vertical
2	5725.0675	36.58	16.17	52.75	74.00	21.25	150	201	Vertical

----- The following blanks -----

802.11ax HE80/5610MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5607.2686	59.96	16.15	76.11	/	/	150	335	Horizontal
2	5725.0675	22.62	16.17	38.79	54.00	15.21	150	86	Horizontal
1	5614.6923	68.82	16.15	84.97	/	/	150	88	Vertical
2	5725.0675	23.64	16.17	39.81	54.00	14.19	150	140	Vertical

----- The following blanks -----

802.11ax HE160 mode/5250MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.1251	36.24	14.14	50.38	74.00	23.62	150	126	Horizontal
2	5253.977	79.49	14.81	94.30	/	/	150	122	Horizontal
1	5150.1251	41.86	14.14	56.00	74.00	18.00	150	0	Vertical
2	5254.2771	89.09	14.82	103.91	/	/	150	358	Vertical

----- The following blanks -----

802.11ax HE160 mode/5250MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.1251	23.89	14.14	38.03	54.00	15.97	150	139	Horizontal
2	5252.026	59.53	14.80	74.33	/	/	150	114	Horizontal
1	5150.1251	28.33	14.14	42.47	54.00	11.53	150	357	Vertical
2	5252.026	66.96	14.80	81.76	/	/	150	0	Vertical

----- The following blanks -----

802.11ax HE160 mode/5570MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5453.8644	37.80	15.63	53.43	74.00	20.57	150	74	Horizontal
2	5460.6928	36.24	15.68	51.92	74.00	22.08	150	314	Horizontal
3	5565.9205	78.41	16.10	94.51	/	/	150	87	Horizontal
1	5454.2146	46.78	15.64	62.42	74.00	11.58	150	93	Vertical
2	5460.6928	43.63	15.68	59.31	74.00	14.69	150	93	Vertical
3	5562.944	88.20	16.09	104.29	/	/	150	0	Vertical

----- The following blanks -----

802.11ax HE160 mode/5570MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5451.9385	24.37	15.61	39.98	54.00	14.02	150	334	Horizontal
2	5460.6928	23.74	15.68	39.42	54.00	14.58	150	338	Horizontal
3	5564.8699	57.57	16.10	73.67	/	/	150	99	Horizontal
1	5451.2381	29.95	15.61	45.56	54.00	8.44	150	108	Vertical
2	5460.6928	29.20	15.68	44.88	54.00	9.12	150	104	Vertical
3	5564.8699	66.67	16.10	82.77	/	/	150	8	Vertical

Remark: Max field strength in 3m distance. No any other emission which falls in restricted bands can be detected and be reported.

802.11a mode Ant 1/5745MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	35.41	16.15	51.56	109.52	57.96	150	7	Horizontal
2	5724.9875	35.36	16.16	51.52	122.27	70.75	150	242	Horizontal
3	5773.4367	82.21	16.23	98.44	-	-	150	90	Horizontal
1	5713.6068	42.37	16.14	58.51	109.11	50.60	150	4	Vertical
2	5724.9875	36.85	16.16	53.01	122.27	69.26	150	24	Vertical
3	5776.6883	92.21	16.24	108.45	-	-	150	96	Vertical

----- The following blanks -----

802.11a mode Ant 1/5785MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5783.6793	82.62	16.25	98.87	-	-	150	94	Horizontal
1	5785.4677	92.09	16.25	108.34	-	-	150	96	Vertical

----- The following blanks -----

802.11a mode Ant 1/5825MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5827.4137	80.90	16.40	97.30	-	-	150	247	Horizontal
2	5850.0125	35.39	16.51	51.90	122.27	70.37	150	134	Horizontal
3	5860.0925	35.66	16.56	52.22	109.47	57.25	150	79	Horizontal
1	5826.6008	91.31	16.40	107.71	-	-	150	8	Vertical
2	5850.0125	37.23	16.51	53.74	122.27	68.53	150	296	Vertical
3	5860.0925	37.85	16.56	54.41	109.47	55.06	150	32	Vertical

----- The following blanks -----

802.11n HT20 mode/5745MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	34.77	16.15	50.92	109.52	58.60	150	155	Horizontal
2	5724.9875	35.12	16.16	51.28	122.27	70.99	150	11	Horizontal
3	5742.7089	82.16	16.19	98.35	-	-	150	79	Horizontal
1	5715.07	36.49	16.15	52.64	109.52	56.88	150	4	Vertical
2	5724.9875	41.86	16.16	58.02	122.27	64.25	150	92	Vertical
3	5743.6843	92.60	16.19	108.79	-	-	150	92	Vertical

----- The following blanks -----

802.11n HT20 mode/5785MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5782.0535	81.21	16.25	97.46	-	-	150	82	Horizontal
1	5785.4677	91.09	16.25	107.34	-	-	150	93	Vertical

----- The following blanks -----


802.11n HT20 mode/5825MHz
Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5827.9015	81.22	16.40	97.62	-	-	150	94	Horizontal
2	5850.0125	35.22	16.51	51.73	122.27	70.54	150	250	Horizontal
3	5860.0925	35.24	16.56	51.80	109.47	57.67	150	127	Horizontal
1	5825.7879	90.92	16.40	107.32	-	-	150	96	Vertical
2	5850.0125	36.57	16.51	53.08	122.27	69.19	150	288	Vertical
3	5860.0925	37.91	16.56	54.47	109.47	55.00	150	84	Vertical

----- The following blanks -----

802.11n HT40/5755MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	34.82	16.15	50.97	109.52	58.55	150	357	Horizontal
2	5724.9875	36.24	16.16	52.40	122.27	69.87	150	94	Horizontal
3	5759.2921	79.88	16.22	96.10	-	-	150	94	Horizontal
1	5715.07	37.61	16.15	53.76	109.52	55.76	150	281	Vertical
2	5724.9875	43.19	16.16	59.35	122.27	62.92	150	100	Vertical
3	5752.7889	90.30	16.21	106.51	-	-	150	92	Vertical

----- The following blanks -----

802.11n HT40/5795MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5798.3117	79.07	16.27	95.34	-	-	150	94	Horizontal
2	5850.0125	34.93	16.51	51.44	122.27	70.83	150	274	Horizontal
3	5860.0925	35.48	16.56	52.04	109.47	57.43	150	130	Horizontal
1	5798.1491	88.59	16.27	104.86	-	-	150	92	Vertical
2	5850.0125	36.93	16.51	53.44	122.27	68.83	150	253	Vertical
3	5860.0925	36.92	16.56	53.48	109.47	55.99	150	272	Vertical

----- The following blanks -----

802.11ac VHT80/5775MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	37.01	16.15	53.16	109.52	56.36	150	86	Horizontal
2	5724.9875	36.19	16.16	52.35	122.27	69.92	150	82	Horizontal
3	5773.4367	76.17	16.23	92.40	-	-	150	94	Horizontal
4	5850.0125	36.77	16.51	53.28	122.27	68.99	150	74	Horizontal
5	5860.0925	36.43	16.56	52.99	109.47	56.48	150	102	Horizontal
1	5715.07	45.39	16.15	61.54	109.52	47.98	150	292	Vertical
2	5724.9875	46.24	16.16	62.40	122.27	59.87	150	93	Vertical
3	5778.3142	86.78	16.24	103.02	-	-	150	93	Vertical
4	5850.0125	42.02	16.51	58.53	122.27	63.74	150	84	Vertical
5	5860.0925	40.22	16.56	56.78	109.47	52.69	150	280	Vertical

802.11ax HE20/5745MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	35.58	16.15	51.73	109.52	57.79	150	254	Horizontal
2	5724.9875	35.87	16.16	52.03	122.27	70.24	150	210	Horizontal
3	5771.1606	84.59	16.23	100.82	-	-	150	91	Horizontal
1	5715.07	39.54	16.15	55.69	109.52	53.83	150	8	Vertical
2	5724.9875	36.63	16.16	52.79	122.27	69.48	150	358	Vertical
3	5775.8754	94.23	16.24	110.47	-	-	150	77	Vertical

----- The following blanks -----

802.11ax HE20/5785MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5784.0045	83.99	16.25	100.24	-	-	150	95	Horizontal
1	5783.6793	93.86	16.25	110.11	-	-	150	92	Vertical

----- The following blanks -----

802.11ax HE20/5825MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5826.926	82.52	16.40	98.92	-	-	150	314	Horizontal
2	5850.0125	35.08	16.51	51.59	122.27	70.68	150	291	Horizontal
3	5860.0925	34.71	16.56	51.27	109.47	58.20	150	115	Horizontal
1	5827.4137	92.97	16.40	109.37	-	-	150	236	Vertical
2	5850.0125	37.00	16.51	53.51	122.27	68.76	150	0	Vertical
3	5860.0925	37.58	16.56	54.14	109.47	55.33	150	355	Vertical

----- The following blanks -----

802.11 ax HE40/5755MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	34.98	16.15	51.13	109.52	58.39	150	158	Horizontal
2	5724.9875	35.92	16.16	52.08	122.27	70.19	150	95	Horizontal
3	5758.1541	82.17	16.21	98.38	-	-	150	323	Horizontal
1	5715.07	38.05	16.15	54.20	109.52	55.32	150	88	Vertical
2	5724.9875	43.16	16.16	59.32	122.27	62.95	150	2	Vertical
3	5754.2521	93.10	16.21	109.31	-	-	150	92	Vertical

----- The following blanks -----

802.11 ax HE40/5795MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5798.3117	81.72	16.27	97.99	-	-	150	243	Horizontal
2	5850.0125	35.16	16.51	51.67	122.27	70.60	150	234	Horizontal
3	5860.0925	35.48	16.56	52.04	109.47	57.43	150	159	Horizontal
1	5793.4342	90.79	16.26	107.05	-	-	150	88	Vertical
2	5850.0125	37.68	16.51	54.19	122.27	68.08	150	256	Vertical
3	5860.0925	37.22	16.56	53.78	109.47	55.69	150	288	Vertical

----- The following blanks -----

802.11ax VHT80/5775MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical



NO.	Freq. [MHz]	Reading [dBμV/m]	Faxtor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	37.44	16.15	53.59	109.52	55.93	150	99	Horizontal
2	5724.9875	37.00	16.16	53.16	122.27	69.11	150	111	Horizontal
3	5773.9245	79.25	16.23	95.48	-	-	150	83	Horizontal
4	5850.0125	36.65	16.51	53.16	122.27	69.11	150	250	Horizontal
5	5860.0925	36.03	16.56	52.59	109.47	56.88	150	314	Horizontal
1	5715.07	45.74	16.15	61.89	109.52	47.63	150	12	Vertical
2	5724.9875	46.31	16.16	62.47	122.27	59.80	150	276	Vertical
3	5774.087	89.58	16.23	105.81	-	-	150	101	Vertical
4	5850.0125	42.75	16.51	59.26	122.27	63.01	150	12	Vertical
5	5860.0925	42.03	16.56	58.59	109.47	50.88	150	93	Vertical

8. 6DB BANDWIDTH & 26DB BANDWIDTH & 99% OCCUPIED BANDWIDTH

8.1. LIMITS

Band	Frequency (MHz)	Test Item	Limit
U-NII-1	5150-5250	26dB Bandwidth&99% Occupied Bandwidth	N/A
U-NII-2A	5250-5350	26dB Bandwidth&99% Occupied Bandwidth	N/A
U-NII-2C	5470-5725	26dB Bandwidth&99% Occupied Bandwidth	N/A
U-NII-3	5725-5850	6dB Bandwidth&99% Occupied Bandwidth	6dB Bandwidth $\geq$ 500kHz

8.2. TEST PROCEDURES

For 26dB Bandwidth Measurement :

- Connect EUT antenna terminal to the spectrum analyzer with RF cable.
- Spectrum analyzer setting parameters in accordance with table 1.
- Set the EUT transmit continuously with maximum output power.
- Allow trace to stabilize, measure the maximum width of the emission that is 26 dB down from the peak of the emission. Compare this with the RBW setting of the instrument. Readjust RBW and repeat measurements needed until the RBW/EBW ratio is approximately 1%.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

For 6dB Bandwidth Measurement :

- Connect EUT antenna terminal to the spectrum analyzer with RF cable.
- Spectrum analyzer setting parameters in accordance with table 2.
- Set the EUT transmit continuously with maximum output power.
- Allow trace to stabilize, measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

For 99% Occupied Bandwidth Measurement :

- Connect EUT antenna terminal to the spectrum analyzer with RF cable.
- Spectrum analyzer setting parameters in accordance with table 3.
- Set the EUT transmit continuously with maximum output power.
- Allow trace to stabilize, use the 99% power bandwidth function to measure bandwidth.
- Repeat above procedures until all modes and channels were measured.

Record the results in the test report.

Table 1:

26dB Bandwidth	
Spectrum Parameters	Setting
RBW	approximately 1% of the emission bandwidth
VBW	> RBW
Span	40MHz(20MHz Bandwidth mode) 60MHz(40MHz Bandwidth mode) 120MHz(80MHz Bandwidth mode)
Sweep Time	Auto
Detector	Peak

Trace Mode	Max Hold
------------	----------


Table 2:

6dB Bandwidth	
Spectrum Parameters	Setting
RBW	100kHz
VBW	300kHz
Span	40MHz(20MHz Bandwidth mode) 60MHz(40MHz Bandwidth mode) 120MHz(80MHz Bandwidth mode)
Sweep Time	Auto
Detector	Peak
Trace Mode	Max Hold

Table 3:

99% Occupied Bandwidth	
Spectrum Parameters	Setting
RBW	1% to 5% of the OBW
VBW	approximately three times the RBW
Span	between 1.5 times and 5.0 times the OBW
Sweep Time	Auto
Detector	Peak
Trace Mode	Max Hold

8.3. TEST SETUP



----- The following blanks -----

8.4. TEST RESULTS

Environmental Conditions	20.9℃/47%RH/101.1kPa	Test Voltage	AC120V/60Hz
Tested By	Zhang Zishan	Tested Date	2023/02/28~2023/03/15

6dB Bandwidth: U-NII-3

Mode	Frequency (MHz)	Antenna	6 dB Bandwidth (MHz)	Limit 6 dB Bandwidth (MHz)	Verdict
11a	5745	Ant1	16.308	0.5	Pass
11a	5745	Ant2	16.317	0.5	Pass
11a	5745	Ant3	16.326	0.5	Pass
11a	5785	Ant1	16.299	0.5	Pass
11a	5785	Ant2	16.326	0.5	Pass
11a	5785	Ant3	16.302	0.5	Pass
11a	5825	Ant1	16.305	0.5	Pass
11a	5825	Ant2	16.287	0.5	Pass
11a	5825	Ant3	16.29	0.5	Pass
11n20	5745	Ant1	17.499	0.5	Pass
11n20	5745	Ant2	17.535	0.5	Pass
11n20	5745	Ant3	17.289	0.5	Pass
11n20	5785	Ant1	17.298	0.5	Pass
11n20	5785	Ant2	17.505	0.5	Pass
11n20	5785	Ant3	17.253	0.5	Pass
11n20	5825	Ant1	17.541	0.5	Pass
11n20	5825	Ant2	17.265	0.5	Pass
11n20	5825	Ant3	17.526	0.5	Pass
11n40	5755	Ant1	35.04	0.5	Pass
11n40	5755	Ant2	35.082	0.5	Pass
11n40	5755	Ant3	35.094	0.5	Pass
11n40	5795	Ant1	35.1	0.5	Pass
11n40	5795	Ant2	35.106	0.5	Pass
11n40	5795	Ant3	35.094	0.5	Pass
11ac20	5745	Ant1	17.526	0.5	Pass
11ac20	5745	Ant2	17.28	0.5	Pass
11ac20	5745	Ant3	17.16	0.5	Pass
11ac20	5785	Ant1	17.502	0.5	Pass
11ac20	5785	Ant2	17.541	0.5	Pass
11ac20	5785	Ant3	17.52	0.5	Pass
11ac20	5825	Ant1	17.526	0.5	Pass
11ac20	5825	Ant2	17.517	0.5	Pass
11ac20	5825	Ant3	17.52	0.5	Pass
11ac40	5755	Ant1	35.046	0.5	Pass

11ac40	5755	Ant2	35.082	0.5	Pass
11ac40	5755	Ant3	35.124	0.5	Pass
11ac40	5795	Ant1	35.118	0.5	Pass
11ac40	5795	Ant2	33.846	0.5	Pass
11ac40	5795	Ant3	35.076	0.5	Pass
11ac80	5775	Ant1	73.728	0.5	Pass
11ac80	5775	Ant2	75.084	0.5	Pass
11ac80	5775	Ant3	75.084	0.5	Pass
11ax20	5745	Ant1	18.657	0.5	Pass
11ax20	5745	Ant2	18.831	0.5	Pass
11ax20	5745	Ant3	18.693	0.5	Pass
11ax20	5785	Ant1	18.801	0.5	Pass
11ax20	5785	Ant2	18.918	0.5	Pass
11ax20	5785	Ant3	18.573	0.5	Pass
11ax20	5825	Ant1	18.765	0.5	Pass
11ax20	5825	Ant2	18.648	0.5	Pass
11ax20	5825	Ant3	18.618	0.5	Pass
11ax40	5755	Ant1	35.088	0.5	Pass
11ax40	5755	Ant2	35.07	0.5	Pass
11ax40	5755	Ant3	35.82	0.5	Pass
11ax40	5795	Ant1	35.058	0.5	Pass
11ax40	5795	Ant2	36.048	0.5	Pass
11ax40	5795	Ant3	36.264	0.5	Pass
11ax80	5775	Ant1	75.024	0.5	Pass
11ax80	5775	Ant2	75.096	0.5	Pass
11ax80	5775	Ant3	75.324	0.5	Pass

----- The following blanks -----

