



802.11 n HT40/5310MHz

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5308.3842	81.75	15.09	96.84	74.00	-22.84	150	126	Horizontal
2	5350.059	33.60	15.15	48.75	74.00	25.25	150	99	Horizontal
3	5380.4322	35.72	15.19	50.91	74.00	23.09	150	155	Horizontal
1	5312.9755	90.01	15.10	105.11	74.00	-31.11	150	357	Vertical
2	5350.059	39.09	15.15	54.24	74.00	19.76	150	192	Vertical

----- The following blanks -----


802.11 n HT40/5310MHz

Detector mode: Average Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5312.2691	66.74	15.09	81.83	54.00	-27.83	150	143	Horizontal
2	5350.059	21.35	15.15	36.50	54.00	17.50	150	147	Horizontal
1	5312.0925	75.38	15.09	90.47	54.00	-36.47	150	93	Vertical
2	5350.059	25.28	15.15	40.43	54.00	13.57	150	89	Vertical

----- The following blanks -----


802.11 n HT40/5510MHz

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.5178	36.91	15.68	52.59	74.00	21.41	150	329	Horizontal
2	5513.3942	82.35	16.01	98.36	74.00	-24.36	150	76	Horizontal
1	5460.5178	39.06	15.68	54.74	74.00	19.26	150	82	Vertical
2	5521.098	90.93	16.03	106.96	74.00	-32.96	150	98	Vertical

----- The following blanks -----

802.11 n HT40/5510MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.5178	23.07	15.68	38.75	54.00	15.25	150	313	Horizontal
2	5511.9935	66.29	16.01	82.30	54.00	-28.30	150	305	Horizontal
1	5460.5178	26.91	15.68	42.59	54.00	11.41	150	87	Vertical
2	5512.5188	75.77	16.01	91.78	54.00	-37.78	150	11	Vertical

----- The following blanks -----


802.11 n HT40/5590MHz

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.5178	35.57	15.68	51.25	74.00	22.75	150	358	Horizontal
2	5587.9815	82.28	16.13	98.41	74.00	-24.41	150	84	Horizontal
1	5460.5178	36.61	15.68	52.29	74.00	21.71	150	18	Vertical
2	5591.8334	91.79	16.14	107.93	74.00	-33.93	150	7	Vertical

----- The following blanks -----

802.11 n HT40/5590MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.6928	22.46	15.68	38.14	54.00	15.86	150	148	Horizontal
2	5592.0085	67.56	16.14	83.70	54.00	-29.70	150	88	Horizontal
1	5460.6928	23.59	15.68	39.27	54.00	14.73	150	4	Vertical
2	5592.0085	75.76	16.14	91.90	54.00	-37.90	150	102	Vertical

----- The following blanks -----

802.11 n HT40/5670MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672.6813	81.77	16.13	97.90	74.00	-23.90	150	72	Horizontal
2	5725.0675	35.33	16.17	51.50	74.00	22.50	150	324	Horizontal
3	5728.1491	37.22	16.17	53.39	74.00	20.61	150	89	Horizontal
1	5673.3817	91.50	16.13	107.63	74.00	-33.63	150	10	Vertical
2	5725.0675	37.19	16.17	53.36	74.00	20.64	150	183	Vertical
3	5728.9895	39.03	16.17	55.20	74.00	18.80	150	286	Vertical

----- The following blanks -----


802.11 n HT40/5670MHz

Detector mode: Average Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672.1211	67.15	16.14	83.29	54.00	-29.29	150	80	Horizontal
2	5725.0675	22.74	16.17	38.91	54.00	15.09	150	76	Horizontal
1	5671.7008	76.26	16.14	92.40	54.00	-38.40	150	10	Vertical
2	5725.0675	24.00	16.17	40.17	54.00	13.83	150	86	Vertical

----- The following blanks -----


802.11ac VHT80 mode/5210MHz MIMO

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5149.0345	38.69	14.13	52.82	74.00	21.18	150	135	Horizontal
2	5150.035	37.85	14.14	51.99	74.00	22.01	150	111	Horizontal
3	5206.3632	80.67	14.54	95.21	74.00	-21.21	150	123	Horizontal
1	5149.7349	43.86	14.14	58.00	74.00	16.00	150	357	Vertical
2	5150.035	42.59	14.14	56.73	74.00	17.27	150	2	Vertical
3	5206.4632	89.25	14.54	103.79	74.00	-29.79	150	357	Vertical

----- The following blanks -----


802.11ac VHT80 mode/5210MHz MIMO

Detector mode: Average Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5149.7349	25.22	14.14	39.36	54.00	14.64	150	115	Horizontal
2	5150.035	24.83	14.14	38.97	54.00	15.03	150	115	Horizontal
3	5207.4637	62.99	14.54	77.53	54.00	-23.53	150	123	Horizontal
1	5149.6348	30.42	14.14	44.56	54.00	9.44	150	357	Vertical
2	5150.035	30.13	14.14	44.27	54.00	9.73	150	4	Vertical
3	5207.1636	69.88	14.54	84.42	54.00	-30.42	150	0	Vertical

----- The following blanks -----

802.11ac VHT80/5290MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5280.6598	79.67	14.97	94.64	74.00	-20.64	150	135	Horizontal
2	5350.059	36.17	15.15	51.32	74.00	22.68	150	71	Horizontal
1	5296.3762	87.80	15.06	102.86	74.00	-28.86	150	84	Vertical
2	5350.059	43.38	15.15	58.53	74.00	15.47	150	92	Vertical

----- The following blanks -----

802.11 ac VHT80/5290MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5287.017	62.48	15.00	77.48	54.00	-23.48	150	138	Horizontal
2	5350.059	23.58	15.15	38.73	54.00	15.27	150	146	Horizontal
1	5287.3702	69.12	15.00	84.12	54.00	-30.12	150	92	Vertical
2	5350.059	29.93	15.15	45.08	54.00	8.92	150	88	Vertical

----- The following blanks -----

802.11 ac VHT80/5530MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5457.016	39.27	15.66	54.93	74.00	19.07	150	316	Horizontal
2	5460.6928	37.44	15.68	53.12	74.00	20.88	150	84	Horizontal
3	5535.1051	80.41	16.04	96.45	74.00	-22.45	150	76	Horizontal
1	5458.5918	39.84	15.67	55.51	74.00	18.49	150	83	Vertical
2	5460.6928	37.66	15.68	53.34	74.00	20.66	150	87	Vertical
3	5535.9805	80.19	16.04	96.23	74.00	-22.23	150	78	Vertical

----- The following blanks -----

802.11 ac VHT80/5530MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5457.5413	24.86	15.66	40.52	54.00	13.48	150	312	Horizontal
2	5460.6928	23.95	15.68	39.63	54.00	14.37	150	312	Horizontal
3	5537.3812	61.93	16.05	77.98	54.00	-23.98	150	97	Horizontal
1	5457.5413	31.56	15.66	47.22	54.00	6.78	150	4	Vertical
2	5460.6928	29.34	15.68	45.02	54.00	8.98	150	4	Vertical
3	5537.3812	70.53	16.05	86.58	54.00	-32.58	150	99	Vertical

----- The following blanks -----

802.11 ac VHT80/5610MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5615.953	79.48	16.15	95.63	74.00	-21.63	150	96	Horizontal
2	5725.0675	36.28	16.17	52.45	74.00	21.55	150	124	Horizontal
3	5725.6278	36.69	16.17	52.86	74.00	21.14	150	168	Horizontal
1	5605.0275	89.43	16.15	105.58	74.00	-31.58	150	2	Vertical
2	5725.0675	36.51	16.17	52.68	74.00	21.32	150	127	Vertical
3	5725.6278	38.55	16.17	54.72	74.00	19.28	150	195	Vertical

----- The following blanks -----


802.11 ac VHT80/5610MHz

Detector mode: Average Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5614.5523	62.06	16.15	78.21	54.00	-24.21	150	88	Horizontal
2	5725.0675	22.76	16.17	38.93	54.00	15.07	150	76	Horizontal
1	5614.6923	70.59	16.15	86.74	54.00	-32.74	150	7	Vertical
2	5725.0675	24.15	16.17	40.32	54.00	13.68	150	282	Vertical

----- The following blanks -----


802.11ax HE20 mode/5180MHz MIMO

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	35.81	14.14	49.95	74.00	24.05	150	282	Horizontal
2	5178.049	87.46	14.34	101.80	74.00	-27.80	150	114	Horizontal
1	5150.035	37.82	14.14	51.96	74.00	22.04	150	5	Vertical
2	5181.1506	95.27	14.37	109.64	74.00	-35.64	150	357	Vertical

----- The following blanks -----


802.11ax HE20 mode/5180MHz MIMO

Detector mode: Average Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	23.03	14.14	37.17	54.00	16.83	150	91	Horizontal
2	5181.0505	66.44	14.37	80.81	54.00	-26.81	150	119	Horizontal
1	5150.035	24.87	14.14	39.01	54.00	14.99	150	5	Vertical
2	5181.0505	73.39	14.37	87.76	54.00	-33.76	150	358	Vertical

----- The following blanks -----


802.11ax HE20 mode/5200MHz MIMO

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	35.11	14.14	49.25	74.00	24.75	150	314	Horizontal
2	5203.0615	86.96	14.51	101.47	74.00	-27.47	150	131	Horizontal
1	5150.035	37.47	14.14	51.61	74.00	22.39	150	200	Vertical
2	5203.1616	96.18	14.51	110.69	74.00	-36.69	150	88	Vertical

----- The following blanks -----

802.11ax HE20 mode/5200MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	23.02	14.14	37.16	54.00	16.84	150	114	Horizontal
2	5201.0605	67.37	14.50	81.87	54.00	-27.87	150	123	Horizontal
1	5150.035	24.40	14.14	38.54	54.00	15.46	150	5	Vertical
2	5200.9605	74.46	14.50	88.96	54.00	-34.96	150	2	Vertical

----- The following blanks -----


802.11ax HE20 mode/5240MHz MIMO

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	35.91	14.14	50.05	74.00	23.95	150	170	Horizontal
2	5239.0795	86.71	14.73	101.44	74.00	-27.44	150	126	Horizontal
1	5150.035	36.70	14.14	50.84	74.00	23.16	150	176	Vertical
2	5243.6818	95.50	14.75	110.25	74.00	-36.25	150	357	Vertical

----- The following blanks -----


802.11ax HE20 mode/5240MHz MIMO

Detector mode: Average Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	22.90	14.14	37.04	54.00	16.96	150	114	Horizontal
2	5240.7804	65.50	14.74	80.24	54.00	-26.24	150	126	Horizontal
1	5150.035	24.06	14.14	38.20	54.00	15.80	150	357	Vertical
2	5240.8804	73.01	14.74	87.75	54.00	-33.75	150	89	Vertical

----- The following blanks -----

802.11ax HE20/5260MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5255.9375	86.14	14.83	100.97	74.00	-26.97	150	119	Horizontal
2	5350.059	34.06	15.15	49.21	74.00	24.79	150	114	Horizontal
1	5260.7054	94.37	14.85	109.22	74.00	-35.22	150	0	Vertical
2	5350.059	34.71	15.15	49.86	74.00	24.14	150	208	Vertical

----- The following blanks -----

802.11 ax HE20/5260MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5258.4097	65.85	14.84	80.69	54.00	-26.69	150	135	Horizontal
2	5350.059	20.97	15.15	36.12	54.00	17.88	150	314	Horizontal
1	5257.3502	72.54	14.83	87.37	54.00	-33.37	150	348	Vertical
2	5350.059	22.05	15.15	37.20	54.00	16.80	150	4	Vertical

----- The following blanks -----

802.11 ax HE20/5280MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5277.4812	87.80	14.95	102.75	74.00	-28.75	150	131	Horizontal
2	5350.059	33.92	15.15	49.07	74.00	24.93	150	62	Horizontal
1	5284.7214	94.35	14.99	109.34	74.00	-35.34	150	212	Vertical
2	5350.059	34.98	15.15	50.13	74.00	23.87	150	0	Vertical

----- The following blanks -----

802.11ax HE20/5280MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5281.013	67.31	14.97	82.28	54.00	-28.28	150	139	Horizontal
2	5350.059	21.02	15.15	36.17	54.00	17.83	150	314	Horizontal
1	5281.013	73.21	14.97	88.18	54.00	-34.18	150	96	Vertical
2	5350.059	22.28	15.15	37.43	54.00	16.57	150	88	Vertical

----- The following blanks -----

802.11 ax HE20/5320MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5318.0965	86.30	15.10	101.40	74.00	-27.40	150	131	Horizontal
2	5350.059	34.01	15.15	49.16	74.00	24.84	150	95	Horizontal
1	5320.7454	93.99	15.10	109.09	74.00	-35.09	150	96	Vertical
2	5350.059	35.80	15.15	50.95	74.00	23.05	150	4	Vertical

----- The following blanks -----

802.11ax HE20/5320MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5321.0985	65.21	15.11	80.32	54.00	-26.32	150	142	Horizontal
2	5350.059	21.14	15.15	36.29	54.00	17.71	150	146	Horizontal
1	5321.0985	73.06	15.11	88.17	54.00	-34.17	150	88	Vertical
2	5350.059	23.05	15.15	38.20	54.00	15.80	150	4	Vertical

----- The following blanks -----

802.11 ax HE20/5500MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.1676	35.49	15.68	51.17	74.00	22.83	150	8	Horizontal
2	5505.5153	85.43	16.00	101.43	74.00	-27.43	150	76	Horizontal
1	5460.3427	38.15	15.68	53.83	74.00	20.17	150	99	Vertical
2	5508.6668	94.14	16.01	110.15	74.00	-36.15	150	99	Vertical

----- The following blanks -----

802.11 ax HE20/5500MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.3427	22.66	15.68	38.34	54.00	15.66	150	64	Horizontal
2	5507.4412	64.66	16.00	80.66	54.00	-26.66	150	308	Horizontal
1	5460.3427	25.32	15.68	41.00	54.00	13.00	150	4	Vertical
2	5507.2661	72.85	16.00	88.85	54.00	-34.85	150	11	Vertical

----- The following blanks -----

802.11ax HE20/5600MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.3427	35.63	15.68	51.31	74.00	22.69	150	220	Horizontal
2	5603.3892	85.94	16.15	102.09	74.00	-28.09	150	89	Horizontal
1	5460.3427	37.26	15.68	52.94	74.00	21.06	150	14	Vertical
2	5602.8639	94.47	16.15	110.62	74.00	-36.62	150	4	Vertical

----- The following blanks -----

802.11ax HE20/5600MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.3427	22.44	15.68	38.12	54.00	15.88	150	313	Horizontal
2	5602.6888	65.29	16.14	81.43	54.00	-27.43	150	88	Horizontal
1	5460.3427	23.62	15.68	39.30	54.00	14.70	150	4	Vertical
2	5592.1836	72.42	16.14	88.56	54.00	-34.56	150	103	Vertical

----- The following blanks -----


802.11ax HE20/5700MHz

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5699.1546	84.58	16.13	100.71	74.00	-26.71	150	84	Horizontal
2	5725.0675	34.85	16.17	51.02	74.00	22.98	150	76	Horizontal
1	5705.0375	93.31	16.14	109.45	74.00	-35.45	150	103	Vertical
2	5725.0675	37.93	16.17	54.10	74.00	19.90	150	82	Vertical

----- The following blanks -----

802.11ax HE20/5700MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5704.7574	63.56	16.14	79.70	54.00	-25.70	150	76	Horizontal
2	5725.0675	22.68	16.17	38.85	54.00	15.15	150	108	Horizontal
1	5704.8974	72.07	16.14	88.21	54.00	-34.21	150	83	Vertical
2	5725.0675	24.52	16.17	40.69	54.00	13.31	150	87	Vertical

----- The following blanks -----


802.11ax HE40 mode/5190MHz MIMO

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5143.1316	37.03	14.09	51.12	74.00	22.88	150	319	Horizontal
2	5150.035	35.65	14.14	49.79	74.00	24.21	150	334	Horizontal
3	5187.6538	85.09	14.42	99.51	74.00	-25.51	150	127	Horizontal
1	5149.6348	40.20	14.14	54.34	74.00	19.66	150	357	Vertical
2	5150.035	38.14	14.14	52.28	74.00	21.72	150	272	Vertical
3	5187.2536	93.73	14.40	108.13	74.00	-34.13	150	357	Vertical

----- The following blanks -----

802.11ax HE40 mode/5190MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	23.17	14.14	37.31	54.00	16.69	150	114	Horizontal
2	5187.6538	64.46	14.42	78.88	54.00	-24.88	150	122	Horizontal
1	5150.035	25.31	14.14	39.45	54.00	14.55	150	357	Vertical
2	5192.2561	71.44	14.44	85.88	54.00	-31.88	150	2	Vertical

----- The following blanks -----


802.11ax HE40 mode/5230MHz MIMO

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	35.95	14.14	50.09	74.00	23.91	150	335	Horizontal
2	5224.072	84.56	14.64	99.20	74.00	-25.20	150	127	Horizontal
1	5150.035	38.24	14.14	52.38	74.00	21.62	150	200	Vertical
2	5228.7744	92.45	14.66	107.11	74.00	-33.11	150	92	Vertical

----- The following blanks -----

802.11ax HE40 mode/5230MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	23.10	14.14	37.24	54.00	16.76	150	114	Horizontal
2	5227.1736	64.07	14.65	78.72	54.00	-24.72	150	126	Horizontal
1	5150.035	25.48	14.14	39.62	54.00	14.38	150	357	Vertical
2	5227.6738	70.46	14.66	85.12	54.00	-31.12	150	0	Vertical

----- The following blanks -----

802.11ax HE40/5270MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5275.1856	84.88	14.94	99.82	74.00	-25.82	150	134	Horizontal
2	5350.059	34.34	15.15	49.49	74.00	24.51	150	163	Horizontal
1	5270.9475	91.57	14.92	106.49	74.00	-32.49	150	192	Vertical
2	5350.059	35.04	15.15	50.19	74.00	23.81	150	96	Vertical

----- The following blanks -----

802.11 ax HE40/5270MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5274.8324	64.25	14.93	79.18	54.00	-25.18	150	139	Horizontal
2	5350.059	21.01	15.15	36.16	54.00	17.84	150	107	Horizontal
1	5272.1836	70.50	14.92	85.42	54.00	-31.42	150	97	Vertical
2	5350.059	22.63	15.15	37.78	54.00	16.22	150	85	Vertical

----- The following blanks -----

802.11 ax HE40/5310MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5307.5013	84.52	15.09	99.61	74.00	-25.61	150	135	Horizontal
2	5350.059	34.67	15.15	49.82	74.00	24.18	150	34	Horizontal
1	5312.9755	92.52	15.10	107.62	74.00	-33.62	150	188	Vertical
2	5350.059	38.41	15.15	53.56	74.00	20.44	150	192	Vertical

----- The following blanks -----

802.11ax HE40/5310MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5312.2691	63.23	15.09	78.32	54.00	-24.32	150	142	Horizontal
2	5350.059	21.39	15.15	36.54	54.00	17.46	150	147	Horizontal
1	5312.2691	71.22	15.09	86.31	54.00	-32.31	150	92	Vertical
2	5350.059	25.27	15.15	40.42	54.00	13.58	150	88	Vertical

----- The following blanks -----

802.11 ax HE40/5510MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.5178	35.44	15.68	51.12	74.00	22.88	150	303	Horizontal
2	5513.044	83.62	16.01	99.63	74.00	-25.63	150	90	Horizontal
1	5460.5178	41.26	15.68	56.94	74.00	17.06	150	93	Vertical
2	5515.1451	93.13	16.02	109.15	74.00	-35.15	150	2	Vertical

----- The following blanks -----

802.11ax HE40/5510MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.5178	23.09	15.68	38.77	54.00	15.23	150	339	Horizontal
2	5514.6198	62.57	16.02	78.59	54.00	-24.59	150	95	Horizontal
1	5460.5178	26.30	15.68	41.98	54.00	12.02	150	105	Vertical
2	5512.1686	70.83	16.01	86.84	54.00	-32.84	150	357	Vertical

----- The following blanks -----

802.11 ax HE40/5590MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.6928	35.27	15.68	50.95	74.00	23.05	150	214	Horizontal
2	5592.7089	84.39	16.14	100.53	74.00	-26.53	150	83	Horizontal
1	5460.6928	35.75	15.68	51.43	74.00	22.57	150	120	Vertical
2	5591.8334	93.65	16.14	109.79	74.00	-35.79	150	4	Vertical

----- The following blanks -----

802.11 ax HE40/5590MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5460.6928	22.21	15.68	37.89	54.00	16.11	150	339	Horizontal
2	5592.0085	61.92	16.14	78.06	54.00	-24.06	150	102	Horizontal
1	5460.6928	22.74	15.68	38.42	54.00	15.58	150	104	Vertical
2	5592.1836	70.84	16.14	86.98	54.00	-32.98	150	8	Vertical

----- The following blanks -----

802.11ax HE40/5670MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672.1211	82.83	16.14	98.97	74.00	-24.97	150	79	Horizontal
2	5725.0675	35.08	16.17	51.25	74.00	22.75	150	250	Horizontal
3	5729.6898	37.21	16.17	53.38	74.00	20.62	150	230	Horizontal
1	5667.4987	93.00	16.14	109.14	74.00	-35.14	150	88	Vertical
2	5725.0675	36.15	16.17	52.32	74.00	21.68	150	4	Vertical
3	5728.5693	38.22	16.17	54.39	74.00	19.61	150	88	Vertical

----- The following blanks -----

802.11ax HE40/5670MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672.2611	62.54	16.14	78.68	54.00	-24.68	150	79	Horizontal
2	5725.0675	22.60	16.17	38.77	54.00	15.23	150	315	Horizontal
1	5671.981	70.81	16.14	86.95	54.00	-32.95	150	16	Vertical
2	5725.0675	23.51	16.17	39.68	54.00	14.32	150	8	Vertical

----- The following blanks -----


802.11ax HE80 mode/5210MHz MIMO

Detector mode: Peak Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	37.59	14.14	51.73	74.00	22.27	150	135	Horizontal
2	5208.5643	82.58	14.55	97.13	74.00	-23.13	150	135	Horizontal
1	5150.035	44.82	14.14	58.96	74.00	15.04	150	357	Vertical
2	5210.8654	91.38	14.56	105.94	74.00	-31.94	150	357	Vertical

----- The following blanks -----


802.11ax HE80 mode/5210MHz MIMO

Detector mode: Average Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.035	25.10	14.14	39.24	54.00	14.76	150	115	Horizontal
2	5207.2636	62.55	14.54	77.09	54.00	-23.09	150	122	Horizontal
1	5150.035	25.16	14.14	39.30	54.00	14.70	150	124	Vertical
2	5207.1636	61.86	14.54	76.40	54.00	-22.40	150	116	Vertical

----- The following blanks -----

802.11ax HE80/5290MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5291.0785	82.10	15.03	97.13	74.00	-23.13	150	130	Horizontal
2	5350.059	37.61	15.15	52.76	74.00	21.24	150	138	Horizontal
1	5295.8464	90.09	15.06	105.15	74.00	-31.15	150	84	Vertical
2	5350.059	45.17	15.15	60.32	74.00	13.68	150	0	Vertical

----- The following blanks -----

802.11ax HE80/5290MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5287.3702	62.22	15.00	77.22	54.00	-23.22	150	139	Horizontal
2	5350.059	23.57	15.15	38.72	54.00	15.28	150	147	Horizontal
1	5287.1936	68.76	15.00	83.76	54.00	-29.76	150	93	Vertical
2	5350.059	29.91	15.15	45.06	54.00	8.94	150	89	Vertical

----- The following blanks -----

802.11ax HE80/5530MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5458.0665	38.46	15.66	54.12	74.00	19.88	150	91	Horizontal
2	5460.6928	37.16	15.68	52.84	74.00	21.16	150	331	Horizontal
3	5538.6068	80.35	16.05	96.40	74.00	-22.40	150	86	Horizontal
1	5457.7164	45.70	15.66	61.36	74.00	12.64	150	2	Vertical
2	5460.6928	41.03	15.68	56.71	74.00	17.29	150	100	Vertical
3	5531.7784	89.01	16.04	105.05	74.00	-31.05	150	84	Vertical

----- The following blanks -----

802.11ax HE80/5530MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5457.8914	24.84	15.66	40.50	54.00	13.50	150	335	Horizontal
2	5460.6928	23.80	15.68	39.48	54.00	14.52	150	339	Horizontal
3	5536.1556	60.16	16.05	76.21	54.00	-22.21	150	98	Horizontal
1	5457.3662	29.93	15.66	45.59	54.00	8.41	150	104	Vertical
2	5460.6928	28.04	15.68	43.72	54.00	10.28	150	104	Vertical
3	5537.2061	68.53	16.05	84.58	54.00	-30.58	150	97	Vertical

----- The following blanks -----

802.11ax HE80/5610MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5616.2331	80.99	16.15	97.14	74.00	-23.14	150	90	Horizontal
2	5725.0675	35.31	16.17	51.48	74.00	22.52	150	191	Horizontal
1	5611.0505	90.29	16.15	106.44	74.00	-32.44	150	88	Vertical
2	5725.0675	36.58	16.17	52.75	74.00	21.25	150	201	Vertical

----- The following blanks -----

802.11ax HE80/5610MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5607.2686	59.96	16.15	76.11	54.00	-22.11	150	335	Horizontal
2	5725.0675	22.62	16.17	38.79	54.00	15.21	150	86	Horizontal
1	5614.6923	68.82	16.15	84.97	54.00	-30.97	150	88	Vertical
2	5725.0675	23.64	16.17	39.81	54.00	14.19	150	140	Vertical

----- The following blanks -----

802.11ax HE160 mode/5250MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.1251	36.24	14.14	50.38	74.00	23.62	150	126	Horizontal
2	5253.977	79.49	14.81	94.30	74.00	-20.30	150	122	Horizontal
1	5150.1251	41.86	14.14	56.00	74.00	18.00	150	0	Vertical
2	5254.2771	89.09	14.82	103.91	74.00	-29.91	150	358	Vertical

----- The following blanks -----

802.11ax HE160 mode/5250MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.1251	23.89	14.14	38.03	54.00	15.97	150	139	Horizontal
2	5252.026	59.53	14.80	74.33	54.00	-20.33	150	114	Horizontal
1	5150.1251	28.33	14.14	42.47	54.00	11.53	150	357	Vertical
2	5252.026	66.96	14.80	81.76	54.00	-27.76	150	0	Vertical

----- The following blanks -----

802.11ax HE160 mode/5570MHz MIMO


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5453.8644	37.80	15.63	53.43	74.00	20.57	150	74	Horizontal
2	5460.6928	36.24	15.68	51.92	74.00	22.08	150	314	Horizontal
3	5565.9205	78.41	16.10	94.51	74.00	-20.51	150	87	Horizontal
1	5454.2146	46.78	15.64	62.42	74.00	11.58	150	93	Vertical
2	5460.6928	43.63	15.68	59.31	74.00	14.69	150	93	Vertical
3	5562.944	88.20	16.09	104.29	74.00	-30.29	150	0	Vertical

----- The following blanks -----

802.11ax HE160 mode/5570MHz MIMO


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5451.9385	24.37	15.61	39.98	54.00	14.02	150	334	Horizontal
2	5460.6928	23.74	15.68	39.42	54.00	14.58	150	338	Horizontal
3	5564.8699	57.57	16.10	73.67	54.00	-19.67	150	99	Horizontal
1	5451.2381	29.95	15.61	45.56	54.00	8.44	150	108	Vertical
2	5460.6928	29.20	15.68	44.88	54.00	9.12	150	104	Vertical
3	5564.8699	66.67	16.10	82.77	54.00	-28.77	150	8	Vertical


Remark: Max field strength in 3m distance. No any other emission which falls in restricted bands can be detected and be reported.

802.11a mode Ant 1/5745MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	35.41	16.15	51.56	109.52	57.96	150	7	Horizontal
2	5724.9875	35.36	16.16	51.52	122.27	70.75	150	242	Horizontal
3	5773.4367	82.21	16.23	98.44	-	-	150	90	Horizontal
1	5713.6068	42.37	16.14	58.51	109.11	50.60	150	4	Vertical
2	5724.9875	36.85	16.16	53.01	122.27	69.26	150	24	Vertical
3	5776.6883	92.21	16.24	108.45	-	-	150	96	Vertical

----- The following blanks -----

802.11a mode Ant 1/5785MHz


Detector mode: Peak
Horizontal

Polarity:



Detector mode: Peak
Vertical

Polarity:



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5783.6793	82.62	16.25	98.87	-	-	150	94	Horizontal
1	5785.4677	92.09	16.25	108.34	-	-	150	96	Vertical


----- The following blanks -----

802.11a mode Ant 1/5825MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5827.4137	80.90	16.40	97.30	-	-	150	247	Horizontal
2	5850.0125	35.39	16.51	51.90	122.27	70.37	150	134	Horizontal
3	5860.0925	35.66	16.56	52.22	109.47	57.25	150	79	Horizontal
1	5826.6008	91.31	16.40	107.71	-	-	150	8	Vertical
2	5850.0125	37.23	16.51	53.74	122.27	68.53	150	296	Vertical
3	5860.0925	37.85	16.56	54.41	109.47	55.06	150	32	Vertical


----- The following blanks -----

802.11n HT20 mode/5745MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	34.77	16.15	50.92	109.52	58.60	150	155	Horizontal
2	5724.9875	35.12	16.16	51.28	122.27	70.99	150	11	Horizontal
3	5742.7089	82.16	16.19	98.35	-	-	150	79	Horizontal
1	5715.07	36.49	16.15	52.64	109.52	56.88	150	4	Vertical
2	5724.9875	41.86	16.16	58.02	122.27	64.25	150	92	Vertical
3	5743.6843	92.60	16.19	108.79	-	-	150	92	Vertical


----- The following blanks -----

802.11n HT20 mode/5785MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5782.0535	81.21	16.25	97.46	-	-	150	82	Horizontal
1	5785.4677	91.09	16.25	107.34	-	-	150	93	Vertical

----- The following blanks -----

802.11n HT20 mode/5825MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5827.9015	81.22	16.40	97.62	-	-	150	94	Horizontal
2	5850.0125	35.22	16.51	51.73	122.27	70.54	150	250	Horizontal
3	5860.0925	35.24	16.56	51.80	109.47	57.67	150	127	Horizontal
1	5825.7879	90.92	16.40	107.32	-	-	150	96	Vertical
2	5850.0125	36.57	16.51	53.08	122.27	69.19	150	288	Vertical
3	5860.0925	37.91	16.56	54.47	109.47	55.00	150	84	Vertical


----- The following blanks -----

802.11n HT40/5755MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	34.82	16.15	50.97	109.52	58.55	150	357	Horizontal
2	5724.9875	36.24	16.16	52.40	122.27	69.87	150	94	Horizontal
3	5759.2921	79.88	16.22	96.10	-	-	150	94	Horizontal
1	5715.07	37.61	16.15	53.76	109.52	55.76	150	281	Vertical
2	5724.9875	43.19	16.16	59.35	122.27	62.92	150	100	Vertical
3	5752.7889	90.30	16.21	106.51	-	-	150	92	Vertical


----- The following blanks -----

802.11n HT40/5795MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5798.3117	79.07	16.27	95.34	-	-	150	94	Horizontal
2	5850.0125	34.93	16.51	51.44	122.27	70.83	150	274	Horizontal
3	5860.0925	35.48	16.56	52.04	109.47	57.43	150	130	Horizontal
1	5798.1491	88.59	16.27	104.86	-	-	150	92	Vertical
2	5850.0125	36.93	16.51	53.44	122.27	68.83	150	253	Vertical
3	5860.0925	36.92	16.56	53.48	109.47	55.99	150	272	Vertical


----- The following blanks -----

802.11ac VHT80/5775MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	37.01	16.15	53.16	109.52	56.36	150	86	Horizontal
2	5724.9875	36.19	16.16	52.35	122.27	69.92	150	82	Horizontal
3	5773.4367	76.17	16.23	92.40	-	-	150	94	Horizontal
4	5850.0125	36.77	16.51	53.28	122.27	68.99	150	74	Horizontal
5	5860.0925	36.43	16.56	52.99	109.47	56.48	150	102	Horizontal
1	5715.07	45.39	16.15	61.54	109.52	47.98	150	292	Vertical
2	5724.9875	46.24	16.16	62.40	122.27	59.87	150	93	Vertical
3	5778.3142	86.78	16.24	103.02	-	-	150	93	Vertical
4	5850.0125	42.02	16.51	58.53	122.27	63.74	150	84	Vertical
5	5860.0925	40.22	16.56	56.78	109.47	52.69	150	280	Vertical

802.11ax HE20/5745MHz

Detector mode: Peak


Polarity:

Horizontal



Detector mode: Peak

Polarity: Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	35.58	16.15	51.73	109.52	57.79	150	254	Horizontal
2	5724.9875	35.87	16.16	52.03	122.27	70.24	150	210	Horizontal
3	5771.1606	84.59	16.23	100.82	-	-	150	91	Horizontal
1	5715.07	39.54	16.15	55.69	109.52	53.83	150	8	Vertical
2	5724.9875	36.63	16.16	52.79	122.27	69.48	150	358	Vertical
3	5775.8754	94.23	16.24	110.47	-	-	150	77	Vertical


----- The following blanks -----

802.11ax HE20/5785MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5784.0045	83.99	16.25	100.24	-	-	150	95	Horizontal
1	5783.6793	93.86	16.25	110.11	-	-	150	92	Vertical


----- The following blanks -----

802.11ax HE20/5825MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5826.926	82.52	16.40	98.92	-	-	150	314	Horizontal
2	5850.0125	35.08	16.51	51.59	122.27	70.68	150	291	Horizontal
3	5860.0925	34.71	16.56	51.27	109.47	58.20	150	115	Horizontal
1	5827.4137	92.97	16.40	109.37	-	-	150	236	Vertical
2	5850.0125	37.00	16.51	53.51	122.27	68.76	150	0	Vertical
3	5860.0925	37.58	16.56	54.14	109.47	55.33	150	355	Vertical


----- The following blanks -----

802.11 ax HE40/5755MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5715.07	34.98	16.15	51.13	109.52	58.39	150	158	Horizontal
2	5724.9875	35.92	16.16	52.08	122.27	70.19	150	95	Horizontal
3	5758.1541	82.17	16.21	98.38	-	-	150	323	Horizontal
1	5715.07	38.05	16.15	54.20	109.52	55.32	150	88	Vertical
2	5724.9875	43.16	16.16	59.32	122.27	62.95	150	2	Vertical
3	5754.2521	93.10	16.21	109.31	-	-	150	92	Vertical


----- The following blanks -----

802.11 ax HE40/5795MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical



NO.	Freq. [MHz]	Reading [dBµV/m]	Faxtor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5798.3117	81.72	16.27	97.99	-	-	150	243	Horizontal
2	5850.0125	35.16	16.51	51.67	122.27	70.60	150	234	Horizontal
3	5860.0925	35.48	16.56	52.04	109.47	57.43	150	159	Horizontal
1	5793.4342	90.79	16.26	107.05	-	-	150	88	Vertical
2	5850.0125	37.68	16.51	54.19	122.27	68.08	150	256	Vertical
3	5860.0925	37.22	16.56	53.78	109.47	55.69	150	288	Vertical

----- The following blanks -----