


Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	29.700	19.400
40	5200	32.150	19.300
48	5240	20.250	18.900

CH36




Date: 11.MAY.2022 19:32:55

CH40
26 dB Bandwidth




Date: 11.MAY.2022 19:33:30

CH48




Date: 11.MAY.2022 19:34:21


99 % Occupied Bandwidth



Date: 11.MAY.2022 19:32:56



Date: 11.MAY.2022 19:33:13




Date: 11.MAY.2022 19:33:57

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	52.700	38.200
46	5230	39.600	38.000

CH38




Date: 15.MAY.2022 14:32:26

CH46
26 dB Bandwidth




Date: 15.MAY.2022 14:33:28

99 % Occupied Bandwidth



Date: 15.MAY.2022 14:32:01




Date: 15.MAY.2022 14:33:04

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	95.000	77.200

CH42 26 dB Bandwidth



Date: 15.MAY.2022 14:47:56

99 % Occupied Bandwidth




Date: 15.MAY.2022 14:47:51

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.100	16.800
60	5300	30.450	17.400
64	5320	28.190	17.300

CH52




Date: 11.MAY.2022 17:51:42

CH60
26 dB Bandwidth




Date: 11.MAY.2022 17:52:36

CH64




Date: 11.MAY.2022 17:55:19


99 % Occupied Bandwidth



Date: 11.MAY.2022 17:51:19



Date: 11.MAY.2022 17:52:16




Date: 11.MAY.2022 17:54:52

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.100	18.000
60	5300	28.249	18.200
64	5320	26.390	18.200

CH52




Date: 11.MAY.2022 18:59:11

CH60
26 dB Bandwidth




Date: 11.MAY.2022 18:59:53

CH64




Date: 11.MAY.2022 19:00:29


99 % Occupied Bandwidth



Date: 11.MAY.2022 18:59:48



Date: 11.MAY.2022 18:59:33




Date: 11.MAY.2022 19:00:04

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.590	36.800
62	5310	52.100	37.000

CH54




Date: 15.MAY.2022 14:26:16

CH62
26 dB Bandwidth




Date: 15.MAY.2022 14:27:51

99 % Occupied Bandwidth



Date: 15.MAY.2022 14:25:45




Date: 15.MAY.2022 14:26:51

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.950	19.100
60	5300	27.599	19.400
64	5320	29.650	19.300

CH52




Date: 11.MAY.2022 19:35:04

CH60
26 dB Bandwidth




Date: 11.MAY.2022 19:35:35

CH64




Date: 11.MAY.2022 19:36:06


99 % Occupied Bandwidth



Date: 11.MAY.2022 19:34:42



Date: 11.MAY.2022 19:35:14




Date: 11.MAY.2022 19:35:45

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.500	37.800
62	5310	49.298	38.200

CH54




Date: 15.MAY.2022 14:34:36

CH62 26 dB Bandwidth




Date: 15.MAY.2022 14:35:35



Date: 15.MAY.2022 14:34:04

99 % Occupied Bandwidth




Date: 15.MAY.2022 14:35:09

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	96.400	77.200

CH58 26 dB Bandwidth



Date: 15.MAY.2022 14:49:15

99 % Occupied Bandwidth




Date: 15.MAY.2022 14:48:39

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	162.400	156.800

CH50 26 dB Bandwidth



Date: 20.MAY.2022 00:36:39

99 % Occupied Bandwidth




Date: 20.MAY.2022 00:36:11

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.350	17.100	0.5	Complies
157	5785	16.450	16.800	0.5	Complies
165	5825	16.390	17.200	0.5	Complies

CH149




Date: 11.MAY.2022 17:56:52

CH157
6 dB Bandwidth




Date: 11.MAY.2022 17:58:21

CH165




Date: 11.MAY.2022 17:59:27


99 % Occupied Bandwidth



Date: 11.MAY.2022 17:56:23



Date: 11.MAY.2022 17:57:54




Date: 11.MAY.2022 17:59:02


Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.409	18.000	0.5	Complies
157	5785	16.699	17.900	0.5	Complies
165	5825	16.689	18.100	0.5	Complies

CH149




Date: 11.MAY.2022 19:01:08

CH157
6 dB Bandwidth



Date: 11.MAY.2022 19:01:55

CH165




Date: 11.MAY.2022 19:02:36


99 % Occupied Bandwidth



Date: 11.MAY.2022 19:00:42



Date: 11.MAY.2022 19:01:28




Date: 11.MAY.2022 19:02:10

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	33.900	37.000	0.5	Complies
159	5795	34.000	36.400	0.5	Complies

CH151




Date: 15.MAY.2022 14:29:05

CH159 6 dB Bandwidth




Date: 15.MAY.2022 14:30:16

99 % Occupied Bandwidth



Date: 15.MAY.2022 14:28:33




Date: 15.MAY.2022 14:29:40

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.400	75.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 15.MAY.2022 14:46:13

99 % Occupied Bandwidth




Date: 15.MAY.2022 14:45:43

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.790	19.200	0.5	Complies
157	5785	18.950	19.200	0.5	Complies
165	5825	19.000	19.300	0.5	Complies

CH149




Date: 11.MAY.2022 19:37:13

CH157
6 dB Bandwidth




Date: 11.MAY.2022 19:37:49

CH165




Date: 11.MAY.2022 19:38:25


99 % Occupied Bandwidth



Date: 11.MAY.2022 19:36:49



Date: 11.MAY.2022 19:37:24




Date: 11.MAY.2022 19:38:01

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.400	38.200	0.5	Complies
159	5795	35.400	38.000	0.5	Complies

CH151




Date: 15.MAY.2022 14:36:59

CH159
6 dB Bandwidth




Date: 15.MAY.2022 14:38:09

99 % Occupied Bandwidth



Date: 15.MAY.2022 14:36:24




Date: 15.MAY.2022 14:37:34

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.190	77.600	0.5	Complies

CH155 6 dB Bandwidth



Date: 15.MAY.2022 14:50:35

99 % Occupied Bandwidth



Date: 15.MAY.2022 14:50:04

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.39	0.18	11.57	30.00	1.0000	Complies
40	5200	11.31	0.18	11.49	30.00	1.0000	Complies
48	5240	11.52	0.18	11.70	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.02	0.31	11.33	26.02	0.3999	Complies
40	5200	10.04	0.31	10.35	26.02	0.3999	Complies
48	5240	10.89	0.31	11.20	26.02	0.3999	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.87	0.31	10.18	26.02	0.3999	Complies
40	5200	8.99	0.31	9.30	26.02	0.3999	Complies
48	5240	9.64	0.31	9.95	26.02	0.3999	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.75	0.31	10.06	26.02	0.3999	Complies
40	5200	8.75	0.31	9.06	26.02	0.3999	Complies
48	5240	9.45	0.31	9.76	26.02	0.3999	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.34	26.02	0.3999	Complies
40	5200	14.38	26.02	0.3999	Complies
48	5240	15.13	26.02	0.3999	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.75	0.41	11.16	26.02	0.3999	Complies
46	5230	11.14	0.41	11.55	26.02	0.3999	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.89	0.41	10.30	26.02	0.3999	Complies
46	5230	9.87	0.41	10.28	26.02	0.3999	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.79	0.41	10.20	26.02	0.3999	Complies
46	5230	9.78	0.41	10.19	26.02	0.3999	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.34	26.02	0.3999	Complies
46	5230	15.49	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.03	0.47	11.50	26.02	0.3999	Complies
40	5200	10.04	0.47	10.51	26.02	0.3999	Complies
48	5240	10.76	0.47	11.23	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.98	0.47	10.45	26.02	0.3999	Complies
40	5200	8.97	0.47	9.44	26.02	0.3999	Complies
48	5240	9.82	0.47	10.29	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.89	0.47	10.36	26.02	0.3999	Complies
40	5200	8.85	0.47	9.32	26.02	0.3999	Complies
48	5240	9.54	0.47	10.01	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.57	26.02	0.3999	Complies
40	5200	14.56	26.02	0.3999	Complies
48	5240	15.31	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.99	0.82	11.81	26.02	0.3999	Complies
46	5230	11.17	0.82	11.99	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.85	0.82	10.67	26.02	0.3999	Complies
46	5230	9.93	0.82	10.75	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.77	0.82	10.59	26.02	0.3999	Complies
46	5230	9.71	0.82	10.53	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.83	26.02	0.3999	Complies
46	5230	15.91	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.98	0.74	11.72	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.02	0.74	10.76	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.88	0.74	10.62	26.02	0.3999	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.83	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.23	0.52	10.75	26.02	0.3999	Complies
40	5200	9.66	0.52	10.18	26.02	0.3999	Complies
48	5240	9.89	0.52	10.41	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.04	0.52	9.56	26.02	0.3999	Complies
40	5200	8.54	0.52	9.06	26.02	0.3999	Complies
48	5240	8.74	0.52	9.26	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.97	0.52	9.49	26.02	0.3999	Complies
40	5200	8.48	0.52	9.00	26.02	0.3999	Complies
48	5240	8.51	0.52	9.03	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.74	26.02	0.3999	Complies
40	5200	14.22	26.02	0.3999	Complies
48	5240	14.38	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.22	0.52	11.74	26.02	0.3999	Complies
46	5230	11.51	0.52	12.03	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.18	0.52	10.70	26.02	0.3999	Complies
46	5230	10.32	0.52	10.84	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.10	0.52	10.62	26.02	0.3999	Complies
46	5230	10.13	0.52	10.65	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.82	26.02	0.3999	Complies
46	5230	15.99	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.17	0.53	11.70	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.11	0.53	10.64	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.01	0.53	10.54	26.02	0.3999	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.77	26.02	0.3999	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.25	0.18	11.43	23.98	0.2500	Complies
60	5300	11.33	0.18	11.51	23.98	0.2500	Complies
64	5320	11.25	0.18	11.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.07	0.31	11.38	20.00	0.1000	Complies
60	5300	10.74	0.31	11.05	20.00	0.1000	Complies
64	5320	11.12	0.31	11.43	20.00	0.1000	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.14	0.31	10.45	20.00	0.1000	Complies
60	5300	10.11	0.31	10.42	20.00	0.1000	Complies
64	5320	10.08	0.31	10.39	20.00	0.1000	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.88	0.31	10.19	20.00	0.1000	Complies
60	5300	9.58	0.31	9.89	20.00	0.1000	Complies
64	5320	9.52	0.31	9.83	20.00	0.1000	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.48	20.00	0.1000	Complies
60	5300	15.25	20.00	0.1000	Complies
64	5320	15.37	20.00	0.1000	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.85	0.41	11.26	20.00	0.1000	Complies
62	5310	10.76	0.41	11.17	20.00	0.1000	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.23	0.41	10.64	20.00	0.1000	Complies
62	5310	9.74	0.41	10.15	20.00	0.1000	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.85	0.41	10.26	20.00	0.1000	Complies
62	5310	9.58	0.41	9.99	20.00	0.1000	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.51	20.00	0.1000	Complies
62	5310	15.24	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.30	0.47	11.77	20.00	0.1000	Complies
60	5300	10.93	0.47	11.40	20.00	0.1000	Complies
64	5320	11.17	0.47	11.64	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.01	0.47	10.48	20.00	0.1000	Complies
60	5300	10.05	0.47	10.52	20.00	0.1000	Complies
64	5320	10.07	0.47	10.54	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.78	0.47	10.25	20.00	0.1000	Complies
60	5300	9.76	0.47	10.23	20.00	0.1000	Complies
64	5320	9.68	0.47	10.15	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.65	20.00	0.1000	Complies
60	5300	15.51	20.00	0.1000	Complies
64	5320	15.59	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.03	0.82	11.85	20.00	0.1000	Complies
62	5310	10.87	0.82	11.69	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.03	0.82	10.85	20.00	0.1000	Complies
62	5310	9.85	0.82	10.67	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.87	0.82	10.69	20.00	0.1000	Complies
62	5310	9.62	0.82	10.44	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.93	20.00	0.1000	Complies
62	5310	15.74	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.04	0.74	9.78	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.09	0.74	8.83	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.68	0.74	8.42	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.81	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.97	0.52	11.49	20.00	0.1000	Complies
60	5300	11.27	0.52	11.79	20.00	0.1000	Complies
64	5320	10.82	0.52	11.34	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.45	0.52	9.97	20.00	0.1000	Complies
60	5300	10.05	0.52	10.57	20.00	0.1000	Complies
64	5320	9.54	0.52	10.06	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.23	0.52	9.75	20.00	0.1000	Complies
60	5300	9.79	0.52	10.31	20.00	0.1000	Complies
64	5320	9.21	0.52	9.73	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.24	20.00	0.1000	Complies
60	5300	15.71	20.00	0.1000	Complies
64	5320	15.20	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.37	0.52	11.89	20.00	0.1000	Complies
62	5310	11.12	0.52	11.64	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.91	0.52	10.43	20.00	0.1000	Complies
62	5310	10.08	0.52	10.60	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.86	0.52	10.38	20.00	0.1000	Complies
62	5310	9.93	0.52	10.45	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.73	20.00	0.1000	Complies
62	5310	15.70	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.74	0.53	9.27	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.57	0.53	8.10	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.31	0.53	7.84	20.00	0.1000	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.22	20.00	0.1000	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.05	1.25	12.30	20.00	0.1000	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	10.38	1.25	11.63	20.00	0.1000	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	9.84	1.25	11.09	20.00	0.1000	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.47	20.00	0.1000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	11.11	0.18	11.29	30.00	1.0000	Complies
157	5785	10.99	0.18	11.17	30.00	1.0000	Complies
165	5825	11.07	0.18	11.25	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.97	0.31	10.28	26.02	0.3999	Complies
157	5785	9.57	0.31	9.88	26.02	0.3999	Complies
165	5825	9.91	0.31	10.22	26.02	0.3999	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	11.25	0.31	11.56	26.02	0.3999	Complies
157	5785	11.69	0.31	12.00	26.02	0.3999	Complies
165	5825	11.35	0.31	11.66	26.02	0.3999	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	11.15	0.31	11.46	26.02	0.3999	Complies
157	5785	11.08	0.31	11.39	26.02	0.3999	Complies
165	5825	11.14	0.31	11.45	26.02	0.3999	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.91	26.02	0.3999	Complies
157	5785	15.95	26.02	0.3999	Complies
165	5825	15.93	26.02	0.3999	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.89	0.41	10.30	26.02	0.3999	Complies
159	5795	10.03	0.41	10.44	26.02	0.3999	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.15	0.41	11.56	26.02	0.3999	Complies
159	5795	11.53	0.41	11.94	26.02	0.3999	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.05	0.41	11.46	26.02	0.3999	Complies
159	5795	11.15	0.41	11.56	26.02	0.3999	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.91	26.02	0.3999	Complies
159	5795	16.13	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.56	0.47	11.03	26.02	0.3999	Complies
157	5785	9.93	0.47	10.40	26.02	0.3999	Complies
165	5825	10.01	0.47	10.48	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	11.35	0.47	11.82	26.02	0.3999	Complies
157	5785	11.64	0.47	12.11	26.02	0.3999	Complies
165	5825	11.52	0.47	11.99	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.75	0.47	11.22	26.02	0.3999	Complies
157	5785	11.12	0.47	11.59	26.02	0.3999	Complies
165	5825	11.01	0.47	11.48	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.14	26.02	0.3999	Complies
157	5785	16.19	26.02	0.3999	Complies
165	5825	16.13	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.98	0.82	10.80	26.02	0.3999	Complies
159	5795	10.02	0.82	10.84	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.53	0.82	12.35	26.02	0.3999	Complies
159	5795	11.56	0.82	12.38	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.21	0.82	12.03	26.02	0.3999	Complies
159	5795	11.21	0.82	12.03	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.55	26.02	0.3999	Complies
159	5795	16.57	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.67	0.74	10.41	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	11.16	0.74	11.90	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.97	0.74	11.71	26.02	0.3999	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.16	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.15	0.52	10.67	26.02	0.3999	Complies
157	5785	9.07	0.52	9.59	26.02	0.3999	Complies
165	5825	9.57	0.52	10.09	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	11.36	0.52	11.88	26.02	0.3999	Complies
157	5785	10.90	0.52	11.42	26.02	0.3999	Complies
165	5825	11.15	0.52	11.67	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	11.19	0.52	11.71	26.02	0.3999	Complies
157	5785	10.26	0.52	10.78	26.02	0.3999	Complies
165	5825	10.97	0.52	11.49	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.22	26.02	0.3999	Complies
157	5785	15.43	26.02	0.3999	Complies
165	5825	15.91	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.17	0.52	10.69	26.02	0.3999	Complies
159	5795	10.32	0.52	10.84	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.94	0.52	11.46	26.02	0.3999	Complies
159	5795	11.37	0.52	11.89	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.03	0.52	11.55	26.02	0.3999	Complies
159	5795	11.23	0.52	11.75	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.02	26.02	0.3999	Complies
159	5795	16.29	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.83	0.53	10.36	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.97	0.53	11.50	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.68	0.53	11.21	26.02	0.3999	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.82	26.02	0.3999	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.48	0.31	10.79	26.01	0.3990	Complies
40	5200	9.49	0.31	9.80	26.01	0.3990	Complies
48	5240	10.35	0.31	10.66	26.01	0.3990	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.34	0.31	9.65	26.01	0.3990	Complies
40	5200	8.43	0.31	8.74	26.01	0.3990	Complies
48	5240	9.12	0.31	9.43	26.01	0.3990	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.22	0.31	9.53	26.01	0.3990	Complies
40	5200	8.21	0.31	8.52	26.01	0.3990	Complies
48	5240	8.88	0.31	9.19	26.01	0.3990	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.80	26.01	0.3990	Complies
40	5200	13.83	26.01	0.3990	Complies
48	5240	14.58	26.01	0.3990	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.24	0.41	10.65	26.01	0.3990	Complies
46	5230	10.59	0.41	11.00	26.01	0.3990	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.35	0.41	9.76	26.01	0.3990	Complies
46	5230	9.36	0.41	9.77	26.01	0.3990	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.23	0.41	9.64	26.01	0.3990	Complies
46	5230	9.25	0.41	9.66	26.01	0.3990	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.81	26.01	0.3990	Complies
46	5230	14.96	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.51	0.47	10.98	26.01	0.3990	Complies
40	5200	9.52	0.47	9.99	26.01	0.3990	Complies
48	5240	10.20	0.47	10.67	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.42	0.47	9.89	26.01	0.3990	Complies
40	5200	8.42	0.47	8.89	26.01	0.3990	Complies
48	5240	9.27	0.47	9.74	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.36	0.47	9.83	26.01	0.3990	Complies
40	5200	8.30	0.47	8.77	26.01	0.3990	Complies
48	5240	9.01	0.47	9.48	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.03	26.01	0.3990	Complies
40	5200	14.02	26.01	0.3990	Complies
48	5240	14.76	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.47	0.82	11.29	26.01	0.3990	Complies
46	5230	10.63	0.82	11.45	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.29	0.82	10.11	26.01	0.3990	Complies
46	5230	9.40	0.82	10.22	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.20	0.82	10.02	26.01	0.3990	Complies
46	5230	9.14	0.82	9.96	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.28	26.01	0.3990	Complies
46	5230	15.36	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.44	0.74	11.18	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.49	0.74	10.23	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.32	0.74	10.06	26.01	0.3990	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.29	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.69	0.52	10.21	26.01	0.3990	Complies
40	5200	9.11	0.52	9.63	26.01	0.3990	Complies
48	5240	9.34	0.52	9.86	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.51	0.52	9.03	26.01	0.3990	Complies
40	5200	8.01	0.52	8.53	26.01	0.3990	Complies
48	5240	8.20	0.52	8.72	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.44	0.52	8.96	26.01	0.3990	Complies
40	5200	7.94	0.52	8.46	26.01	0.3990	Complies
48	5240	7.98	0.52	8.50	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.21	26.01	0.3990	Complies
40	5200	13.68	26.01	0.3990	Complies
48	5240	13.84	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.68	0.52	11.20	26.01	0.3990	Complies
46	5230	10.98	0.52	11.50	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.63	0.52	10.15	26.01	0.3990	Complies
46	5230	9.77	0.52	10.29	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.56	0.52	10.08	26.01	0.3990	Complies
46	5230	9.57	0.52	10.09	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.28	26.01	0.3990	Complies
46	5230	15.45	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.63	0.53	11.16	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.57	0.53	10.10	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.44	0.53	9.97	26.01	0.3990	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.22	26.01	0.3990	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.50	0.31	10.81	19.99	0.0998	Complies
60	5300	10.23	0.31	10.54	19.99	0.0998	Complies
64	5320	10.60	0.31	10.91	19.99	0.0998	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.59	0.31	9.90	19.99	0.0998	Complies
60	5300	9.57	0.31	9.88	19.99	0.0998	Complies
64	5320	9.56	0.31	9.87	19.99	0.0998	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.33	0.31	9.64	19.99	0.0998	Complies
60	5300	9.04	0.31	9.35	19.99	0.0998	Complies
64	5320	8.97	0.31	9.28	19.99	0.0998	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.92	19.99	0.0998	Complies
60	5300	14.72	19.99	0.0998	Complies
64	5320	14.85	19.99	0.0998	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.33	0.41	10.74	19.99	0.0998	Complies
62	5310	10.20	0.41	10.61	19.99	0.0998	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.71	0.41	10.12	19.99	0.0998	Complies
62	5310	9.19	0.41	9.60	19.99	0.0998	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.30	0.41	9.71	19.99	0.0998	Complies
62	5310	9.02	0.41	9.43	19.99	0.0998	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.98	19.99	0.0998	Complies
62	5310	14.68	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.78	0.47	11.25	19.99	0.0998	Complies
60	5300	10.39	0.47	10.86	19.99	0.0998	Complies
64	5320	10.65	0.47	11.12	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.46	0.47	9.93	19.99	0.0998	Complies
60	5300	9.51	0.47	9.98	19.99	0.0998	Complies
64	5320	9.52	0.47	9.99	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.25	0.47	9.72	19.99	0.0998	Complies
60	5300	9.21	0.47	9.68	19.99	0.0998	Complies
64	5320	9.11	0.47	9.58	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.12	19.99	0.0998	Complies
60	5300	14.97	19.99	0.0998	Complies
64	5320	15.05	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.47	0.82	11.29	19.99	0.0998	Complies
62	5310	10.34	0.82	11.16	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.51	0.82	10.33	19.99	0.0998	Complies
62	5310	9.32	0.82	10.14	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.32	0.82	10.14	19.99	0.0998	Complies
62	5310	9.07	0.82	9.89	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.39	19.99	0.0998	Complies
62	5310	15.20	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.49	0.74	9.23	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.55	0.74	8.29	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.13	0.74	7.87	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.27	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.41	0.52	10.93	19.99	0.0998	Complies
60	5300	10.73	0.52	11.25	19.99	0.0998	Complies
64	5320	10.27	0.52	10.79	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.93	0.52	9.45	19.99	0.0998	Complies
60	5300	9.50	0.52	10.02	19.99	0.0998	Complies
64	5320	9.03	0.52	9.55	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.67	0.52	9.19	19.99	0.0998	Complies
60	5300	9.24	0.52	9.76	19.99	0.0998	Complies
64	5320	8.64	0.52	9.16	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.69	19.99	0.0998	Complies
60	5300	15.16	19.99	0.0998	Complies
64	5320	14.66	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.84	0.52	11.36	19.99	0.0998	Complies
62	5310	10.60	0.52	11.12	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.37	0.52	9.89	19.99	0.0998	Complies
62	5310	9.55	0.52	10.07	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.31	0.52	9.83	19.99	0.0998	Complies
62	5310	9.36	0.52	9.88	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.19	19.99	0.0998	Complies
62	5310	15.17	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.22	0.53	8.75	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.03	0.53	7.56	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	6.79	0.53	7.32	19.99	0.0998	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.70	19.99	0.0998	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	10.52	1.25	11.77	19.99	0.0998	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	9.84	1.25	11.09	19.99	0.0998	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	9.30	1.25	10.55	19.99	0.0998	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.94	19.99	0.0998	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.43	0.31	9.74	26.01	0.3990	Complies
157	5785	9.02	0.31	9.33	26.01	0.3990	Complies
165	5825	9.38	0.31	9.69	26.01	0.3990	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.73	0.31	11.04	26.01	0.3990	Complies
157	5785	11.13	0.31	11.44	26.01	0.3990	Complies
165	5825	10.78	0.31	11.09	26.01	0.3990	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.62	0.31	10.93	26.01	0.3990	Complies
157	5785	10.56	0.31	10.87	26.01	0.3990	Complies
165	5825	10.61	0.31	10.92	26.01	0.3990	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.38	26.01	0.3990	Complies
157	5785	15.41	26.01	0.3990	Complies
165	5825	15.38	26.01	0.3990	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.33	0.41	9.74	26.01	0.3990	Complies
159	5795	9.48	0.41	9.89	26.01	0.3990	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.61	0.41	11.02	26.01	0.3990	Complies
159	5795	11.01	0.41	11.42	26.01	0.3990	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.49	0.41	10.90	26.01	0.3990	Complies
159	5795	10.62	0.41	11.03	26.01	0.3990	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.36	26.01	0.3990	Complies
159	5795	15.60	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.03	0.47	10.50	26.01	0.3990	Complies
157	5785	9.38	0.47	9.85	26.01	0.3990	Complies
165	5825	9.47	0.47	9.94	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.79	0.47	11.26	26.01	0.3990	Complies
157	5785	11.11	0.47	11.58	26.01	0.3990	Complies
165	5825	11.00	0.47	11.47	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.19	0.47	10.66	26.01	0.3990	Complies
157	5785	10.58	0.47	11.05	26.01	0.3990	Complies
165	5825	10.45	0.47	10.92	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.59	26.01	0.3990	Complies
157	5785	15.65	26.01	0.3990	Complies
165	5825	15.59	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.43	0.82	10.25	26.01	0.3990	Complies
159	5795	9.49	0.82	10.31	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.00	0.82	11.82	26.01	0.3990	Complies
159	5795	11.03	0.82	11.85	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.66	0.82	11.48	26.01	0.3990	Complies
159	5795	10.69	0.82	11.51	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.00	26.01	0.3990	Complies
159	5795	16.04	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.11	0.74	9.85	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.62	0.74	11.36	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.42	0.74	11.16	26.01	0.3990	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.61	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.62	0.52	10.14	26.01	0.3990	Complies
157	5785	8.54	0.52	9.06	26.01	0.3990	Complies
165	5825	9.05	0.52	9.57	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.83	0.52	11.35	26.01	0.3990	Complies
157	5785	10.35	0.52	10.87	26.01	0.3990	Complies
165	5825	10.62	0.52	11.14	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.66	0.52	11.18	26.01	0.3990	Complies
157	5785	9.74	0.52	10.26	26.01	0.3990	Complies
165	5825	10.45	0.52	10.97	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.69	26.01	0.3990	Complies
157	5785	14.90	26.01	0.3990	Complies
165	5825	15.38	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.65	0.52	10.17	26.01	0.3990	Complies
159	5795	9.79	0.52	10.31	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.38	0.52	10.90	26.01	0.3990	Complies
159	5795	10.81	0.52	11.33	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.50	0.52	11.02	26.01	0.3990	Complies
159	5795	10.68	0.52	11.20	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.49	26.01	0.3990	Complies
159	5795	15.74	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.26	0.53	9.79	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.42	0.53	10.95	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.13	0.53	10.66	26.01	0.3990	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.27	26.01	0.3990	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.38	0.18	0.56	17.00	Complies
40	5200	0.48	0.18	0.66	17.00	Complies
48	5240	0.75	0.18	0.93	17.00	Complies

CH36




Date: 11.MAY.2022 17:49:17

CH40



Date: 11.MAY.2022 17:50:07


CH48



Date: 11.MAY.2022 17:51:05


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-3.60	0.47	-3.13	13.02	Complies
40	5200	-3.51	0.47	-3.04	13.02	Complies
48	5240	-3.04	0.47	-2.57	13.02	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-3.87	0.47	-3.40	13.02	Complies
40	5200	-3.97	0.47	-3.50	13.02	Complies
48	5240	-3.92	0.47	-3.45	13.02	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-3.67	0.47	-3.20	13.02	Complies
40	5200	-3.70	0.47	-3.23	13.02	Complies
48	5240	-3.77	0.47	-3.30	13.02	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.53	13.02	Complies
40	5200	1.52	13.02	Complies
48	5240	1.68	13.02	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.94	0.82	-0.12	13.02	Complies
46	5230	-0.44	0.82	0.38	13.02	Complies

CH38



Date: 15.MAY.2022 14:23:47

CH46




Date: 15.MAY.2022 14:25:27

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.72	0.82	-1.90	13.02	Complies
46	5230	-2.46	0.82	-1.64	13.02	Complies

CH38



Date: 15.MAY.2022 14:52:37

CH46




Date: 15.MAY.2022 14:53:07

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.62	0.82	-1.80	13.02	Complies
46	5230	-2.34	0.82	-1.52	13.02	Complies

CH38



Date: 15.MAY.2022 14:56:26

CH46




Date: 15.MAY.2022 14:56:56

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.58	13.02	Complies
46	5230	3.95	13.02	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.87	0.74	-3.13	13.02	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.23	0.74	-4.49	13.02	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.38	0.74	-4.64	13.02	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.74	13.02	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.41	0.52	1.93	13.02	Complies
40	5200	1.49	0.52	2.01	13.02	Complies
48	5240	1.84	0.52	2.36	13.02	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.73	0.52	1.25	13.02	Complies
40	5200	0.63	0.52	1.15	13.02	Complies
48	5240	0.85	0.52	1.37	13.02	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.20	0.52	0.72	13.02	Complies
40	5200	0.25	0.52	0.77	13.02	Complies
48	5240	0.46	0.52	0.98	13.02	Complies



Date: 11.MAY.2022 19:28:05



Date: 11.MAY.2022 19:28:33



Date: 11.MAY.2022 19:29:05


Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.10	13.02	Complies
40	5200	6.11	13.02	Complies
48	5240	6.38	13.02	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.58	0.52	-0.06	13.02	Complies
46	5230	-0.28	0.52	0.24	13.02	Complies

CH38



Date: 15.MAY.2022 14:32:46

CH46




Date: 15.MAY.2022 14:33:48

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.96	0.52	-1.44	13.02	Complies
46	5230	-1.43	0.52	-0.91	13.02	Complies

CH38



Date: 15.MAY.2022 15:13:00

CH46



Date: 15.MAY.2022 15:13:01