


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 3 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -2.17                            | 0.52        | -1.65                                          | 13.02                | Complies |
| 46      | 5230            | -1.66                            | 0.52        | -1.14                                          | 13.02                | Complies |

CH38



Date: 15.MAY.2022 15:16:20

CH46




Date: 15.MAY.2022 15:16:47

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 3.78                             | 13.02                | Complies |
| 46      | 5230            | 4.21                             | 13.02                | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -4.61                            | 0.53        | -4.08                                          | 13.02                | Complies |



Date: 15.MAY.2022 14:48:16

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -5.05                            | 0.53        | -4.52                                          | 13.02                | Complies |



Date: 15.MAY.2022 15:23:30

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -5.20                            | 0.53        | -4.67                                          | 13.02                | Complies |




Date: 15.MAY.2022 15:25:40

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 0.36                             | 13.02                | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.17                             | 0.18        | 1.35                                           | 11.00                | Complies |
| 60      | 5300            | 0.36                             | 0.18        | 0.54                                           | 11.00                | Complies |
| 64      | 5320            | 1.05                             | 0.18        | 1.23                                           | 11.00                | Complies |



Date: 11.MAY.2022 17:51:56




Date: 11.MAY.2022 17:52:50



Date: 11.MAY.2022 17:55:33


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -3.17                            | 0.47        | -2.70                                          | 7.02                 | Complies |
| 60      | 5300            | -3.09                            | 0.47        | -2.62                                          | 7.02                 | Complies |
| 64      | 5320            | -2.82                            | 0.47        | -2.35                                          | 7.02                 | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -4.03                            | 0.47        | -3.56                                          | 7.02                 | Complies |
| 60      | 5300            | -3.93                            | 0.47        | -3.46                                          | 7.02                 | Complies |
| 64      | 5320            | -3.85                            | 0.47        | -3.38                                          | 7.02                 | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -3.72                            | 0.47        | -3.25                                          | 7.02                 | Complies |
| 60      | 5300            | -3.53                            | 0.47        | -3.06                                          | 7.02                 | Complies |
| 64      | 5320            | -3.39                            | 0.47        | -2.92                                          | 7.02                 | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 1.61                             | 7.02                 | Complies |
| 60      | 5300            | 1.73                             | 7.02                 | Complies |
| 64      | 5320            | 1.90                             | 7.02                 | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -0.57                            | 0.82        | 0.25                                           | 7.02                 | Complies |
| 62      | 5310            | -0.67                            | 0.82        | 0.15                                           | 7.02                 | Complies |

CH54



Date: 15.MAY.2022 14:26:37

CH62




Date: 15.MAY.2022 14:28:11

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -2.31                            | 0.82        | -1.49                                          | 7.02                 | Complies |
| 62      | 5310            | -2.18                            | 0.82        | -1.36                                          | 7.02                 | Complies |

CH54



Date: 15.MAY.2022 14:53:37


CH62




Date: 15.MAY.2022 14:54:06

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -2.28                            | 0.82        | -1.46                                          | 7.02                 | Complies |
| 62      | 5310            | -2.42                            | 0.82        | -1.60                                          | 7.02                 | Complies |

**CH54**


Date: 15.MAY.2022 14:57:22

**CH62**



Date: 15.MAY.2022 14:57:50

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 3.95                             | 7.02                 | Complies |
| 62      | 5310            | 3.91                             | 7.02                 | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -3.86                            | 0.74        | -3.12                                          | 7.02                 | Complies |



Date: 15.MAY.2022 14:45:13

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -5.09                            | 0.74        | -4.35                                          | 7.02                 | Complies |



Date: 15.MAY.2022 15:22:06

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -5.22                            | 0.74        | -4.48                                          | 7.02                 | Complies |




Date: 15.MAY.2022 15:20:29

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 0.83                             | 7.02                 | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.99                             | 0.52        | 1.51                                           | 7.02                 | Complies |
| 60      | 5300            | 1.69                             | 0.52        | 2.21                                           | 7.02                 | Complies |
| 64      | 5320            | 1.31                             | 0.52        | 1.83                                           | 7.02                 | Complies |



Date: 11.MAY.2022 19:05:45




Date: 11.MAY.2022 19:06:12




Date: 11.MAY.2022 19:08:13

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.00                             | 0.52        | 0.52                                           | 7.02                 | Complies |
| 60      | 5300            | 0.51                             | 0.52        | 1.03                                           | 7.02                 | Complies |
| 64      | 5320            | 0.06                             | 0.52        | 0.58                                           | 7.02                 | Complies |



Date: 11.MAY.2022 19:23:50




Date: 11.MAY.2022 19:24:15



Date: 11.MAY.2022 19:25:49

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -0.37                            | 0.52        | 0.15                                           | 7.02                 | Complies |
| 60      | 5300            | 0.11                             | 0.52        | 0.63                                           | 7.02                 | Complies |
| 64      | 5320            | -0.28                            | 0.52        | 0.24                                           | 7.02                 | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 5.53                             | 7.02                 | Complies |
| 60      | 5300            | 6.11                             | 7.02                 | Complies |
| 64      | 5320            | 5.71                             | 7.02                 | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -0.15                            | 0.52        | 0.37                                           | 7.02                 | Complies |
| 62      | 5310            | -0.27                            | 0.52        | 0.25                                           | 7.02                 | Complies |

CH54



Date: 15.MAY.2022 14:34:56

CH62




Date: 15.MAY.2022 14:35:55

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -2.06                            | 0.52        | -1.54                                          | 7.02                 | Complies |
| 62      | 5310            | -1.81                            | 0.52        | -1.29                                          | 7.02                 | Complies |

CH54



Date: 15.MAY.2022 15:14:08

CH62




Date: 15.MAY.2022 15:14:39

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 3 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -3.06                            | 0.52        | -2.54                                          | 7.02                 | Complies |
| 62      | 5310            | -1.85                            | 0.52        | -1.33                                          | 7.02                 | Complies |

CH54



Date: 15.MAY.2022 15:17:14

CH62




Date: 15.MAY.2022 15:17:41

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 3.71                             | 7.02                 | Complies |
| 62      | 5310            | 4.05                             | 7.02                 | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -3.55                            | 0.53        | -3.02                                          | 7.02                 | Complies |



Date: 15.MAY.2022 14:49:35

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -4.99                            | 0.53        | -4.46                                          | 7.02                 | Complies |



Date: 15.MAY.2022 15:23:57

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -4.85                            | 0.53        | -4.32                                          | 7.02                 | Complies |




Date: 15.MAY.2022 15:26:10

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 0.89                             | 7.02                 | Complies |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1 |
|-----------|-----------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | -7.74                            | 1.25        | -6.49                                          | 7.02                 | Complies |



Date: 20.MAY.2022 00:37:00

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2 |
|-----------|-----------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | -8.04                            | 1.25        | -6.79                                          | 7.02                 | Complies |



Date: 20.MAY.2022 00:37:39

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | -8.21                            | 1.25        | -6.96                                          | 7.02                 | Complies |



Date: 20.MAY.2022 00:38:18


|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 50      | 5250            | -1.97                            | 7.02                 | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -1.89                                | 0.18        | -1.71                                              | 30.00                    | Complies |
| 157     | 5785            | -1.84                                | 0.18        | -1.66                                              | 30.00                    | Complies |
| 165     | 5825            | -1.66                                | 0.18        | -1.48                                              | 30.00                    | Complies |

CH149




Date: 11.MAY.2022 17:57:06

CH157



Date: 11.MAY.2022 17:58:35


CH165




Date: 11.MAY.2022 17:59:42

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -5.31                                | 0.47        | -4.84                                              | 26.02                    | Complies |
| 157     | 5785            | -5.38                                | 0.47        | -4.91                                              | 26.02                    | Complies |
| 165     | 5825            | -4.85                                | 0.47        | -4.38                                              | 26.02                    | Complies |



Date: 11.MAY.2022 18:41:30




Date: 11.MAY.2022 18:42:02




Date: 11.MAY.2022 18:42:28

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -5.37                                | 0.47        | -4.90                                              | 26.02                    | Complies |
| 157     | 5785            | -4.95                                | 0.47        | -4.48                                              | 26.02                    | Complies |
| 165     | 5825            | -5.09                                | 0.47        | -4.62                                              | 26.02                    | Complies |



Date: 11.MAY.2022 18:47:45




Date: 11.MAY.2022 18:48:08



Date: 11.MAY.2022 18:48:34

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -4.26                                | 0.47        | -3.79                                              | 26.02                    | Complies |
| 157     | 5785            | -3.74                                | 0.47        | -3.27                                              | 26.02                    | Complies |
| 165     | 5825            | -4.11                                | 0.47        | -3.64                                              | 26.02                    | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 0.29                                 | 26.02                    | Complies |
| 157     | 5785            | 0.60                                 | 26.02                    | Complies |
| 165     | 5825            | 0.57                                 | 26.02                    | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -3.92                                | 0.82        | -3.10                                              | 26.02                    | Complies |
| 159     | 5795            | -3.57                                | 0.82        | -2.75                                              | 26.02                    | Complies |

CH151



Date: 15.MAY.2022 14:29:25

CH159




Date: 15.MAY.2022 14:30:36

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -3.72                                | 0.82        | -2.90                                              | 26.02                    | Complies |
| 159     | 5795            | -3.52                                | 0.82        | -2.70                                              | 26.02                    | Complies |

CH151



Date: 15.MAY.2022 14:54:45


CH159



Date: 15.MAY.2022 14:55:17

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -3.18                                | 0.82        | -2.36                                              | 26.02                    | Complies |
| 159     | 5795            | -2.78                                | 0.82        | -1.96                                              | 26.02                    | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 1.99                                 | 26.02                    | Complies |
| 159     | 5795            | 2.32                                 | 26.02                    | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -7.54                                | 0.74        | -6.80                                              | 26.02                    | Complies |



Date: 15.MAY.2022 14:46:33

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -7.09                                | 0.74        | -6.35                                              | 26.02                    | Complies |



Date: 15.MAY.2022 15:22:36

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -6.20                                | 0.74        | -5.46                                              | 26.02                    | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | -1.40                                | 26.02                    | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -1.80                                | 0.52        | -1.28                                              | 26.02                    | Complies |
| 157     | 5785            | -2.91                                | 0.52        | -2.39                                              | 26.02                    | Complies |
| 165     | 5825            | -2.33                                | 0.52        | -1.81                                              | 26.02                    | Complies |



Date: 11.MAY.2022 19:09:06




Date: 11.MAY.2022 19:09:34




Date: 11.MAY.2022 19:10:19

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -1.27                                | 0.52        | -0.75                                              | 26.02                    | Complies |
| 157     | 5785            | -2.41                                | 0.52        | -1.89                                              | 26.02                    | Complies |
| 165     | 5825            | -1.92                                | 0.52        | -1.40                                              | 26.02                    | Complies |



Date: 11.MAY.2022 19:26:14




Date: 11.MAY.2022 19:26:34



Date: 11.MAY.2022 19:26:59

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -1.22                                | 0.52        | -0.70                                              | 26.02                    | Complies |
| 157     | 5785            | -2.26                                | 0.52        | -1.74                                              | 26.02                    | Complies |
| 165     | 5825            | -1.87                                | 0.52        | -1.35                                              | 26.02                    | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 3.87                                 | 26.02                    | Complies |
| 157     | 5785            | 2.77                                 | 26.02                    | Complies |
| 165     | 5825            | 3.25                                 | 26.02                    | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -4.00                                | 0.52        | -3.48                                              | 26.02                    | Complies |
| 159     | 5795            | -4.20                                | 0.52        | -3.68                                              | 26.02                    | Complies |

CH151



Date: 15.MAY.2022 14:37:19

CH159




Date: 15.MAY.2022 14:38:29

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -3.60                                | 0.52        | -3.08                                              | 26.02                    | Complies |
| 159     | 5795            | -3.51                                | 0.52        | -2.99                                              | 26.02                    | Complies |

CH151



Date: 15.MAY.2022 15:15:11


CH159



Date: 15.MAY.2022 15:15:38

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -3.53                                | 0.52        | -3.01                                              | 26.02                    | Complies |
| 159     | 5795            | -2.95                                | 0.52        | -2.43                                              | 26.02                    | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 1.59                                 | 26.02                    | Complies |
| 159     | 5795            | 1.77                                 | 26.02                    | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -7.09                                | 0.53        | -6.56                                              | 26.02                    | Complies |



Date: 15.MAY.2022 14:50:56

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -7.11                                | 0.53        | -6.58                                              | 26.02                    | Complies |



Date: 15.MAY.2022 15:24:31

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -6.65                                | 0.53        | -6.12                                              | 26.02                    | Complies |



|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | -1.64                                | 26.02                    | Complies |

## **APPENDIX H - FREQUENCY STABILITY**

|           |        |
|-----------|--------|
| Test Mode | UNII-1 |
|-----------|--------|

### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5180.0000                   |
| 138                     | 5179.9628                   |
| 120                     | 5179.9620                   |
| 102                     | 5179.9620                   |
| Maximum Deviation (MHz) | 0.0380                      |
| Maximum Deviation (ppm) | 7.3359                      |

### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5180.0000                   |
| -5                      | 5179.9620                   |
| 5                       | 5179.9620                   |
| 15                      | 5179.9620                   |
| 25                      | 5179.9620                   |
| 35                      | 5179.9596                   |
| 45                      | 5179.9596                   |
| Maximum Deviation (MHz) | 0.0404                      |
| Maximum Deviation (ppm) | 7.7992                      |

|           |         |
|-----------|---------|
| Test Mode | UNII-2A |
|-----------|---------|

### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5260.0000                   |
| 138                     | 5259.9608                   |
| 120                     | 5259.9612                   |
| 102                     | 5259.9612                   |
| Maximum Deviation (MHz) | 0.0392                      |
| Maximum Deviation (ppm) | 7.4525                      |

### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5260.0000                   |
| -5                      | 5259.9612                   |
| 5                       | 5259.9612                   |
| 15                      | 5259.9612                   |
| 25                      | 5259.9612                   |
| 35                      | 5259.9612                   |
| 45                      | 5259.9584                   |
| Maximum Deviation (MHz) | 0.0416                      |
| Maximum Deviation (ppm) | 7.9087                      |

|           |        |
|-----------|--------|
| Test Mode | UNII-3 |
|-----------|--------|

### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5745.0000                   |
| 138                     | 5744.9572                   |
| 120                     | 5744.9576                   |
| 102                     | 5744.9580                   |
| Maximum Deviation (MHz) | 0.0428                      |
| Maximum Deviation (ppm) | 7.4500                      |

### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5745.0000                   |
| -5                      | 5744.9580                   |
| 5                       | 5744.9580                   |
| 15                      | 5744.9580                   |
| 25                      | 5744.9580                   |
| 35                      | 5744.9580                   |
| 45                      | 5744.9548                   |
| Maximum Deviation (MHz) | 0.0452                      |
| Maximum Deviation (ppm) | 7.8677                      |

**End of Test Report**