


Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7766.6600	29.65	10.85	40.50	54.00	-13.50	AVG	
2	7766.6800	39.56	10.85	50.41	68.20	-17.79	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5822.4000	84.44	16.86	101.30	122.20	-20.90	Peak	No Limit
2	5850.0000	36.78	16.87	53.65	122.20	-68.55	Peak	
3	5860.0000	36.88	16.88	53.76	109.40	-55.64	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7766.6300	28.25	10.85	39.10	54.00	-14.90	AVG	
2	7766.6800	39.25	10.85	50.10	68.20	-18.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	40.51	16.79	57.30	109.40	-52.10	Peak	
2	5725.0000	39.77	16.80	56.57	122.20	-65.63	Peak	
3 *	5761.2000	86.36	16.82	103.18	122.20	-19.02	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7673.2600	29.69	10.88	40.57	54.00	-13.43	AVG	
2	7673.3400	40.12	10.88	51.00	74.00	-23.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	37.59	16.79	54.38	109.40	-55.02	Peak	
2	5725.0000	40.28	16.80	57.08	122.20	-65.12	Peak	
3 *	5751.0000	82.40	16.81	99.21	122.20	-22.99	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7670.9500	39.32	10.89	50.21	74.00	-23.79	Peak	
2 *	7673.1900	28.51	10.88	39.39	54.00	-14.61	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5788.2000	85.96	16.83	102.79	122.20	-19.41	Peak	No Limit
2	5850.0000	38.11	16.87	54.98	122.20	-67.22	Peak	
3	5860.0000	38.43	16.88	55.31	109.40	-54.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7726.6400	29.59	10.87	40.46	54.00	-13.54	AVG	
2	7726.6700	39.67	10.87	50.54	74.00	-23.46	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5790.4000	80.79	16.84	97.63	122.20	-24.57	Peak	No Limit
2	5850.0000	36.85	16.87	53.72	122.20	-68.48	Peak	
3	5860.0000	36.62	16.88	53.50	109.40	-55.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7726.6500	28.29	10.87	39.16	54.00	-14.84	AVG	
2	7726.6900	39.31	10.87	50.18	74.00	-23.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	37.93	16.79	54.72	109.40	-54.68	Peak	
2	5725.0000	39.84	16.80	56.64	122.20	-65.56	Peak	
3 *	5786.2000	84.68	16.83	101.51	122.20	-20.69	Peak	No Limit
4	5850.0000	36.78	16.87	53.65	122.20	-68.55	Peak	
5	5860.0000	38.23	16.88	55.11	109.40	-54.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7700.0300	29.46	10.88	40.34	54.00	-13.66	AVG	
2	7700.0500	39.27	10.88	50.15	74.00	-23.85	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	37.84	16.79	54.63	109.40	-54.77	Peak	
2	5725.0000	37.94	16.80	54.74	122.20	-67.46	Peak	
3 *	5791.8000	79.82	16.84	96.66	122.20	-25.54	Peak	No Limit
4	5850.0000	38.51	16.87	55.38	122.20	-66.82	Peak	
5	5860.0000	37.79	16.88	54.67	109.40	-54.73	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7700.0100	28.48	10.88	39.36	54.00	-14.64	AVG	
2	7700.0300	40.77	10.88	51.65	74.00	-22.35	Peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	18.96	16.50
40	5200	18.89	16.40
48	5240	18.85	16.50

CH36




Date: 14.OCT.2021 09:52:53

CH40
26 dB Bandwidth




Date: 14.OCT.2021 09:53:31

CH48




Date: 14.OCT.2021 09:54:18


99 % Occupied Bandwidth



Date: 14.OCT.2021 09:52:33



Date: 14.OCT.2021 09:53:10




Date: 14.OCT.2021 09:53:56

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	19.85	17.70
40	5200	20.00	17.70
48	5240	19.85	17.70

CH36




Date: 14.OCT.2021 10:12:05

CH40
26 dB Bandwidth




Date: 14.OCT.2021 10:12:50

CH48




Date: 14.OCT.2021 10:13:49


99 % Occupied Bandwidth



Date: 14.OCT.2021 10:11:44



Date: 14.OCT.2021 10:12:30




Date: 14.OCT.2021 10:13:28

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.90	36.40
46	5230	40.80	36.40

CH38




Date: 14.OCT.2021 11:30:29

CH46 26 dB Bandwidth




Date: 14.OCT.2021 10:39:40



Date: 14.OCT.2021 11:30:02

99 % Occupied Bandwidth




Date: 14.OCT.2021 10:39:19

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.00	75.20

CH42 26 dB Bandwidth



Date: 14.OCT.2021 10:49:30

99 % Occupied Bandwidth




Date: 14.OCT.2021 10:49:04

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	18.89	16.40
60	5300	18.89	16.50
64	5320	18.91	16.50

CH52




Date: 14.OCT.2021 09:55:13

CH60
26 dB Bandwidth




Date: 14.OCT.2021 09:55:50

CH64




Date: 14.OCT.2021 09:56:28


99 % Occupied Bandwidth



Date: 14.OCT.2021 09:54:51



Date: 14.OCT.2021 09:55:29




Date: 14.OCT.2021 09:56:06

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	19.81	17.70
60	5300	19.89	17.70
64	5320	19.86	17.70

CH52




Date: 14.OCT.2021 10:17:27

CH60
26 dB Bandwidth




Date: 14.OCT.2021 10:18:13

CH64




Date: 14.OCT.2021 10:26:12


99 % Occupied Bandwidth



Date: 14.OCT.2021 10:17:07



Date: 14.OCT.2021 10:17:52




Date: 14.OCT.2021 10:25:43

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.70	36.40
62	5310	40.81	36.40


CH54



Date: 14.OCT.2021 10:40:29


CH62

26 dB Bandwidth




Date: 14.OCT.2021 10:41:32

99 % Occupied Bandwidth



Date: 14.OCT.2021 10:40:04




Date: 14.OCT.2021 10:41:04

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.20	75.20

CH58 26 dB Bandwidth



Date: 14.OCT.2021 10:50:22

99 % Occupied Bandwidth




Date: 14.OCT.2021 10:49:56

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	18.90	16.50
116	5580	18.89	16.40
140	5700	18.95	16.50

CH100




Date: 14.OCT.2021 09:58:55

CH116 26 dB Bandwidth




Date: 14.OCT.2021 10:00:26

CH140




Date: 14.OCT.2021 10:01:08


99 % Occupied Bandwidth



Date: 14.OCT.2021 09:58:24



Date: 14.OCT.2021 10:00:05




Date: 14.OCT.2021 10:00:47

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	19.79	17.70
116	5580	19.90	17.70
140	5700	19.95	17.70

CH100




Date: 14.OCT.2021 10:28:34

CH116
26 dB Bandwidth




Date: 14.OCT.2021 10:29:19

CH140




Date: 14.OCT.2021 10:30:59


99 % Occupied Bandwidth



Date: 14.OCT.2021 10:28:03



Date: 14.OCT.2021 10:28:58




Date: 14.OCT.2021 10:30:29

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.79	36.40
110	5550	40.79	36.40
134	5670	40.79	36.40

CH102




Date: 14.OCT.2021 10:42:31

CH110
26 dB Bandwidth




Date: 14.OCT.2021 10:43:17

CH134




Date: 14.OCT.2021 10:44:42


99 % Occupied Bandwidth



Date: 14.OCT.2021 10:41:59



Date: 14.OCT.2021 10:42:48




Date: 14.OCT.2021 10:44:13

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.60	75.20
122	5610	82.20	75.20

CH106




Date: 14.OCT.2021 10:51:05

CH122
26 dB Bandwidth




Date: 14.OCT.2021 10:51:53

99 % Occupied Bandwidth



Date: 14.OCT.2021 10:50:39




Date: 14.OCT.2021 10:51:28

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.35	16.50	0.50	Complies
157	5785	16.45	16.40	0.50	Complies
165	5825	16.35	16.50	0.50	Complies

CH149




Date: 14.OCT.2021 10:02:16

CH157
6 dB Bandwidth




Date: 14.OCT.2021 10:06:18

CH165




Date: 14.OCT.2021 10:05:12


99 % Occupied Bandwidth



Date: 14.OCT.2021 10:01:54



Date: 14.OCT.2021 10:05:54




Date: 14.OCT.2021 10:04:49

Test Mode UNII-3_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.65	17.70	0.50	Complies
157	5785	17.65	17.70	0.50	Complies
165	5825	17.59	17.70	0.50	Complies

CH149




Date: 14.OCT.2021 10:34:36

CH157
6 dB Bandwidth




Date: 14.OCT.2021 10:35:29

CH165




Date: 14.OCT.2021 10:36:20


99 % Occupied Bandwidth



Date: 14.OCT.2021 10:34:14



Date: 14.OCT.2021 10:35:07




Date: 14.OCT.2021 10:35:58

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.50	36.40	0.50	Complies
159	5795	34.30	36.40	0.50	Complies

CH151




Date: 14.OCT.2021 10:45:50

CH159 6 dB Bandwidth




Date: 14.OCT.2021 10:47:39

99 % Occupied Bandwidth



Date: 14.OCT.2021 10:45:21




Date: 14.OCT.2021 10:47:08

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.79	75.20	0.50	Complies

CH155 6 dB Bandwidth



Date: 14.OCT.2021 10:52:16

99 % Occupied Bandwidth



Date: 14.OCT.2021 10:52:16

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.01	0.74	15.75	30.00	1.0000	Complies
40	5200	14.91	0.74	15.65	30.00	1.0000	Complies
48	5240	14.97	0.74	15.71	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.15	0.79	15.94	29.53	0.8974	Complies
40	5200	15.02	0.79	15.81	29.53	0.8974	Complies
48	5240	15.13	0.79	15.92	29.53	0.8974	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.04	0.79	15.83	29.53	0.8974	Complies
40	5200	15.06	0.79	15.85	29.53	0.8974	Complies
48	5240	15.10	0.79	15.89	29.53	0.8974	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.89	29.53	0.8974	Complies
40	5200	18.84	29.53	0.8974	Complies
48	5240	18.91	29.53	0.8974	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.10	1.47	16.57	29.53	0.8974	Complies
46	5230	15.03	1.47	16.50	29.53	0.8974	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.96	1.47	16.43	29.53	0.8974	Complies
46	5230	14.98	1.47	16.45	29.53	0.8974	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.51	29.53	0.8974	Complies
46	5230	19.48	29.53	0.8974	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.99	0.79	15.78	29.53	0.8974	Complies
40	5200	14.96	0.79	15.75	29.53	0.8974	Complies
48	5240	14.97	0.79	15.76	29.53	0.8974	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.94	0.79	15.73	29.53	0.8974	Complies
40	5200	15.09	0.79	15.88	29.53	0.8974	Complies
48	5240	15.03	0.79	15.82	29.53	0.8974	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.77	29.53	0.8974	Complies
40	5200	18.83	29.53	0.8974	Complies
48	5240	18.80	29.53	0.8974	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.96	1.46	16.42	29.53	0.8974	Complies
46	5230	14.94	1.46	16.40	29.53	0.8974	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.92	1.46	16.38	29.53	0.8974	Complies
46	5230	15.13	1.46	16.59	29.53	0.8974	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.41	29.53	0.8974	Complies
46	5230	19.50	29.53	0.8974	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.12	2.55	17.67	29.53	0.8974	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.17	2.55	17.72	29.53	0.8974	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.70	29.53	0.8974	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.08	0.74	15.82	23.98	0.2500	Complies
60	5300	15.06	0.74	15.80	23.98	0.2500	Complies
64	5320	15.02	0.74	15.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.09	0.79	15.88	23.51	0.2244	Complies
60	5300	15.11	0.79	15.90	23.51	0.2244	Complies
64	5320	15.01	0.79	15.80	23.51	0.2244	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.98	0.79	15.77	23.51	0.2244	Complies
60	5300	15.05	0.79	15.84	23.51	0.2244	Complies
64	5320	14.98	0.79	15.77	23.51	0.2244	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.83	23.51	0.2244	Complies
60	5300	18.88	23.51	0.2244	Complies
64	5320	18.79	23.51	0.2244	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.05	1.47	16.52	23.51	0.2244	Complies
62	5310	15.09	1.47	16.56	23.51	0.2244	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.97	1.47	16.44	23.51	0.2244	Complies
62	5310	14.98	1.47	16.45	23.51	0.2244	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.49	23.51	0.2244	Complies
62	5310	19.51	23.51	0.2244	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.08	0.79	15.87	23.51	0.2244	Complies
60	5300	15.09	0.79	15.88	23.51	0.2244	Complies
64	5320	15.03	0.79	15.82	23.51	0.2244	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.94	0.79	15.73	23.51	0.2244	Complies
60	5300	15.20	0.79	15.99	23.51	0.2244	Complies
64	5320	15.11	0.79	15.90	23.51	0.2244	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.81	23.51	0.2244	Complies
60	5300	18.95	23.51	0.2244	Complies
64	5320	18.87	23.51	0.2244	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.95	1.46	16.41	23.51	0.2244	Complies
62	5310	15.06	1.46	16.52	23.51	0.2244	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.08	1.46	16.54	23.51	0.2244	Complies
62	5310	14.07	1.46	15.53	23.51	0.2244	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.48	23.51	0.2244	Complies
62	5310	19.06	23.51	0.2244	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.16	2.55	17.71	23.51	0.2244	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.13	2.55	17.68	23.51	0.2244	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.70	23.51	0.2244	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.99	0.74	15.73	23.98	0.2500	Complies
116	5580	14.96	0.74	15.70	23.98	0.2500	Complies
140	5700	15.08	0.74	15.82	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.96	0.79	15.75	23.51	0.2244	Complies
116	5580	15.01	0.79	15.80	23.51	0.2244	Complies
140	5700	15.01	0.79	15.80	23.51	0.2244	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.92	0.79	15.71	23.51	0.2244	Complies
116	5580	14.95	0.79	15.74	23.51	0.2244	Complies
140	5700	14.96	0.79	15.75	23.51	0.2244	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.74	23.51	0.2244	Complies
116	5580	18.78	23.51	0.2244	Complies
140	5700	18.78	23.51	0.2244	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.96	1.47	16.43	23.51	0.2244	Complies
110	5550	15.12	1.47	16.59	23.51	0.2244	Complies
134	5670	15.09	1.47	16.56	23.51	0.2244	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.08	1.47	16.55	23.51	0.2244	Complies
110	5550	15.11	1.47	16.58	23.51	0.2244	Complies
134	5670	15.09	1.47	16.56	23.51	0.2244	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.50	23.51	0.2244	Complies
110	5550	19.59	23.51	0.2244	Complies
134	5670	19.57	23.51	0.2244	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.97	0.79	15.76	23.51	0.2244	Complies
116	5580	15.07	0.79	15.86	23.51	0.2244	Complies
140	5700	15.01	0.79	15.80	23.51	0.2244	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.05	0.79	15.84	23.51	0.2244	Complies
116	5580	14.97	0.79	15.76	23.51	0.2244	Complies
140	5700	15.02	0.79	15.81	23.51	0.2244	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.81	23.51	0.2244	Complies
116	5580	18.82	23.51	0.2244	Complies
140	5700	18.82	23.51	0.2244	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.17	1.46	16.63	23.51	0.2244	Complies
110	5550	14.89	1.46	16.35	23.51	0.2244	Complies
134	5670	15.09	1.46	16.55	23.51	0.2244	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.18	1.46	16.64	23.51	0.2244	Complies
110	5550	14.98	1.46	16.44	23.51	0.2244	Complies
134	5670	15.03	1.46	16.49	23.51	0.2244	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.64	23.51	0.2244	Complies
110	5550	19.40	23.51	0.2244	Complies
134	5670	19.53	23.51	0.2244	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.95	2.55	17.50	23.51	0.2244	Complies
122	5610	15.15	2.55	17.70	23.51	0.2244	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.04	2.55	17.59	23.51	0.2244	Complies
122	5610	15.08	2.55	17.63	23.51	0.2244	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.55	23.51	0.2244	Complies
122	5610	20.67	23.51	0.2244	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.09	0.74	15.83	30.00	1.0000	Complies
157	5785	15.06	0.74	15.80	30.00	1.0000	Complies
165	5825	15.09	0.74	15.83	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.12	0.79	15.91	29.53	0.8974	Complies
157	5785	15.17	0.79	15.96	29.53	0.8974	Complies
165	5825	14.93	0.79	15.72	29.53	0.8974	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.91	0.79	15.70	29.53	0.8974	Complies
157	5785	14.98	0.79	15.77	29.53	0.8974	Complies
165	5825	14.95	0.79	15.74	29.53	0.8974	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.82	29.53	0.8974	Complies
157	5785	18.88	29.53	0.8974	Complies
165	5825	18.74	29.53	0.8974	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.08	1.47	16.55	29.53	0.8974	Complies
159	5795	15.14	1.47	16.61	29.53	0.8974	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.11	1.47	16.58	29.53	0.8974	Complies
159	5795	14.99	1.47	16.46	29.53	0.8974	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.57	29.53	0.8974	Complies
159	5795	19.54	29.53	0.8974	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.98	0.79	15.77	29.53	0.8974	Complies
157	5785	15.09	0.79	15.88	29.53	0.8974	Complies
165	5825	15.14	0.79	15.93	29.53	0.8974	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.08	0.79	15.87	29.53	0.8974	Complies
157	5785	15.07	0.79	15.86	29.53	0.8974	Complies
165	5825	14.98	0.79	15.77	29.53	0.8974	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.83	29.53	0.8974	Complies
157	5785	18.88	29.53	0.8974	Complies
165	5825	18.86	29.53	0.8974	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.13	1.46	16.59	29.53	0.8974	Complies
159	5795	15.04	1.46	16.50	29.53	0.8974	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.96	1.46	16.42	29.53	0.8974	Complies
159	5795	14.94	1.46	16.40	29.53	0.8974	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.51	29.53	0.8974	Complies
159	5795	19.46	29.53	0.8974	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.13	2.55	17.68	29.53	0.8974	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.16	2.55	17.71	29.53	0.8974	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.70	29.53	0.8974	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
------------------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.98	0.79	15.77	29.42	0.8750	Complies
40	5200	14.74	0.79	15.53	29.42	0.8750	Complies
48	5240	14.86	0.79	15.65	29.42	0.8750	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
------------------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.87	0.79	15.66	29.42	0.8750	Complies
40	5200	14.94	0.79	15.73	29.42	0.8750	Complies
48	5240	14.99	0.79	15.78	29.42	0.8750	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
------------------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.72	29.42	0.8750	Complies
40	5200	18.64	29.42	0.8750	Complies
48	5240	18.72	29.42	0.8750	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.00	1.47	16.47	29.42	0.8750	Complies
46	5230	14.91	1.47	16.38	29.42	0.8750	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.74	1.47	16.21	29.42	0.8750	Complies
46	5230	14.71	1.47	16.18	29.42	0.8750	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.35	29.42	0.8750	Complies
46	5230	19.29	29.42	0.8750	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.75	0.79	15.54	29.42	0.8750	Complies
40	5200	14.81	0.79	15.60	29.42	0.8750	Complies
48	5240	14.76	0.79	15.55	29.42	0.8750	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.82	0.79	15.61	29.42	0.8750	Complies
40	5200	14.96	0.79	15.75	29.42	0.8750	Complies
48	5240	14.84	0.79	15.63	29.42	0.8750	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.59	29.42	0.8750	Complies
40	5200	18.69	29.42	0.8750	Complies
48	5240	18.60	29.42	0.8750	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.83	1.46	16.29	29.42	0.8750	Complies
46	5230	14.79	1.46	16.25	29.42	0.8750	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.76	1.46	16.22	29.42	0.8750	Complies
46	5230	14.89	1.46	16.35	29.42	0.8750	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.26	29.42	0.8750	Complies
46	5230	19.31	29.42	0.8750	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.89	2.55	17.44	29.42	0.8750	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.05	2.55	17.60	29.42	0.8750	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.53	29.42	0.8750	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.89	0.79	15.68	23.40	0.2188	Complies
60	5300	14.83	0.79	15.62	23.40	0.2188	Complies
64	5320	14.86	0.79	15.65	23.40	0.2188	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.79	0.79	15.58	23.40	0.2188	Complies
60	5300	14.82	0.79	15.61	23.40	0.2188	Complies
64	5320	14.71	0.79	15.50	23.40	0.2188	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.64	23.40	0.2188	Complies
60	5300	18.62	23.40	0.2188	Complies
64	5320	18.58	23.40	0.2188	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.93	1.47	16.40	23.40	0.2188	Complies
62	5310	14.87	1.47	16.34	23.40	0.2188	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.71	1.47	16.18	23.40	0.2188	Complies
62	5310	14.84	1.47	16.31	23.40	0.2188	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.30	23.40	0.2188	Complies
62	5310	19.33	23.40	0.2188	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.80	0.79	15.59	23.40	0.2188	Complies
60	5300	14.88	0.79	15.67	23.40	0.2188	Complies
64	5320	14.92	0.79	15.71	23.40	0.2188	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.74	0.79	15.53	23.40	0.2188	Complies
60	5300	14.84	0.79	15.63	23.40	0.2188	Complies
64	5320	15.00	0.79	15.79	23.40	0.2188	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.57	23.40	0.2188	Complies
60	5300	18.66	23.40	0.2188	Complies
64	5320	18.76	23.40	0.2188	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.85	1.46	16.31	23.40	0.2188	Complies
62	5310	14.90	1.46	16.36	23.40	0.2188	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.85	1.46	16.31	23.40	0.2188	Complies
62	5310	13.80	1.46	15.26	23.40	0.2188	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.32	23.40	0.2188	Complies
62	5310	18.85	23.40	0.2188	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.98	2.55	17.53	23.40	0.2188	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.86	2.55	17.41	23.40	0.2188	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.48	23.40	0.2188	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.81	0.79	15.60	23.40	0.2188	Complies
116	5580	14.81	0.79	15.60	23.40	0.2188	Complies
140	5700	14.87	0.79	15.66	23.40	0.2188	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.81	0.79	15.60	23.40	0.2188	Complies
116	5580	14.76	0.79	15.55	23.40	0.2188	Complies
140	5700	14.83	0.79	15.62	23.40	0.2188	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.61	23.40	0.2188	Complies
116	5580	18.58	23.40	0.2188	Complies
140	5700	18.65	23.40	0.2188	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.80	1.47	16.27	23.40	0.2188	Complies
110	5550	14.97	1.47	16.44	23.40	0.2188	Complies
134	5670	14.91	1.47	16.38	23.40	0.2188	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.79	1.47	16.26	23.40	0.2188	Complies
110	5550	14.92	1.47	16.39	23.40	0.2188	Complies
134	5670	14.83	1.47	16.30	23.40	0.2188	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.27	23.40	0.2188	Complies
110	5550	19.42	23.40	0.2188	Complies
134	5670	19.35	23.40	0.2188	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.80	0.79	15.59	23.40	0.2188	Complies
116	5580	14.94	0.79	15.73	23.40	0.2188	Complies
140	5700	14.84	0.79	15.63	23.40	0.2188	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.80	0.79	15.59	23.40	0.2188	Complies
116	5580	14.69	0.79	15.48	23.40	0.2188	Complies
140	5700	14.83	0.79	15.62	23.40	0.2188	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.60	23.40	0.2188	Complies
116	5580	18.62	23.40	0.2188	Complies
140	5700	18.64	23.40	0.2188	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.07	1.46	16.53	23.40	0.2188	Complies
110	5550	14.71	1.46	16.17	23.40	0.2188	Complies
134	5670	14.94	1.46	16.40	23.40	0.2188	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.81	1.46	16.27	23.40	0.2188	Complies
110	5550	14.80	1.46	16.26	23.40	0.2188	Complies
134	5670	14.77	1.46	16.23	23.40	0.2188	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.41	23.40	0.2188	Complies
110	5550	19.22	23.40	0.2188	Complies
134	5670	19.32	23.40	0.2188	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.82	2.55	17.37	23.40	0.2188	Complies
122	5610	14.92	2.55	17.47	23.40	0.2188	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.82	2.55	17.37	23.40	0.2188	Complies
122	5610	14.81	2.55	17.36	23.40	0.2188	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.38	23.40	0.2188	Complies
122	5610	20.42	23.40	0.2188	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.84	0.79	15.63	29.42	0.8750	Complies
157	5785	14.88	0.79	15.67	29.42	0.8750	Complies
165	5825	14.76	0.79	15.55	29.42	0.8750	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.70	0.79	15.49	29.42	0.8750	Complies
157	5785	14.82	0.79	15.61	29.42	0.8750	Complies
165	5825	14.85	0.79	15.64	29.42	0.8750	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.57	29.42	0.8750	Complies
157	5785	18.65	29.42	0.8750	Complies
165	5825	18.60	29.42	0.8750	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.92	1.47	16.39	29.42	0.8750	Complies
159	5795	14.98	1.47	16.45	29.42	0.8750	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.82	1.47	16.29	29.42	0.8750	Complies
159	5795	14.76	1.47	16.23	29.42	0.8750	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.35	29.42	0.8750	Complies
159	5795	19.35	29.42	0.8750	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.71	0.79	15.50	29.42	0.8750	Complies
157	5785	14.86	0.79	15.65	29.42	0.8750	Complies
165	5825	14.99	0.79	15.78	29.42	0.8750	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.91	0.79	15.70	29.42	0.8750	Complies
157	5785	14.83	0.79	15.62	29.42	0.8750	Complies
165	5825	14.87	0.79	15.66	29.42	0.8750	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.61	29.42	0.8750	Complies
157	5785	18.65	29.42	0.8750	Complies
165	5825	18.73	29.42	0.8750	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.96	1.46	16.42	29.42	0.8750	Complies
159	5795	14.78	1.46	16.24	29.42	0.8750	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.78	1.46	16.24	29.42	0.8750	Complies
159	5795	14.71	1.46	16.17	29.42	0.8750	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.34	29.42	0.8750	Complies
159	5795	19.21	29.42	0.8750	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.90	2.55	17.45	29.42	0.8750	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.97	2.55	17.52	29.42	0.8750	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.49	29.42	0.8750	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.07	0.74	6.81	17.00	Complies
40	5200	5.77	0.74	6.51	17.00	Complies
48	5240	6.27	0.74	7.01	17.00	Complies

CH36




Date: 22_SEP.2021 16:16:34

CH40



Date: 22_SEP.2021 16:17:29


CH48




Date: 22_SEP.2021 16:18:11

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.53	0.79	4.32	16.53	Complies
40	5200	2.88	0.79	3.67	16.53	Complies
48	5240	2.63	0.79	3.42	16.53	Complies



Date: 22.SEP.2021 16:29:14




Date: 22.SEP.2021 16:29:19




Date: 22.SEP.2021 16:30:16

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.23	0.79	5.02	16.53	Complies
40	5200	3.73	0.79	4.52	16.53	Complies
48	5240	3.48	0.79	4.27	16.53	Complies



Date: 5.NOV.2021 09:28:09



Date: 5.NOV.2021 09:29:01




Date: 5.NOV.2021 09:30:21

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.70	16.53	Complies
40	5200	7.13	16.53	Complies
48	5240	6.88	16.53	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.49	1.46	1.95	16.53	Complies
46	5230	0.46	1.46	1.92	16.53	Complies




Date: 22_SEP_2021 16:42:05




Date: 22_SEP_2021 16:42:50

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.55	1.46	2.01	16.53	Complies
46	5230	0.79	1.46	2.25	16.53	Complies



Date: 5_NOV_2021 09:54:09




Date: 5_NOV_2021 09:54:54

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.99	16.53	Complies
46	5230	5.09	16.53	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.55	2.55	1.00	16.53	Complies



Date: 22_SEP.2021 16:54:45

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.86	2.55	1.69	16.53	Complies



Date: 5_NOV.2021 10:06:54


Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.36	16.53	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.97	0.74	6.71	11.00	Complies
60	5300	5.86	0.74	6.60	11.00	Complies
64	5320	4.27	0.74	5.01	11.00	Complies

CH52




Date: 22_SEP.2021 16:19:28

CH60



Date: 22_SEP.2021 16:19:55


CH64




Date: 22_SEP.2021 16:22:30

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.34	0.79	3.13	10.53	Complies
60	5300	1.72	0.79	2.51	10.53	Complies
64	5320	1.51	0.79	2.30	10.53	Complies



Date: 22.SEP.2021 16:30:55




Date: 22.SEP.2021 16:31:18




Date: 22.SEP.2021 16:32:00

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.73	0.79	3.52	10.53	Complies
60	5300	2.39	0.79	3.18	10.53	Complies
64	5320	2.56	0.79	3.35	10.53	Complies



Date: 5.NOV.2021 09:30:49



Date: 5.NOV.2021 09:31:45





Date: 5.NOV.2021 09:32:13

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.34	10.53	Complies
60	5300	5.87	10.53	Complies
64	5320	5.87	10.53	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.40	1.46	1.06	10.53	Complies
62	5310	-0.89	1.46	0.57	10.53	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.18	1.46	1.64	10.53	Complies
62	5310	0.06	1.46	1.52	10.53	Complies




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.37	10.53	Complies
62	5310	4.08	10.53	Complies


Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.21	2.55	-0.66	10.53	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.34	2.55	1.21	10.53	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.38	10.53	Complies

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.52	0.74	5.26	11.00	Complies
116	5580	4.89	0.74	5.63	11.00	Complies
140	5700	4.18	0.74	4.92	11.00	Complies

CH100




Date: 22_SEP.2021 16:23:13

CH116



Date: 22_SEP.2021 16:23:16


CH140




Date: 22_SEP.2021 16:24:10

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.03	0.79	3.82	10.53	Complies
116	5580	2.96	0.79	3.75	10.53	Complies
140	5700	1.05	0.79	1.84	10.53	Complies



Date: 22.SEP.2021 16:37:11




Date: 22.SEP.2021 16:37:44




Date: 22.SEP.2021 16:38:30

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.19	0.79	4.98	10.53	Complies
116	5580	3.42	0.79	4.21	10.53	Complies
140	5700	1.03	0.79	1.82	10.53	Complies



Date: 5.NOV.2021 09:33:38



Date: 5.NOV.2021 09:34:10



Date: 5.NOV.2021 09:34:46

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.45	10.53	Complies
116	5580	7.00	10.53	Complies
140	5700	4.84	10.53	Complies