




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_74_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




6.2.6 B2_20MHz



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1844.600	-44.93	-13	Pass
1849	1850	0.2	/	2	1849.400	-50.33	-13	Pass
1850	1870	0.2	/	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV



Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.320	-43.82	-13	Pass
1849	1850	0.2	/	2	1849.400	-50.18	-13	Pass
1850	1870	0.2	/	/	/	/	/	/


Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_1_99_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.2307	0.0069	ppm	1M12G7D	24E	23.63
2	1.4	1850.7	1909.3	0.2307	0.0069	ppm	1M12G7D	24E	23.63
2	1.4	1850.7	1909.3	0.2307	0.0069	ppm	1M12G7D	24E	23.63
2	1.4	1850.7	1909.3	0.2307	0.0069	ppm	1M12G7D	24E	23.63
2	1.4	1850.7	1909.3	0.2307	0.0069	ppm	1M12G7D	24E	23.63
2	1.4	1850.7	1909.3	0.2307	0.0069	ppm	1M12G7D	24E	23.63
2	1.4	1850.7	1909.3	0.2307	0.0069	ppm	1M12G7D	24E	23.63
2	1.4	1850.7	1909.3	0.1832	0.0142	ppm	1M12W7D	24E	22.63
2	1.4	1850.7	1909.3	0.1832	0.0142	ppm	1M12W7D	24E	22.63
2	1.4	1850.7	1909.3	0.1832	0.0142	ppm	1M12W7D	24E	22.63
2	1.4	1850.7	1909.3	0.1832	0.0142	ppm	1M12W7D	24E	22.63
2	1.4	1850.7	1909.3	0.1832	0.0142	ppm	1M12W7D	24E	22.63
2	1.4	1850.7	1909.3	0.1832	0.0142	ppm	1M12W7D	24E	22.63
2	1.4	1850.7	1909.3	0.1832	0.0142	ppm	1M12W7D	24E	22.63
2	3	1851.5	1908.5	0.2193	0.0084	ppm	2M74G7D	24E	23.41
2	3	1851.5	1908.5	0.2193	0.0084	ppm	2M74G7D	24E	23.41
2	3	1851.5	1908.5	0.2193	0.0084	ppm	2M74G7D	24E	23.41
2	3	1851.5	1908.5	0.2193	0.0084	ppm	2M74G7D	24E	23.41
2	3	1851.5	1908.5	0.2193	0.0084	ppm	2M74G7D	24E	23.41
2	3	1851.5	1908.5	0.2193	0.0084	ppm	2M74G7D	24E	23.41
2	3	1851.5	1908.5	0.2193	0.0084	ppm	2M74G7D	24E	23.41
2	3	1851.5	1908.5	0.1770	0.0097	ppm	2M73W7D	24E	22.48
2	3	1851.5	1908.5	0.1770	0.0097	ppm	2M73W7D	24E	22.48
2	3	1851.5	1908.5	0.1770	0.0097	ppm	2M73W7D	24E	22.48
2	3	1851.5	1908.5	0.1770	0.0097	ppm	2M73W7D	24E	22.48
2	3	1851.5	1908.5	0.1770	0.0097	ppm	2M73W7D	24E	22.48
2	3	1851.5	1908.5	0.1770	0.0097	ppm	2M73W7D	24E	22.48
2	3	1851.5	1908.5	0.1770	0.0097	ppm	2M73W7D	24E	22.48
2	5	1852.5	1907.5	0.2109	0.0078	ppm	4M56G7D	24E	23.24
2	5	1852.5	1907.5	0.2109	0.0078	ppm	4M56G7D	24E	23.24
2	5	1852.5	1907.5	0.2109	0.0078	ppm	4M56G7D	24E	23.24
2	5	1852.5	1907.5	0.2109	0.0078	ppm	4M56G7D	24E	23.24
2	5	1852.5	1907.5	0.2109	0.0078	ppm	4M56G7D	24E	23.24
2	5	1852.5	1907.5	0.2109	0.0078	ppm	4M56G7D	24E	23.24
2	5	1852.5	1907.5	0.2109	0.0078	ppm	4M56G7D	24E	23.24
2	5	1852.5	1907.5	0.1722	0.0090	ppm	4M58W7D	24E	22.36
2	5	1852.5	1907.5	0.1722	0.0090	ppm	4M58W7D	24E	22.36
2	5	1852.5	1907.5	0.1722	0.0090	ppm	4M58W7D	24E	22.36
2	5	1852.5	1907.5	0.1722	0.0090	ppm	4M58W7D	24E	22.36
2	5	1852.5	1907.5	0.1722	0.0090	ppm	4M58W7D	24E	22.36
2	5	1852.5	1907.5	0.1722	0.0090	ppm	4M58W7D	24E	22.36
2	5	1852.5	1907.5	0.1722	0.0090	ppm	4M58W7D	24E	22.36
2	10	1855	1905	0.2094	0.0051	ppm	9M06G7D	24E	23.21
2	10	1855	1905	0.2094	0.0051	ppm	9M06G7D	24E	23.21

2	10	1855	1905	0.2094	0.0051	ppm	9M06G7D	24E	23.21
2	10	1855	1905	0.2094	0.0051	ppm	9M06G7D	24E	23.21
2	10	1855	1905	0.2094	0.0051	ppm	9M06G7D	24E	23.21
2	10	1855	1905	0.2094	0.0051	ppm	9M06G7D	24E	23.21
2	10	1855	1905	0.2094	0.0051	ppm	9M06G7D	24E	23.21
2	10	1855	1905	0.1811	0.0065	ppm	9M05W7D	24E	22.58
2	10	1855	1905	0.1811	0.0065	ppm	9M05W7D	24E	22.58
2	10	1855	1905	0.1811	0.0065	ppm	9M05W7D	24E	22.58
2	10	1855	1905	0.1811	0.0065	ppm	9M05W7D	24E	22.58
2	10	1855	1905	0.1811	0.0065	ppm	9M05W7D	24E	22.58
2	10	1855	1905	0.1811	0.0065	ppm	9M05W7D	24E	22.58
2	10	1855	1905	0.1811	0.0065	ppm	9M05W7D	24E	22.58
2	15	1857.5	1902.5	0.2070	0.0042	ppm	13M6G7D	24E	23.16
2	15	1857.5	1902.5	0.2070	0.0042	ppm	13M6G7D	24E	23.16
2	15	1857.5	1902.5	0.2070	0.0042	ppm	13M6G7D	24E	23.16
2	15	1857.5	1902.5	0.2070	0.0042	ppm	13M6G7D	24E	23.16
2	15	1857.5	1902.5	0.2070	0.0042	ppm	13M6G7D	24E	23.16
2	15	1857.5	1902.5	0.2070	0.0042	ppm	13M6G7D	24E	23.16
2	15	1857.5	1902.5	0.2070	0.0042	ppm	13M6G7D	24E	23.16
2	15	1857.5	1902.5	0.1824	0.0045	ppm	13M6W7D	24E	22.61
2	15	1857.5	1902.5	0.1824	0.0045	ppm	13M6W7D	24E	22.61
2	15	1857.5	1902.5	0.1824	0.0045	ppm	13M6W7D	24E	22.61
2	15	1857.5	1902.5	0.1824	0.0045	ppm	13M6W7D	24E	22.61
2	15	1857.5	1902.5	0.1824	0.0045	ppm	13M6W7D	24E	22.61
2	15	1857.5	1902.5	0.1824	0.0045	ppm	13M6W7D	24E	22.61
2	15	1857.5	1902.5	0.1824	0.0045	ppm	13M6W7D	24E	22.61
2	15	1857.5	1902.5	0.1824	0.0045	ppm	13M6W7D	24E	22.61
2	20	1860	1900	0.2228	0.0028	ppm	18M1G7D	24E	23.48
2	20	1860	1900	0.2228	0.0028	ppm	18M1G7D	24E	23.48
2	20	1860	1900	0.2228	0.0028	ppm	18M1G7D	24E	23.48
2	20	1860	1900	0.2228	0.0028	ppm	18M1G7D	24E	23.48
2	20	1860	1900	0.2228	0.0028	ppm	18M1G7D	24E	23.48
2	20	1860	1900	0.2228	0.0028	ppm	18M1G7D	24E	23.48
2	20	1860	1900	0.2228	0.0028	ppm	18M1G7D	24E	23.48
2	20	1860	1900	0.1932	0.0052	ppm	18M2W7D	24E	22.86
2	20	1860	1900	0.1932	0.0052	ppm	18M2W7D	24E	22.86
2	20	1860	1900	0.1932	0.0052	ppm	18M2W7D	24E	22.86
2	20	1860	1900	0.1932	0.0052	ppm	18M2W7D	24E	22.86
2	20	1860	1900	0.1932	0.0052	ppm	18M2W7D	24E	22.86
2	20	1860	1900	0.1932	0.0052	ppm	18M2W7D	24E	22.86
2	20	1860	1900	0.1932	0.0052	ppm	18M2W7D	24E	22.86
2	20	1860	1900	0.1932	0.0052	ppm	18M2W7D	24E	22.86

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.3436	0.0069	ppm	1M12G7D	24E	25.36
2	1.4	1850.7	1909.3	0.3436	0.0069	ppm	1M12G7D	24E	25.36
2	1.4	1850.7	1909.3	0.3436	0.0069	ppm	1M12G7D	24E	25.36
2	1.4	1850.7	1909.3	0.3436	0.0069	ppm	1M12G7D	24E	25.36
2	1.4	1850.7	1909.3	0.3436	0.0069	ppm	1M12G7D	24E	25.36
2	1.4	1850.7	1909.3	0.3436	0.0069	ppm	1M12G7D	24E	25.36
2	1.4	1850.7	1909.3	0.3436	0.0069	ppm	1M12G7D	24E	25.36
2	1.4	1850.7	1909.3	0.2729	0.0142	ppm	1M12W7D	24E	24.36
2	1.4	1850.7	1909.3	0.2729	0.0142	ppm	1M12W7D	24E	24.36

2	1.4	1850.7	1909.3	0.2729	0.0142	ppm	1M12W7D	24E	24.36
2	1.4	1850.7	1909.3	0.2729	0.0142	ppm	1M12W7D	24E	24.36
2	1.4	1850.7	1909.3	0.2729	0.0142	ppm	1M12W7D	24E	24.36
2	1.4	1850.7	1909.3	0.2729	0.0142	ppm	1M12W7D	24E	24.36
2	1.4	1850.7	1909.3	0.2729	0.0142	ppm	1M12W7D	24E	24.36
2	3	1851.5	1908.5	0.3266	0.0084	ppm	2M74G7D	24E	25.14
2	3	1851.5	1908.5	0.3266	0.0084	ppm	2M74G7D	24E	25.14
2	3	1851.5	1908.5	0.3266	0.0084	ppm	2M74G7D	24E	25.14
2	3	1851.5	1908.5	0.3266	0.0084	ppm	2M74G7D	24E	25.14
2	3	1851.5	1908.5	0.3266	0.0084	ppm	2M74G7D	24E	25.14
2	3	1851.5	1908.5	0.3266	0.0084	ppm	2M74G7D	24E	25.14
2	3	1851.5	1908.5	0.2636	0.0097	ppm	2M73W7D	24E	24.21
2	3	1851.5	1908.5	0.2636	0.0097	ppm	2M73W7D	24E	24.21
2	3	1851.5	1908.5	0.2636	0.0097	ppm	2M73W7D	24E	24.21
2	3	1851.5	1908.5	0.2636	0.0097	ppm	2M73W7D	24E	24.21
2	3	1851.5	1908.5	0.2636	0.0097	ppm	2M73W7D	24E	24.21
2	3	1851.5	1908.5	0.2636	0.0097	ppm	2M73W7D	24E	24.21
2	3	1851.5	1908.5	0.2636	0.0097	ppm	2M73W7D	24E	24.21
2	5	1852.5	1907.5	0.3141	0.0078	ppm	4M56G7D	24E	24.97
2	5	1852.5	1907.5	0.3141	0.0078	ppm	4M56G7D	24E	24.97
2	5	1852.5	1907.5	0.3141	0.0078	ppm	4M56G7D	24E	24.97
2	5	1852.5	1907.5	0.3141	0.0078	ppm	4M56G7D	24E	24.97
2	5	1852.5	1907.5	0.3141	0.0078	ppm	4M56G7D	24E	24.97
2	5	1852.5	1907.5	0.3141	0.0078	ppm	4M56G7D	24E	24.97
2	5	1852.5	1907.5	0.2564	0.0090	ppm	4M58W7D	24E	24.09
2	5	1852.5	1907.5	0.2564	0.0090	ppm	4M58W7D	24E	24.09
2	5	1852.5	1907.5	0.2564	0.0090	ppm	4M58W7D	24E	24.09
2	5	1852.5	1907.5	0.2564	0.0090	ppm	4M58W7D	24E	24.09
2	5	1852.5	1907.5	0.2564	0.0090	ppm	4M58W7D	24E	24.09
2	5	1852.5	1907.5	0.2564	0.0090	ppm	4M58W7D	24E	24.09
2	5	1852.5	1907.5	0.2564	0.0090	ppm	4M58W7D	24E	24.09
2	10	1855	1905	0.3119	0.0051	ppm	9M06G7D	24E	24.94
2	10	1855	1905	0.3119	0.0051	ppm	9M06G7D	24E	24.94
2	10	1855	1905	0.3119	0.0051	ppm	9M06G7D	24E	24.94
2	10	1855	1905	0.3119	0.0051	ppm	9M06G7D	24E	24.94
2	10	1855	1905	0.3119	0.0051	ppm	9M06G7D	24E	24.94
2	10	1855	1905	0.3119	0.0051	ppm	9M06G7D	24E	24.94
2	10	1855	1905	0.3119	0.0051	ppm	9M06G7D	24E	24.94
2	10	1855	1905	0.2698	0.0065	ppm	9M05W7D	24E	24.31
2	10	1855	1905	0.2698	0.0065	ppm	9M05W7D	24E	24.31
2	10	1855	1905	0.2698	0.0065	ppm	9M05W7D	24E	24.31
2	10	1855	1905	0.2698	0.0065	ppm	9M05W7D	24E	24.31
2	10	1855	1905	0.2698	0.0065	ppm	9M05W7D	24E	24.31
2	10	1855	1905	0.2698	0.0065	ppm	9M05W7D	24E	24.31
2	15	1857.5	1902.5	0.3083	0.0042	ppm	13M6G7D	24E	24.89
2	15	1857.5	1902.5	0.3083	0.0042	ppm	13M6G7D	24E	24.89
2	15	1857.5	1902.5	0.3083	0.0042	ppm	13M6G7D	24E	24.89
2	15	1857.5	1902.5	0.3083	0.0042	ppm	13M6G7D	24E	24.89
2	15	1857.5	1902.5	0.3083	0.0042	ppm	13M6G7D	24E	24.89
2	15	1857.5	1902.5	0.3083	0.0042	ppm	13M6G7D	24E	24.89
2	15	1857.5	1902.5	0.2716	0.0045	ppm	13M6W7D	24E	24.34
2	15	1857.5	1902.5	0.2716	0.0045	ppm	13M6W7D	24E	24.34
2	15	1857.5	1902.5	0.2716	0.0045	ppm	13M6W7D	24E	24.34

[illegible]