



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Portable Outdoor Speaker

Test Model: Mirtune H1

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.957	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.979	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.982	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.292	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.321	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.281	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.295	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.281	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.294	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-1.33	21	Pass
NVNT	1-DH5	2441	Ant1	-0.45	21	Pass
NVNT	1-DH5	2480	Ant1	-0.36	21	Pass
NVNT	2-DH5	2402	Ant1	-1.32	21	Pass
NVNT	2-DH5	2441	Ant1	-0.78	21	Pass
NVNT	2-DH5	2480	Ant1	-0.51	21	Pass
NVNT	3-DH5	2402	Ant1	-1.27	21	Pass
NVNT	3-DH5	2441	Ant1	-0.67	21	Pass
NVNT	3-DH5	2480	Ant1	-0.46	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.006	2402.964	0.958	0.655	Pass
NVNT	2-DH5	Ant1	2402.15	2403.152	1.002	0.881	Pass
NVNT	3-DH5	Ant1	2402.158	2403.152	0.994	0.863	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	293.964	102	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	242.34	84	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	300.248	104	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.59	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.98	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-53.93	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.29	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.97	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.39	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-54.36	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-55.05	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-52.65	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.78	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-52.89	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-52.96	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref







Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission















Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-47.19	-20	Pass
NVNT	1-DH5	2441	Ant1	-48.2	-20	Pass
NVNT	1-DH5	2480	Ant1	-48.56	-20	Pass
NVNT	2-DH5	2402	Ant1	-47.33	-20	Pass
NVNT	2-DH5	2441	Ant1	-47.76	-20	Pass
NVNT	2-DH5	2480	Ant1	-48.41	-20	Pass
NVNT	3-DH5	2402	Ant1	-47.19	-20	Pass
NVNT	3-DH5	2441	Ant1	-46.49	-20	Pass
NVNT	3-DH5	2480	Ant1	-42	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2441	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2480	Ant1	76.88	1.14	0.35
NVNT	2-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.99	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1




Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.42	2	-	46.84	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.36	2	1.14	40.04	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2373.264	-47.08	2	-	50.18	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2382.768	-57.37	2	1.14	41.03	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.68	2	-	47.58	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.53	2	1.14	39.87	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.15	2	-	48.11	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58	2	1.14	40.40	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2492.128	-46.54	2	-	50.72	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2488.192	-57.2	2	1.14	41.20	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.86	2	-	47.40	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.94	2	1.14	40.46	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.06	2	-	47.20	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.31	2	1.14	40.09	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2382.48	-47.13	2	-	50.13	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2371.056	-57.49	2	1.14	40.91	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.12	2	-	46.14	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.43	2	1.14	39.97	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.94	2	-	47.32	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-58.29	2	1.14	40.11	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2485.144	-47.01	2	-	50.25	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2493.904	-56.98	2	1.14	41.42	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.02	2	-	48.24	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.39	2	1.14	40.01	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-48.95	2	-	48.31	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.74	2	1.13	39.65	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2385.456	-46.42	2	-	50.84	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2378.832	-57.59	2	1.13	40.80	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-52.09	2	-	45.17	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-57.88	2	1.13	40.51	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.52	2	-	47.74	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.73	2	1.13	40.66	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2493.736	-46.68	2	-	50.58	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2495.176	-56.97	2	1.13	41.42	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.71	2	-	47.55	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.51	2	1.13	39.88	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

