





EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 <p>This photograph shows the internal components of the EUT housing. On the left is a black plastic housing with a circular opening. On the right is a green printed circuit board (PCB) with a yellow battery, a USB port, and various electronic components. A large copper coil is visible on the board. A black ruler with white markings is placed below the components for scale, showing measurements in millimeters.</p>
<p>Solder Board-Component View 1</p>	 <p>This photograph provides a close-up view of the solder board component. It shows the green PCB with the yellow battery, the copper coil, and the USB port. The solder joints are clearly visible. A black ruler with white markings is placed below the component for scale, showing measurements in millimeters.</p>

<p>Solder Board-Component View 2</p>	 <p>A photograph of a green printed circuit board (PCB) component with a yellow lithium-ion battery attached. The battery is labeled with the following specifications: - GPC 706176 3.7V, 4000mAh 14.5Wh, + 20220304 00415. The component is placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows the component is approximately 100mm long and 40mm wide.</p>
<p>Solder Board-Component View 3</p>	 <p>A photograph of the same green PCB component from a different perspective. A circular copper coil is attached to the board with two thin wires. The component is placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows the component is approximately 100mm long and 40mm wide.</p>

