



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500



3DH5_Ant1_2480_0~Reference





Appendix I: Duty Cycle


Test Result

TestMode	Antenna	Frequency[M Hz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.88	3.75	76.80	1.15
		2441	2.88	3.74	77.01	1.13
		2480	2.88	3.75	76.80	1.15
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
		2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13
3DH5	Ant1	2402	2.89	3.75	77.07	1.13
		2441	2.89	3.75	77.07	1.13
		2480	2.89	3.76	76.86	1.14


Test Graphs




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441





Appendix J: Emissions in Restricted Bands

Test Result


TestMode	ChName	Frequency[MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Low	2402	AV	2310.000	-61.35	≤-41.20	33.85	≤54	PASS
			AV	2337.275	-60.7	≤-41.20	34.50	≤54	PASS
			AV	2390.000	-61.1	≤-41.20	34.10	≤54	PASS
			Peak	2310.000	-41.17	≤-21.20	54.03	≤74	PASS
			Peak	2340.215	-37.32	≤-21.20	57.88	≤74	PASS
			Peak	2390.000	-42.01	≤-21.20	53.19	≤74	PASS
	High	2480	AV	2483.500	-60.79	≤-41.20	34.41	≤54	PASS
			AV	2494.000	-60.42	≤-41.20	34.78	≤54	PASS
			AV	2500.000	-60.82	≤-41.20	34.38	≤54	PASS
			Peak	2483.500	-40.31	≤-21.20	54.89	≤74	PASS
			Peak	2485.520	-38.13	≤-21.20	57.07	≤74	PASS
			Peak	2500.000	-40.5	≤-21.20	54.70	≤74	PASS
	Low	Hop_2402	Peak	2310.000	-41.5	≤-21.20	53.70	≤74	PASS
			Peak	2339.480	-37.83	≤-21.20	57.37	≤74	PASS
			Peak	2390.000	-40.94	≤-21.20	54.26	≤74	PASS
High	Hop_2480	Peak	2483.500	-41.16	≤-21.20	54.04	≤74	PASS	
		Peak	2484.480	-37.82	≤-21.20	57.38	≤74	PASS	
		Peak	2500.000	-38.24	≤-21.20	56.96	≤74	PASS	
2DH5	Low	2402	AV	2310.000	-63.7	≤-41.20	31.50	≤54	PASS
			AV	2367.725	-63.35	≤-41.20	31.85	≤54	PASS
			AV	2390.000	-63.43	≤-41.20	31.77	≤54	PASS
			Peak	2310.000	-43.89	≤-21.20	51.31	≤74	PASS
			Peak	2341.265	-38.09	≤-21.20	57.11	≤74	PASS
			Peak	2390.000	-41.87	≤-21.20	53.33	≤74	PASS
	High	2480	AV	2483.500	-51.99	≤-41.20	43.21	≤54	PASS
			AV	2490.080	-50.32	≤-41.20	44.88	≤54	PASS
			AV	2500.000	-51.62	≤-41.20	43.58	≤54	PASS
			Peak	2483.500	-40.41	≤-21.20	54.79	≤74	PASS
			Peak	2487.280	-37.56	≤-21.20	57.64	≤74	PASS
			Peak	2500.000	-40.99	≤-21.20	54.21	≤74	PASS
3DH5	Low	2402	AV	2310.000	-61.41	≤-41.20	33.79	≤54	PASS
			AV	2361.740	-60.63	≤-41.20	34.57	≤54	PASS
			AV	2390.000	-61.07	≤-41.20	34.13	≤54	PASS
			Peak	2310.000	-40.05	≤-21.20	55.15	≤74	PASS
			Peak	2348.510	-36.99	≤-21.20	58.21	≤74	PASS
			Peak	2390.000	-41.08	≤-21.20	54.12	≤74	PASS
	High	2480	AV	2483.500	-60.08	≤-41.20	35.12	≤54	PASS
			AV	2483.520	-60.08	≤-41.20	35.12	≤54	PASS
			AV	2500.000	-60.62	≤-41.20	34.58	≤54	PASS
			Peak	2483.500	-39.87	≤-21.20	55.33	≤74	PASS
			Peak	2490.320	-37.94	≤-21.20	57.26	≤74	PASS
			Peak	2500.000	-38.86	≤-21.20	56.34	≤74	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV




DH5_Ant1_High_2480_Peak




DH5_Ant1_Low_Hop_2402_Peak




DH5_Ant1_High_Hop_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak





***** END *****