



Appendix D

RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: Laptop

Test Model: AX15

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Ling Zhu





D.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	20.946	---	Pass
NVNT	a	5200	Ant1	20.627	---	Pass
NVNT	a	5240	Ant1	23.738	---	Pass
NVNT	n20	5180	Ant1	22.843	---	Pass
NVNT	n20	5200	Ant1	20.911	---	Pass
NVNT	n20	5240	Ant1	22.939	---	Pass
NVNT	n40	5190	Ant1	50.411	---	Pass
NVNT	n40	5230	Ant1	42.63	---	Pass
NVNT	ac20	5180	Ant1	21.298	---	Pass
NVNT	ac20	5200	Ant1	21.225	---	Pass
NVNT	ac20	5240	Ant1	20.756	---	Pass
NVNT	ac40	5190	Ant1	42.096	---	Pass
NVNT	ac40	5230	Ant1	42.243	---	Pass
NVNT	ac80	5210	Ant1	82.587	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1






-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1






-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1






-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1






-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1






-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1





Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant2	27.337	---	Pass
NVNT	a	5200	Ant2	21.031	---	Pass
NVNT	a	5240	Ant2	19.72	---	Pass
NVNT	n20	5180	Ant2	22.7	---	Pass
NVNT	n20	5200	Ant2	22.81	---	Pass
NVNT	n20	5240	Ant2	26.77	---	Pass
NVNT	n40	5190	Ant2	44.737	---	Pass
NVNT	n40	5230	Ant2	56.684	---	Pass
NVNT	ac20	5180	Ant2	21.934	---	Pass
NVNT	ac20	5200	Ant2	25.406	---	Pass
NVNT	ac20	5240	Ant2	22.934	---	Pass
NVNT	ac40	5190	Ant2	50	---	Pass
NVNT	ac40	5230	Ant2	53.043	---	Pass
NVNT	ac80	5210	Ant2	114.8	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant2




-26dB Bandwidth NVNT a 5200MHz Ant2






-26dB Bandwidth NVNT a 5240MHz Ant2




-26dB Bandwidth NVNT n20 5180MHz Ant2






-26dB Bandwidth NVNT n20 5200MHz Ant2




-26dB Bandwidth NVNT n20 5240MHz Ant2






-26dB Bandwidth NVNT n40 5190MHz Ant2




-26dB Bandwidth NVNT n40 5230MHz Ant2






-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2






-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant2






-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant2





D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.49	2.4	13.89	24	Pass
NVNT	a	5200	Ant1	11.76	2.4	14.16	24	Pass
NVNT	a	5240	Ant1	10.94	2.4	13.34	24	Pass
NVNT	n20	5180	Ant1	10.49	2.53	13.02	24	Pass
NVNT	n20	5200	Ant1	11.01	2.52	13.53	24	Pass
NVNT	n20	5240	Ant1	10.67	2.53	13.2	24	Pass
NVNT	n40	5190	Ant1	9.65	4.12	13.77	24	Pass
NVNT	n40	5230	Ant1	9.78	4.12	13.9	24	Pass
NVNT	ac20	5180	Ant1	9.86	2.52	12.38	24	Pass
NVNT	ac20	5200	Ant1	10.6	2.52	13.12	24	Pass
NVNT	ac20	5240	Ant1	9.36	2.52	11.88	24	Pass
NVNT	ac40	5190	Ant1	8.78	4.1	12.88	24	Pass
NVNT	ac40	5230	Ant1	8.79	4.11	12.9	24	Pass
NVNT	ac80	5210	Ant1	7.14	6.21	13.35	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	11.42	2.47	13.89	24	Pass
NVNT	a	5200	Ant2	10.96	2.33	13.29	24	Pass
NVNT	a	5240	Ant2	9.44	2.36	11.8	24	Pass
NVNT	n20	5180	Ant2	9.89	2.61	12.5	24	Pass
NVNT	n20	5200	Ant2	9.31	2.61	11.92	24	Pass
NVNT	n20	5240	Ant2	8.31	2.61	10.92	24	Pass
NVNT	n40	5190	Ant2	8.88	4.06	12.94	24	Pass
NVNT	n40	5230	Ant2	8.34	4.25	12.59	24	Pass
NVNT	ac20	5180	Ant2	8.83	2.44	11.27	24	Pass
NVNT	ac20	5200	Ant2	8.73	2.44	11.17	24	Pass
NVNT	ac20	5240	Ant2	7.92	2.44	10.36	24	Pass
NVNT	ac40	5190	Ant2	7.95	4.12	12.07	24	Pass
NVNT	ac40	5230	Ant2	7.99	4.22	12.21	24	Pass
NVNT	ac80	5210	Ant2	7.72	6.31	14.03	24	Pass





MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5180	13.02	12.5	15.78	24	Pass
NVNT	n20	5200	13.53	11.92	15.81	24	Pass
NVNT	n20	5240	13.2	10.92	15.22	24	Pass
NVNT	n40	5190	13.77	12.94	16.39	24	Pass
NVNT	n40	5230	13.9	12.59	16.30	24	Pass
NVNT	ac20	5180	12.38	11.27	14.87	24	Pass
NVNT	ac20	5200	13.12	11.17	15.26	24	Pass
NVNT	ac20	5240	11.88	10.36	14.20	24	Pass
NVNT	ac40	5190	12.88	12.07	15.50	24	Pass
NVNT	ac40	5230	12.9	12.21	15.58	24	Pass
NVNT	ac80	5210	13.35	14.03	16.71	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



D.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	1.28	2.4	3.68	11	Pass
NVNT	a	5200	Ant1	2.05	2.4	4.45	11	Pass
NVNT	a	5240	Ant1	0.59	2.4	2.99	11	Pass
NVNT	n20	5180	Ant1	0.27	2.53	2.8	11	Pass
NVNT	n20	5200	Ant1	0.89	2.52	3.41	11	Pass
NVNT	n20	5240	Ant1	0.57	2.53	3.1	11	Pass
NVNT	n40	5190	Ant1	-3.14	4.12	0.98	11	Pass
NVNT	n40	5230	Ant1	-4.76	4.12	-0.64	11	Pass
NVNT	ac20	5180	Ant1	0.16	2.52	2.68	11	Pass
NVNT	ac20	5200	Ant1	0.03	2.52	2.55	11	Pass
NVNT	ac20	5240	Ant1	-0.24	2.52	2.28	11	Pass
NVNT	ac40	5190	Ant1	-4.29	4.1	-0.19	11	Pass
NVNT	ac40	5230	Ant1	-4.64	4.11	-0.53	11	Pass
NVNT	ac80	5210	Ant1	-9.89	6.21	-3.68	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD(dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant2	1.92	2.47	4.39	11	Pass
NVNT	a	5200	Ant2	1.63	2.33	3.96	11	Pass
NVNT	a	5240	Ant2	0.8	2.36	3.16	11	Pass
NVNT	n20	5180	Ant2	0.98	2.61	3.59	11	Pass
NVNT	n20	5200	Ant2	0.24	2.61	2.85	11	Pass
NVNT	n20	5240	Ant2	-0.2	2.61	2.41	11	Pass
NVNT	n40	5190	Ant2	-2.25	4.06	1.81	11	Pass
NVNT	n40	5230	Ant2	-3.87	4.25	0.38	11	Pass
NVNT	ac20	5180	Ant2	-0.43	2.44	2.01	11	Pass
NVNT	ac20	5200	Ant2	-0.69	2.44	1.75	11	Pass
NVNT	ac20	5240	Ant2	-0.91	2.44	1.53	11	Pass
NVNT	ac40	5190	Ant2	-3.42	4.12	0.7	11	Pass
NVNT	ac40	5230	Ant2	-3.23	4.22	0.99	11	Pass
NVNT	ac80	5210	Ant2	-7.72	6.31	-1.41	11	Pass





MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5180	2.8	3.59	6.22	11	Pass
NVNT	n20	5200	3.41	2.85	6.15	11	Pass
NVNT	n20	5240	3.1	2.41	5.78	11	Pass
NVNT	n40	5190	0.98	1.81	4.43	11	Pass
NVNT	n40	5230	-0.64	0.38	2.91	11	Pass
NVNT	ac20	5180	2.68	2.01	5.37	11	Pass
NVNT	ac20	5200	2.55	1.75	5.18	11	Pass
NVNT	ac20	5240	2.28	1.53	4.93	11	Pass
NVNT	ac40	5190	-0.19	0.7	3.29	11	Pass
NVNT	ac40	5230	-0.53	0.99	3.31	11	Pass
NVNT	ac80	5210	-3.68	-1.41	0.61	11	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1










PSD NVNT a 5240MHz Ant1







PSD NVNT n20 5180MHz Ant1



















Test Graphs

PSD NVNT a 5180MHz Ant2




PSD NVNT a 5200MHz Ant2










PSD NVNT a 5240MHz Ant2







PSD NVNT n20 5180MHz Ant2

















D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-50.16	3.53	48.63	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-56.17	3.53	42.62	Average	54	Pass
NVNT	a	5180	Ant1	5144.7	-37.31	3.53	61.48	Peak	68.2	Pass
NVNT	a	5180	Ant1	5149.6	-46.95	3.53	51.84	Average	54	Pass
NVNT	a	5180	Ant1	5150	-36.67	3.53	62.12	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-46.32	3.53	52.47	Average	54	Pass
NVNT	a	5240	Ant1	5350	-50.08	3.53	48.71	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-55.51	3.53	43.28	Average	54	Pass
NVNT	a	5240	Ant1	5369.76	-46.02	3.53	52.77	Peak	68.2	Pass
NVNT	a	5240	Ant1	5358.96	-55.18	3.53	43.61	Average	54	Pass
NVNT	a	5240	Ant1	5460	-49.65	3.53	49.14	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-55.92	3.53	42.87	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-48.71	3.53	50.08	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-56.08	3.53	42.71	Average	54	Pass
NVNT	n20	5180	Ant1	5142.6	-33.46	3.53	65.33	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-47.68	3.53	51.11	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-35.93	3.53	62.86	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-46.83	3.53	51.96	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-49.81	3.53	48.98	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-55.67	3.53	43.12	Average	54	Pass
NVNT	n20	5240	Ant1	5407.92	-46.09	3.53	52.70	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5397.36	-55.19	3.53	43.60	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-47.97	3.53	50.82	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-56.01	3.53	42.78	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-50.06	3.53	48.73	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-56.05	3.53	42.74	Average	54	Pass
NVNT	n40	5190	Ant1	5149.7	-33.04	3.53	65.75	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-49.03	3.53	49.76	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-33.04	3.53	65.75	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-49.03	3.53	49.76	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-49.29	3.53	49.50	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-55.58	3.53	43.21	Average	54	Pass
NVNT	n40	5230	Ant1	5377.65	-45.6	3.53	53.19	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5373.06	-54.87	3.53	43.92	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-48.65	3.53	50.14	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-55.73	3.53	43.06	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-49.79	3.53	49.00	Peak	68.2	Pass






NVNT	ac20	5180	Ant1	4500	-56.26	3.53	42.53	Average	54	Pass
NVNT	ac20	5180	Ant1	4959.2	-44.91	3.53	53.88	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5147.5	-53.9	3.53	44.89	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-46.94	3.53	51.85	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-53.97	3.53	44.82	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-49.25	3.53	49.54	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-55.63	3.53	43.16	Average	54	Pass
NVNT	ac20	5240	Ant1	5358	-45.7	3.53	53.09	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5363.76	-55.34	3.53	43.45	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-49.56	3.53	49.23	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-55.81	3.53	42.98	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-49	3.53	49.79	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-55.89	3.53	42.90	Average	54	Pass
NVNT	ac40	5190	Ant1	5148.97	-36.82	3.53	61.97	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-48.98	3.53	49.81	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-41.01	3.53	57.78	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-48.98	3.53	49.81	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-48.3	3.53	50.49	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-55.53	3.53	43.26	Average	54	Pass
NVNT	ac40	5230	Ant1	5420.31	-46.57	3.53	52.22	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5393.04	-54.88	3.53	43.91	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-49.01	3.53	49.78	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-55.9	3.53	42.89	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-49.94	3.53	48.85	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-54.51	3.53	44.28	Average	54	Pass
NVNT	ac80	5210	Ant1	5386.41	-45.02	3.53	53.77	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5351.43	-54.02	3.53	44.77	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-47.48	3.53	51.31	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-55.01	3.53	43.78	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-49.43	3.53	49.36	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-55.45	3.53	43.34	Average	54	Pass
NVNT	ac80	5210	Ant1	5146.22	-35.54	3.53	63.25	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5149.38	-44.72	3.53	54.07	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-39.49	3.53	59.30	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-45.23	3.53	53.56	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average





Restrict Band NVNT ac20 5240MHz Ant1 Peak



Restrict Band NVNT ac20 5240MHz Ant1 Average

