





LTE Band 7: -26dBc bandwidth  
BW: 20MHz

16QAM



Date: 30.DEC.2019 17:17:10


QPSK



Date: 30.DEC.2019 17:17:16


Lowest channel

16QAM



Date: 30.DEC.2019 17:23:30


QPSK



Date: 30.DEC.2019 17:23:36


Middle channel

16QAM



Date: 30.DEC.2019 17:24:18

QPSK




Date: 30.DEC.2019 17:24:25


Highest channel

LTE Band 66 part:

LTE Band 66: 99% Occupy bandwidth  
BW: 1.4MHz




Date: 27.DEC.2019 02:23:53




Date: 27.DEC.2019 02:13:53

Lowest channel




Date: 27.DEC.2019 02:24:21




Date: 27.DEC.2019 02:12:46

Middle channel




Date: 27.DEC.2019 02:26:42




Date: 27.DEC.2019 02:14:23

Highest channel

LTE Band 66: 99% Occupancy bandwidth  
BW: 3MHz




Date: 27.DEC.2019 02:17:15




Date: 27.DEC.2019 02:17:06

Lowest channel




Date: 27.DEC.2019 02:19:03




Date: 27.DEC.2019 02:18:51

Middle channel



Date: 27.DEC.2019 02:21:48




Date: 27.DEC.2019 02:21:30

Highest channel


LTE Band 66: 99% Occupancy bandwidth  
BW: 5MHz

16QAM



Date: 27.DEC.2019 02:29:06


QPSK



Date: 27.DEC.2019 02:28:56


Lowest channel

16QAM



Date: 27.DEC.2019 02:30:18


QPSK



Date: 27.DEC.2019 02:30:07


Middle channel

16QAM



Date: 27.DEC.2019 02:31:22

QPSK




Date: 27.DEC.2019 02:31:10

Highest channel


## LTE Band 66: 99% Occupancy bandwidth BW: 10MHz

16QAM



Date: 27.DEC.2019 02:33:36


QPSK



Date: 27.DEC.2019 02:33:23


Lowest channel

16QAM



Date: 27.DEC.2019 02:34:41


QPSK



Date: 27.DEC.2019 02:34:27


Middle channel

16QAM



Date: 27.DEC.2019 02:35:50

QPSK




Date: 27.DEC.2019 02:35:38

Highest channel


## LTE Band 66: 99% Occupancy bandwidth BW: 15MHz

16QAM



Date: 27.DEC.2019 02:37:47


QPSK



Date: 27.DEC.2019 02:37:34


### Lowest channel

16QAM



Date: 27.DEC.2019 02:38:49


QPSK



Date: 27.DEC.2019 02:38:33


### Middle channel

16QAM



Date: 27.DEC.2019 02:39:48

QPSK




Date: 27.DEC.2019 02:39:34

### Highest channel


LTE Band 66: 99% Occupancy bandwidth  
BW: 20MHz

16QAM



Date: 27.DEC.2019 02:41:14


QPSK



Date: 27.DEC.2019 02:41:06


Lowest channel

16QAM



Date: 27.DEC.2019 02:42:03


QPSK



Date: 27.DEC.2019 02:41:51


Middle channel

16QAM



Date: 27.DEC.2019 02:43:00

QPSK




Date: 27.DEC.2019 02:42:47


Highest channel



LTE Band 66: -26dBc bandwidth  
BW: 1.4MHz




Date: 27.DEC.2019 02:23:39




Date: 27.DEC.2019 02:13:40

Lowest channel




Date: 27.DEC.2019 02:25:25




Date: 27.DEC.2019 02:12:59

Middle channel



Date: 27.DEC.2019 02:26:54




Date: 27.DEC.2019 02:14:43

Highest channel


LTE Band 66: -26dBc bandwidth  
BW: 3MHz

16QAM



Date: 27.DEC.2019 02:17:30


QPSK



Date: 27.DEC.2019 02:16:55


Lowest channel

16QAM



Date: 27.DEC.2019 02:19:14


QPSK



Date: 27.DEC.2019 02:18:24


Middle channel

16QAM



Date: 27.DEC.2019 02:21:59

QPSK




Date: 27.DEC.2019 02:21:18

Highest channel


LTE Band 66: -26dBc bandwidth  
BW: 5MHz

16QAM



Date: 27.DEC.2019 02:29:20


QPSK



Date: 27.DEC.2019 02:28:37


Lowest channel

16QAM



Date: 27.DEC.2019 02:30:27


QPSK



Date: 27.DEC.2019 02:29:58


Middle channel

16QAM



Date: 29.DEC.2019 21:15:56

QPSK




Date: 27.DEC.2019 02:30:58

Highest channel


LTE Band 66: -26dBc bandwidth  
BW: 10MHz

16QAM



Date: 27.DEC.2019 02:33:46


QPSK



Date: 27.DEC.2019 02:33:02


Lowest channel

16QAM



Date: 27.DEC.2019 02:34:53


QPSK



Date: 27.DEC.2019 02:34:17


Middle channel

16QAM



Date: 27.DEC.2019 02:35:57

QPSK




Date: 27.DEC.2019 02:35:19

Highest channel


LTE Band 66: -26dBc bandwidth  
BW: 15MHz

16QAM



Date: 27.DEC.2019 02:37:56


QPSK



Date: 27.DEC.2019 02:37:23


Lowest channel

16QAM



Date: 27.DEC.2019 02:38:58


QPSK



Date: 27.DEC.2019 02:38:21


Middle channel

16QAM



Date: 27.DEC.2019 02:39:54

QPSK




Date: 27.DEC.2019 02:39:25

Highest channel


LTE Band 66: -26dBc bandwidth  
BW: 20MHz

16QAM



Date: 27.DEC.2019 02:41:22


QPSK



Date: 27.DEC.2019 02:40:55


Lowest channel

16QAM



Date: 27.DEC.2019 02:42:13


QPSK



Date: 27.DEC.2019 02:41:42


Middle channel

16QAM



Date: 27.DEC.2019 02:43:09


QPSK



Date: 27.DEC.2019 02:42:38


Highest channel

## 6.4 Out of band emission at antenna terminals

Test Requirement:	Part 22.917(b), Part 24.238 (a), part 27.53(h), Part 27.53(m)
Limit:	<p>LTE Band 2 &amp; 4 &amp; 5 &amp; 66: The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least <math>43 + 10 \log_{10}(P)</math> dB (-13 dBm).</p> <p>LTE Band 7: For mobile digital stations, the attenuation factor shall be not less than <math>40 + 10 \log(P)</math> dB on all frequencies between the channel edge and 5 megahertz from the channel edge, <math>43 + 10 \log(P)</math> dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and <math>55 + 10 \log(P)</math> dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that <math>43 + 10 \log(P)</math> dB on all frequencies between 2490.5 MHz and 2496 MHz and <math>55 + 10 \log(P)</math> dB at or below 2490.5 MHz.</p>
Test Setup:	 <p>The diagram illustrates the test setup. On the left, there are two blue rectangular units: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a screen and two ports on the right side. A single line connects the top port of the System simulator to the top port of the Spectrum Analyzer. From the bottom port of the System simulator, a line goes to the left port of a white rectangular 'Splitter'. From the right port of the Splitter, a line goes to a black rectangular 'ATT' (attenuator). From the right port of the ATT, a line goes to the left side of a black rectangular 'EUT' (Equipment Under Test).</p>
Test Procedure:	<ol style="list-style-type: none"> <li>1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.</li> <li>2 The resolution bandwidth of the spectrum analyzer was set at 100 kHz when below 1GHz, 1MHz when above 1 GHz; sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.</li> <li>3 For the out of band: Set the RBW=100 kHz, VBW=300 kHz when below 1 GHz, RBW =1 MHz, VBW=3 MHz when above 1 GHz, Start=30MHz, Stop= 10th harmonic.</li> <li>4 Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.</li> </ol>
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed
Remark:	Pre-scan all RB Size and offset, and found the RB Size and offset of worst case, so the report shows only the worst case test data.


Test plots as follows (Conducted spurious emission) (worst case):  
 LTE Band 2 part:

LTE Band 2: 16 QAM & RB Size 1  
 BW: 1.4MHz  
 Lowest channel



Date: 31.DEC.2019 08:48:26


30MHz~1GHz



Date: 31.DEC.2019 08:45:45


1GHz~25GHz

Middle channel



Date: 31.DEC.2019 08:48:05


30MHz~1GHz



Date: 31.DEC.2019 08:46:35


1GHz~25GHz

High channel



Date: 31.DEC.2019 08:47:46

30MHz~1GHz




Date: 31.DEC.2019 08:47:13

1GHz~25GHz




## LTE Band 2: QPSK & RB Size 1 BW: 1.4MHz Lowest channel



Date: 31.DEC.2019 08:48:21


30MHz~1GHz



Date: 31.DEC.2019 08:45:31


1GHz~25GHz

## Middle channel



Date: 31.DEC.2019 08:48:00


30MHz~1GHz



Date: 31.DEC.2019 08:46:19


1GHz~25GHz

## High channel



Date: 31.DEC.2019 08:47:40


30MHz~1GHz



Date: 31.DEC.2019 08:47:02


1GHz~25GHz

## LTE Band 2: 16 QAM & RB Size 1 BW: 20MHz Lowest channel



Date: 31.DEC.2019 08:48:56


30MHz~1GHz



Date: 31.DEC.2019 08:44:54


1GHz~25GHz

## Middle channel



Date: 31.DEC.2019 08:49:21


30MHz~1GHz



Date: 31.DEC.2019 08:44:19


1GHz~25GHz

## High channel



Date: 31.DEC.2019 08:49:42


30MHz~1GHz



Date: 31.DEC.2019 08:43:50


1GHz~25GHz

## LTE Band 2: QPSK & RB Size 1 BW: 20MHz Lowest channel



Date: 31.DEC.2019 08:48:52


30MHz~1GHz



Date: 31.DEC.2019 08:44:43


1GHz~25GHz

## Middle channel



Date: 31.DEC.2019 08:49:15


30MHz~1GHz



Date: 31.DEC.2019 08:44:10


1GHz~25GHz

## High channel



Date: 31.DEC.2019 08:49:37

30MHz~1GHz




Date: 31.DEC.2019 08:43:32

1GHz~25GHz


LTE Band 4 part:

LTE Band 4: 16 QAM & RB Size 1  
 BW: 1.4MHz  
 Lowest channel



Date: 31.DEC.2019 08:52:12


30MHz~1GHz



Date: 31.DEC.2019 08:55:16


1GHz~25GHz

Middle channel



Date: 31.DEC.2019 08:51:55


30MHz~1GHz



Date: 31.DEC.2019 08:55:59


1GHz~25GHz

High channel



Date: 31.DEC.2019 08:51:41


30MHz~1GHz



Date: 31.DEC.2019 08:56:30


1GHz~25GHz

## LTE Band 4: QPSK & RB Size 1 BW: 1.4MHz Lowest channel



Date: 31.DEC.2019 08:52:06


30MHz~1GHz



Date: 31.DEC.2019 08:55:07


1GHz~25GHz

## Middle channel



Date: 31.DEC.2019 08:51:49


30MHz~1GHz



Date: 31.DEC.2019 08:55:50


1GHz~25GHz

## High channel



Date: 31.DEC.2019 08:51:34


30MHz~1GHz



Date: 31.DEC.2019 08:56:21


1GHz~25GHz

## LTE Band 4: 16 QAM & RB Size 1 BW: 20MHz Lowest channel



Date: 31.DEC.2019 08:50:52


30MHz~1GHz



Date: 31.DEC.2019 08:53:09


1GHz~25GHz

## Middle channel



Date: 31.DEC.2019 08:51:06


30MHz~1GHz



Date: 31.DEC.2019 08:53:41


1GHz~25GHz

## High channel



Date: 31.DEC.2019 08:51:20


30MHz~1GHz



Date: 31.DEC.2019 08:54:11


1GHz~25GHz

## LTE Band 4: QPSK & RB Size 1 BW: 20MHz Lowest channel



Date: 31.DEC.2019 08:50:47


30MHz~1GHz



Date: 31.DEC.2019 08:53:00


1GHz~25GHz

## Middle channel



Date: 31.DEC.2019 08:51:00


30MHz~1GHz



Date: 31.DEC.2019 08:53:30


1GHz~25GHz

## High channel



Date: 31.DEC.2019 08:51:14

30MHz~1GHz




Date: 31.DEC.2019 08:54:00

1GHz~25GHz


LTE Band 5 part:

LTE Band 5: 16 QAM & RB Size 1  
 BW: 1.4MHz  
 Lowest channel



Date: 31.DEC.2019 09:04:02


30MHz~1GHz



Date: 31.DEC.2019 08:57:39


1GHz~9GHz

Middle channel



Date: 31.DEC.2019 09:04:43


30MHz~1GHz



Date: 31.DEC.2019 08:58:09


1GHz~9GHz

High channel



Date: 31.DEC.2019 09:05:36

30MHz~1GHz




Date: 31.DEC.2019 08:58:39

1GHz~9GHz




## LTE Band 5: QPSK & RB Size 1 BW: 1.4MHz Lowest channel



Date: 31.DEC.2019 09:03:48


30MHz~1GHz



Date: 31.DEC.2019 08:57:34


1GHz~9GHz

## Middle channel



Date: 31.DEC.2019 09:04:29


30MHz~1GHz



Date: 31.DEC.2019 08:58:00


1GHz~9GHz

## High channel



Date: 31.DEC.2019 09:05:19


30MHz~1GHz



Date: 31.DEC.2019 08:58:31


1GHz~9GHz

## LTE Band 5: 16 QAM & RB Size 1 BW: 10MHz Lowest channel



Date: 31.DEC.2019 09:02:54


30MHz~1GHz



Date: 31.DEC.2019 08:59:30


1GHz~9GHz

## Middle channel



Date: 31.DEC.2019 09:02:16


30MHz~1GHz



Date: 31.DEC.2019 09:00:00


1GHz~9GHz

## High channel



Date: 31.DEC.2019 09:01:18


30MHz~1GHz



Date: 31.DEC.2019 09:00:21


1GHz~9GHz

## LTE Band 5: QPSK & RB Size 1 BW: 10MHz Lowest channel



Date: 31.DEC.2019 09:02:41


30MHz~1GHz



Date: 31.DEC.2019 08:59:23


1GHz~9GHz

## Middle channel



Date: 31.DEC.2019 09:02:02


30MHz~1GHz



Date: 31.DEC.2019 08:59:48


1GHz~9GHz

## High channel



Date: 31.DEC.2019 09:01:07

30MHz~1GHz




Date: 31.DEC.2019 09:00:15

1GHz~9GHz


LTE Band 7 part:

LTE Band 7: 16 QAM & RB Size 1  
 BW: 5MHz  
 Lowest channel



Date: 31.DEC.2019 20:14:34


30MHz~1GHz



Date: 31.DEC.2019 09:17:47


1GHz~26GHz

Middle channel



Date: 31.DEC.2019 20:14:49


30MHz~1GHz



Date: 31.DEC.2019 09:17:18


1GHz~26GHz

High channel



Date: 31.DEC.2019 20:15:02


30MHz~1GHz



Date: 31.DEC.2019 09:16:47


1GHz~26GHz

## LTE Band 7: QPSK & RB Size 1 BW: 5MHz Lowest channel



Date: 31.DEC.2019 20:14:28


30MHz~1GHz



Date: 31.DEC.2019 09:17:38


1GHz~26GHz

## Middle channel



Date: 31.DEC.2019 20:14:43


30MHz~1GHz



Date: 31.DEC.2019 09:17:08


1GHz~26GHz

## High channel



Date: 31.DEC.2019 20:14:57


30MHz~1GHz



Date: 31.DEC.2019 09:16:28


1GHz~26GHz

## LTE Band 7: 16 QAM & RB Size 1 BW: 20MHz Lowest channel



Date: 31.DEC.2019 20:15:40


30MHz~1GHz



Date: 31.DEC.2019 09:18:30


1GHz~26GHz

## Middle channel



Date: 31.DEC.2019 20:15:56


30MHz~1GHz



Date: 31.DEC.2019 09:19:00


1GHz~26GHz

## High channel



Date: 31.DEC.2019 20:16:12


30MHz~1GHz



Date: 31.DEC.2019 09:19:34


1GHz~26GHz

## LTE Band 7: QPSK & RB Size 1 BW: 20MHz Lowest channel



Date: 31.DEC.2019 20:15:35


30MHz~1GHz



Date: 31.DEC.2019 09:18:20


1GHz~26GHz

## Middle channel



Date: 31.DEC.2019 20:15:51


30MHz~1GHz



Date: 31.DEC.2019 09:18:50


1GHz~26GHz

## High channel



Date: 31.DEC.2019 20:16:07

30MHz~1GHz




Date: 31.DEC.2019 09:19:22

1GHz~26GHz


LTE Band 66 part:

LTE Band 66: 16 QAM & RB Size 1  
 BW: 1.4MHz  
 Lowest channel



Date: 29.DEC.2019 20:25:22


30MHz~1GHz



Date: 29.DEC.2019 20:39:09


1GHz~25GHz

Middle channel



Date: 29.DEC.2019 20:24:43


30MHz~1GHz



Date: 29.DEC.2019 20:40:24


1GHz~25GHz

High channel



Date: 29.DEC.2019 20:23:46

30MHz~1GHz




Date: 29.DEC.2019 20:41:26

1GHz~25GHz




## LTE Band 66: QPSK & RB Size 1 BW: 1.4MHz Lowest channel



Date: 29.DEC.2019 20:25:17


30MHz~1GHz



Date: 29.DEC.2019 20:38:57


1GHz~25GHz

## Middle channel



Date: 29.DEC.2019 20:24:36


30MHz~1GHz



Date: 29.DEC.2019 20:40:10


1GHz~25GHz

## High channel



Date: 29.DEC.2019 20:23:36


30MHz~1GHz



Date: 29.DEC.2019 20:41:16


1GHz~25GHz

## LTE Band 66: 16 QAM & RB Size 1 BW: 20MHz Lowest channel



Date: 29.DEC.2019 20:32:03


30MHz~1GHz



Date: 29.DEC.2019 20:37:43


1GHz~25GHz

## Middle channel



Date: 29.DEC.2019 20:32:42


30MHz~1GHz



Date: 29.DEC.2019 20:36:08


1GHz~25GHz

## High channel



Date: 29.DEC.2019 20:33:30


30MHz~1GHz



Date: 29.DEC.2019 20:35:07


1GHz~25GHz

## LTE Band 66: QPSK & RB Size 1 BW: 20MHz Lowest channel



Date: 29.DEC.2019 20:31:55


30MHz~1GHz



Date: 29.DEC.2019 20:37:28


1GHz~25GHz

## Middle channel



Date: 29.DEC.2019 20:32:35


30MHz~1GHz



Date: 29.DEC.2019 20:35:59


1GHz~25GHz

## High channel



Date: 29.DEC.2019 20:33:16

30MHz~1GHz




Date: 29.DEC.2019 20:34:57


1GHz~25GHz

**Band edge emission:**

**LTE Band 2 part:**




## LTE Band 2, BW: 1.4MHz QPSK & RB Size 1



Date: 31.DEC.2019 05:29:52


Lowest channel



Date: 31.DEC.2019 05:39:47


Highest channel

## QPSK & RB Size 6



Date: 31.DEC.2019 05:37:29


Lowest channel



Date: 31.DEC.2019 05:39:03


Highest channel

## LTE Band 2, BW: 20MHz 16QAM & RB Size 1



Date: 31.DEC.2019 05:48:48


Lowest channel



Date: 31.DEC.2019 05:42:58


Highest channel

## 16QAM & RB Size 100



Date: 31.DEC.2019 05:50:01


Lowest channel



Date: 31.DEC.2019 05:50:41


Highest channel

## LTE Band 2, BW: 20MHz QPSK & RB Size 1



Date: 31.DEC.2019 05:48:40


Lowest channel



Date: 31.DEC.2019 05:42:50


Highest channel

## QPSK & RB Size 100



Date: 31.DEC.2019 05:49:53


Lowest channel



Date: 31.DEC.2019 05:50:33


Highest channel

LTE Band 4 part:






## LTE Band 4, BW: 1.4MHz QPSK & RB Size 1



Date: 31.DEC.2019 05:52:39


Lowest channel



Date: 31.DEC.2019 05:56:08


Highest channel

## QPSK & RB Size 6



Date: 31.DEC.2019 05:54:27


Lowest channel



Date: 31.DEC.2019 05:55:25


Highest channel

## LTE Band 4, BW: 20MHz 16QAM & RB Size 1



Date: 31.DEC.2019 05:58:43


Lowest channel



Date: 31.DEC.2019 05:59:46


Highest channel

## 16QAM & RB Size 100



Date: 31.DEC.2019 06:02:23


Lowest channel



Date: 31.DEC.2019 06:01:27


Highest channel

## LTE Band 4, BW: 20MHz QPSK & RB Size 1



Date: 31.DEC.2019 05:58:32


Lowest channel



Date: 31.DEC.2019 05:59:39


Highest channel

## QPSK & RB Size 100



Date: 31.DEC.2019 06:02:12

Lowest channel




Date: 31.DEC.2019 06:01:19

Highest channel


LTE Band 5 part:

LTE Band 5, BW: 1.4MHz  
16QAM & RB Size 1



Date: 31.DEC.2019 06:08:16


Lowest channel



Date: 31.DEC.2019 06:10:41


Highest channel

16QAM & RB Size 6



Date: 31.DEC.2019 06:09:02


Lowest channel



Date: 31.DEC.2019 06:10:03


Highest channel

## LTE Band 5, BW: 1.4MHz QPSK & RB Size 1



Date: 31.DEC.2019 06:08:05


Lowest channel



Date: 31.DEC.2019 06:10:34


Highest channel

## QPSK & RB Size 6



Date: 31.DEC.2019 06:08:55


Lowest channel



Date: 31.DEC.2019 06:09:55


Highest channel

## LTE Band 5, BW: 10MHz 16QAM & RB Size 1



Date: 31.DEC.2019 06:12:47


Lowest channel



Date: 31.DEC.2019 06:13:40


Highest channel

## 16QAM & RB Size 50



Date: 31.DEC.2019 06:17:20


Lowest channel



Date: 31.DEC.2019 06:16:09


Highest channel

## LTE Band 5, BW: 10MHz QPSK & RB Size 1



Date: 31.DEC.2019 06:12:38


Lowest channel



Date: 31.DEC.2019 06:13:31


Highest channel

## QPSK & RB Size 50



Date: 31.DEC.2019 06:17:08


Lowest channel



Date: 31.DEC.2019 06:16:00


Highest channel

LTE Band 7 part:






## LTE Band 7, BW: 5MHz QPSK & RB Size 1



Date: 31.DEC.2019 06:24:14


Lowest channel



Date: 31.DEC.2019 06:25:19


Highest channel

## QPSK & RB Size 25



Date: 31.DEC.2019 06:28:17


Lowest channel



Date: 31.DEC.2019 06:27:21


Highest channel

## LTE Band 7, BW: 20MHz 16QAM & RB Size 1



Date: 31.DEC.2019 06:31:00


Lowest channel



Date: 31.DEC.2019 06:32:10


Highest channel

## 16QAM & RB Size 100



Date: 31.DEC.2019 06:36:40


Lowest channel



Date: 31.DEC.2019 06:35:19


Highest channel

## LTE Band 7, BW: 20MHz QPSK & RB Size 1



Date: 31.DEC.2019 06:30:52


Lowest channel



Date: 31.DEC.2019 06:32:02


Highest channel

## QPSK & RB Size 100



Date: 31.DEC.2019 06:36:32


Lowest channel




Date: 31.DEC.2019 06:35:10

Highest channel

LTE band 66 part:




## LTE Band 66, BW: 1.4MHz QPSK & RB Size 1



Date: 29.DEC.2019 20:07:36


Lowest channel



Date: 29.DEC.2019 20:17:35


Highest channel

## QPSK & RB Size 6



Date: 29.DEC.2019 20:16:06


Lowest channel



Date: 29.DEC.2019 20:18:25


Highest channel

## LTE Band 66, BW: 20MHz 16QAM & RB Size 1



Date: 29.DEC.2019 20:03:31


Lowest channel



Date: 29.DEC.2019 20:02:07


Highest channel

## 16QAM & RB Size 50



Date: 29.DEC.2019 20:05:28


Lowest channel



Date: 29.DEC.2019 20:00:52


Highest channel

## LTE Band 66, BW: 20MHz QPSK & RB Size 1



Date: 29.DEC.2019 20:03:15


Lowest channel



Date: 29.DEC.2019 20:01:49


Highest channel

## QPSK & RB Size 50



Date: 29.DEC.2019 20:05:01



Lowest channel



Date: 29.DEC.2019 20:00:32

Highest channel

## 6.5 Field strength of spurious radiation measurement

<p>Test Requirement:</p>	<p>Part 22.917(b), Part 24.238 (a), Part 27.53(m), Part 27.53(h)</p>
<p>Limit:</p>	<p>LTE Band 2 &amp; 4 &amp; 5 &amp; 66 :</p> <p>The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least <math>43 + 10 \log_{10}(P)</math> dB (-13 dBm).</p> <p>LTE Band 7:</p> <p>For mobile digital stations, the attenuation factor shall be not less than <math>40 + 10 \log (P)</math> dB on all frequencies between the channel edge and 5 megahertz from the channel edge, <math>43 + 10 \log (P)</math> dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and <math>55 + 10 \log (P)</math> dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that <math>43 + 10 \log (P)</math> dB on all frequencies between 2490.5 MHz and 2496 MHz and <math>55 + 10 \log (P)</math> dB at or below 2490.5 MHz.</p>
<p>Test setup:</p>	<p>Below 1GHz</p>  <p>Above 1GHz</p> 
<p>Test Procedure:</p>	<ol style="list-style-type: none"> <li>1. The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.</li> <li>2. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.</li> <li>3. The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.</li> </ol>



	4. The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency. $\text{ERP / EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain(dB/dBi)} - \text{Cable Loss (dB)}$
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details.
Test results:	Passed

**Measurement Data:**

**LTE Band 2 part:**

LTE Band 2, WB: 1.4MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3701.40	-53.38	12.26	0.75	-41.87	-13.00	-28.87	Vertical
5552.10	-54.44	12.47	1.13	-43.10	-13.00	-30.10	Vertical
7402.00	-47.58	11.26	1.63	-37.95	-13.00	-24.95	Vertical
3701.40	-46.05	12.26	0.75	-34.54	-13.00	-21.54	Horizontal
5552.10	-53.91	12.47	1.13	-42.57	-13.00	-29.57	Horizontal
7402.00	-46.68	11.26	1.63	-37.05	-13.00	-24.05	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3760.00	-53.92	12.19	0.79	-42.52	-13.00	-29.52	Vertical
5640.00	-55.08	12.60	1.15	-43.63	-13.00	-30.63	Vertical
7520.00	-46.50	11.18	1.66	-36.98	-13.00	-23.98	Vertical
3760.00	-44.65	12.19	0.79	-33.25	-13.00	-20.25	Horizontal
5640.00	-53.20	12.60	1.15	-41.75	-13.00	-28.75	Horizontal
7520.00	-46.03	11.18	1.66	-36.51	-13.00	-23.51	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3816.60	-53.31	12.12	0.81	-42.00	-13.00	-29.00	Vertical
5724.90	-53.68	12.71	1.19	-42.16	-13.00	-29.16	Vertical
7633.20	-47.02	11.09	1.71	-37.64	-13.00	-24.64	Vertical
3816.60	-44.76	12.12	0.81	-33.45	-13.00	-20.45	Horizontal
5724.90	-54.04	12.71	1.19	-42.52	-13.00	-29.52	Horizontal
7633.20	-46.36	11.09	1.71	-36.98	-13.00	-23.98	Horizontal
<p>Note:</p> <ol style="list-style-type: none"> <li>The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.</li> <li>For above 1 GHz, all test modes were performed, and just the worst case shown in the report.</li> </ol>							

LTE Band 2, WB: 20MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3720.00	-54.10	12.24	0.77	-42.63	-13.00	-29.63	Vertical
5580.00	-55.05	12.51	1.15	-43.69	-13.00	-30.69	Vertical
7440.00	-46.16	11.24	1.64	-36.56	-13.00	-23.56	Vertical
3720.00	-45.64	12.24	0.77	-34.17	-13.00	-21.17	Horizontal
5580.00	-53.94	12.51	1.15	-42.58	-13.00	-29.58	Horizontal
7440.00	-46.51	11.24	1.64	-36.91	-13.00	-23.91	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3760.00	-54.15	12.19	0.79	-42.75	-13.00	-29.75	Vertical
5640.00	-55.14	12.60	1.15	-43.69	-13.00	-30.69	Vertical
7520.00	-46.03	11.18	1.66	-36.51	-13.00	-23.51	Vertical
3760.00	-45.97	12.19	0.79	-34.57	-13.00	-21.57	Horizontal
5640.00	-55.41	12.60	1.15	-43.96	-13.00	-30.96	Horizontal
7520.00	-44.79	11.18	1.66	-35.27	-13.00	-22.27	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3800.00	-53.33	12.14	0.79	-41.98	-13.00	-28.98	Vertical
5700.00	-54.23	12.68	1.18	-42.73	-13.00	-29.73	Vertical
7600.00	-45.99	11.12	1.69	-36.56	-13.00	-23.56	Vertical
3800.00	-45.91	12.14	0.79	-34.56	-13.00	-21.56	Horizontal
5700.00	-53.69	12.68	1.18	-42.19	-13.00	-29.19	Horizontal
7600.00	-47.28	11.12	1.69	-37.85	-13.00	-24.85	Horizontal
<p>Note:</p> <ol style="list-style-type: none"> <li>The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.</li> <li>For above 1 GHz, all test modes were performed, and just the worst case shown in the report.</li> </ol>							

**LTE Band 4 part:**

LTE Band 4, WB: 1.4MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3421.40	-60.19	12.30	0.70	-48.59	-13.00	-35.59	Vertical
5132.10	-55.42	12.69	1.01	-43.74	-13.00	-30.74	Vertical
6842.80	-47.72	11.56	1.53	-37.69	-13.00	-24.69	Vertical
3421.40	-61.46	12.30	0.70	-49.86	-13.00	-36.86	Horizontal
5132.10	-56.45	12.69	1.01	-44.77	-13.00	-31.77	Horizontal
6842.80	-48.39	11.56	1.53	-38.36	-13.00	-25.36	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3465.00	-59.32	12.41	0.72	-47.63	-13.00	-34.63	Vertical
5197.50	-54.12	12.64	1.04	-42.52	-13.00	-29.52	Vertical
6930.00	-46.59	11.53	1.56	-36.62	-13.00	-23.62	Vertical
3465.00	-60.21	12.41	0.72	-48.52	-13.00	-35.52	Horizontal
5197.50	-56.79	12.64	1.04	-45.19	-13.00	-32.19	Horizontal
6930.00	-49.76	11.53	1.56	-39.79	-13.00	-26.79	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3508.60	-58.00	12.49	0.74	-46.25	-13.00	-33.25	Vertical
5262.90	-53.29	12.59	1.07	-41.77	-13.00	-28.77	Vertical
7017.20	-45.49	11.49	1.58	-35.58	-13.00	-22.58	Vertical
3508.60	-59.70	12.49	0.74	-47.95	-13.00	-34.95	Horizontal
5262.90	-57.62	12.59	1.07	-46.10	-13.00	-33.10	Horizontal
7017.20	-50.28	11.49	1.58	-40.37	-13.00	-27.37	Horizontal

*Note:*  
 1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.  
 2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.

LTE Band 4, WB: 20MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3440.00	-59.62	12.34	0.71	-47.99	-13.00	-34.99	Vertical
5160.00	-54.20	12.67	1.03	-42.56	-13.00	-29.56	Vertical
6880.00	-46.15	11.55	1.54	-36.14	-13.00	-23.14	Vertical
3440.00	-57.15	12.34	0.71	-45.52	-13.00	-32.52	Horizontal
5160.00	-57.40	12.67	1.03	-45.76	-13.00	-32.76	Horizontal
6880.00	-49.96	11.55	1.54	-39.95	-13.00	-26.95	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3465.00	-57.95	12.41	0.72	-46.26	-13.00	-33.26	Vertical
5197.50	-52.92	12.64	1.04	-41.32	-13.00	-28.32	Vertical
6930.00	-46.56	11.53	1.56	-36.59	-13.00	-23.59	Vertical
3465.00	-60.24	12.41	0.72	-48.55	-13.00	-35.55	Horizontal
5197.50	-57.99	12.64	1.04	-46.39	-13.00	-33.39	Horizontal
6930.00	-46.74	11.53	1.56	-36.77	-13.00	-23.77	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3490.00	-57.28	12.49	0.73	-45.52	-13.00	-32.52	Vertical
5235.00	-54.24	12.61	1.06	-42.69	-13.00	-29.69	Vertical
6980.00	-46.59	11.51	1.57	-36.65	-13.00	-23.65	Vertical
3490.00	-58.41	12.49	0.73	-46.65	-13.00	-33.65	Horizontal
5235.00	-57.30	12.61	1.06	-45.75	-13.00	-32.75	Horizontal
6980.00	-49.11	11.51	1.57	-39.17	-13.00	-26.17	Horizontal

Note:  
 1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.  
 2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.

**LTE Band 5 part:**

LTE Band 5, WB: 1.4MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
1649.40	-57.42	9.58	0.20	-48.04	-13.00	-35.04	Vertical
2474.10	-62.29	10.79	0.43	-51.93	-13.00	-38.93	Vertical
3298.80	-60.94	12.14	0.64	-49.44	-13.00	-36.44	Vertical
1649.40	-56.13	9.58	0.20	-46.75	-13.00	-33.75	Horizontal
2474.10	-60.30	10.79	0.43	-49.94	-13.00	-36.94	Horizontal
3298.80	-62.30	12.14	0.64	-50.80	-13.00	-37.80	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
1673.30	-57.02	9.62	0.22	-47.62	-13.00	-34.62	Vertical
2509.50	-62.62	10.83	0.46	-52.25	-13.00	-39.25	Vertical
3346.00	-60.19	12.23	0.66	-48.62	-13.00	-35.62	Vertical
1673.30	-54.56	9.62	0.22	-45.16	-13.00	-32.16	Horizontal
2509.50	-60.09	10.83	0.46	-49.72	-13.00	-36.72	Horizontal
3346.00	-61.33	12.23	0.66	-49.76	-13.00	-36.76	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
1696.60	-57.63	9.66	0.23	-48.20	-13.00	-35.20	Vertical
2544.90	-63.02	10.88	0.49	-52.63	-13.00	-39.63	Vertical
3393.20	-60.26	12.32	0.68	-48.62	-13.00	-35.62	Vertical
1696.60	-56.59	9.66	0.23	-47.16	-13.00	-34.16	Horizontal
2544.90	-58.61	10.88	0.49	-48.22	-13.00	-35.22	Horizontal
3393.20	-61.40	12.32	0.68	-49.76	-13.00	-36.76	Horizontal

*Note:*

- The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.
- For above 1 GHz, all test modes were performed, and just the worst case shown in the report.

LTE Band 5, WB: 10MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
1658.00	-56.99	9.58	0.21	-47.62	-13.00	-34.62	Vertical
2487.00	-62.59	10.79	0.45	-52.25	-13.00	-39.25	Vertical
3316.00	-60.41	12.14	0.65	-48.92	-13.00	-35.92	Vertical
1658.00	-55.58	9.58	0.21	-46.21	-13.00	-33.21	Horizontal
2487.00	-60.13	10.79	0.45	-49.79	-13.00	-36.79	Horizontal
3316.00	-60.64	12.14	0.65	-49.15	-13.00	-36.15	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
1673.30	-56.03	9.62	0.21	-46.62	-13.00	-33.62	Vertical
2509.50	-61.62	10.83	0.46	-51.25	-13.00	-38.25	Vertical
3346.00	-59.19	12.23	0.66	-47.62	-13.00	-34.62	Vertical
1673.30	-55.73	9.62	0.21	-46.32	-13.00	-33.32	Horizontal
2509.50	-59.95	10.83	0.46	-49.58	-13.00	-36.58	Horizontal
3346.00	-60.28	12.23	0.66	-48.71	-13.00	-35.71	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
1688.00	-54.94	9.66	0.23	-45.51	-13.00	-32.51	Vertical
2532.00	-61.72	10.88	0.48	-51.32	-13.00	-38.32	Vertical
3376.00	-58.34	12.32	0.67	-46.69	-13.00	-33.69	Vertical
1688.00	-55.00	9.66	0.23	-45.57	-13.00	-32.57	Horizontal
2532.00	-59.56	10.88	0.48	-49.16	-13.00	-36.16	Horizontal
3376.00	-58.83	12.32	0.67	-47.18	-13.00	-34.18	Horizontal
<p>Note:</p> <p>1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.</p> <p>2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.</p>							

**LTE Band 7 part:**

LTE Band 7, WB: 5MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5005.00	-53.97	12.80	0.94	-42.11	-25.00	-17.11	Vertical
7507.50	-47.16	11.19	1.65	-37.62	-25.00	-12.62	Vertical
10010.00	-44.00	11.70	1.91	-34.21	-25.00	-9.21	Vertical
5005.00	-55.46	12.80	0.94	-43.60	-25.00	-18.60	Horizontal
7507.50	-47.57	11.19	1.65	-38.03	-25.00	-13.03	Horizontal
10010.00	-44.10	11.70	1.91	-34.31	-25.00	-9.31	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5070.00	-53.38	12.74	0.98	-41.62	-25.00	-16.62	Vertical
7605.00	-46.05	11.12	1.69	-36.62	-25.00	-11.62	Vertical
10140.00	-43.33	11.69	1.94	-33.58	-25.00	-8.58	Vertical
5070.00	-54.38	12.74	0.98	-42.62	-25.00	-17.62	Horizontal
7605.00	-49.04	11.12	1.69	-39.61	-25.00	-14.61	Horizontal
10140.00	-43.47	11.69	1.94	-33.72	-25.00	-8.72	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5135.00	-54.20	12.69	1.01	-42.52	-25.00	-17.52	Vertical
7702.50	-44.94	11.04	1.72	-35.62	-25.00	-10.62	Vertical
10270.00	-41.98	11.67	1.95	-32.26	-25.00	-7.26	Vertical
5135.00	-53.31	12.69	1.01	-41.63	-25.00	-16.63	Horizontal
7702.50	-47.84	11.04	1.72	-38.52	-25.00	-13.52	Horizontal
10270.00	-42.43	11.67	1.95	-32.71	-25.00	-7.71	Horizontal
<p><i>Note:</i></p> <p>1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.</p> <p>2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.</p>							



LTE Band 7, WB: 20MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5020.00	-53.06	12.78	0.97	-41.25	-25.00	-16.25	Vertical
7530.00	-46.12	11.18	1.68	-36.62	-25.00	-11.62	Vertical
10040.00	-43.35	11.70	1.94	-33.59	-25.00	-8.59	Vertical
5020.00	-54.39	12.78	0.97	-42.58	-25.00	-17.58	Horizontal
7530.00	-46.99	11.18	1.68	-37.49	-25.00	-12.49	Horizontal
10040.00	-43.41	11.70	1.94	-33.65	-25.00	-8.65	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5070.00	-54.28	12.74	0.98	-42.52	-25.00	-17.52	Vertical
7605.00	-46.05	11.12	1.69	-36.62	-25.00	-11.62	Vertical
10140.00	-43.20	11.69	1.94	-33.45	-25.00	-8.45	Vertical
5070.00	-53.92	12.74	0.98	-42.16	-25.00	-17.16	Horizontal
7605.00	-49.08	11.12	1.69	-39.65	-25.00	-14.65	Horizontal
10140.00	-43.50	11.69	1.94	-33.75	-25.00	-8.75	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5120.00	-53.32	12.70	1.00	-41.62	-25.00	-16.62	Vertical
7680.00	-45.90	11.06	1.72	-36.56	-25.00	-11.56	Vertical
10240.00	-41.31	11.68	1.95	-31.58	-25.00	-6.58	Vertical
5120.00	-54.22	12.70	1.00	-42.52	-25.00	-17.52	Horizontal
7680.00	-48.95	11.06	1.72	-39.61	-25.00	-14.61	Horizontal
10240.00	-42.52	11.68	1.95	-32.79	-25.00	-7.79	Horizontal
<p>Note:</p> <p>1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.</p> <p>2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.</p>							

**LTE Band 66 part:**

LTE Band 66, WB: 1.4MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3421.40	-57.71	12.30	0.70	-46.11	-13.00	-33.11	Vertical
5132.10	-56.13	12.69	1.01	-44.45	-13.00	-31.45	Vertical
6842.80	-48.49	11.56	1.53	-38.46	-13.00	-25.46	Vertical
3421.40	-54.99	12.30	0.70	-43.39	-13.00	-30.39	Horizontal
5132.10	-55.16	12.69	1.01	-43.48	-13.00	-30.48	Horizontal
6842.80	-48.54	11.56	1.53	-38.51	-13.00	-25.51	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3490.00	-57.28	12.49	0.73	-45.52	-13.00	-32.52	Vertical
5235.00	-56.18	12.61	1.06	-44.63	-13.00	-31.63	Vertical
6980.00	-49.59	11.51	1.57	-39.65	-13.00	-26.65	Vertical
3490.00	-54.28	12.49	0.73	-42.52	-13.00	-29.52	Horizontal
5235.00	-53.31	12.61	1.06	-41.76	-13.00	-28.76	Horizontal
6980.00	-49.72	11.51	1.57	-39.78	-13.00	-26.78	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3558.60	-56.10	12.61	0.77	-44.26	-13.00	-31.26	Vertical
5337.90	-57.18	12.64	1.08	-45.62	-13.00	-32.62	Vertical
7117.20	-49.49	11.47	1.59	-39.61	-13.00	-26.61	Vertical
3558.60	-54.36	12.61	0.77	-42.52	-13.00	-29.52	Horizontal
5337.90	-52.89	12.64	1.08	-41.33	-13.00	-28.33	Horizontal
7117.20	-50.67	11.47	1.59	-40.79	-13.00	-27.79	Horizontal

*Note:*

- The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.
- For above 1 GHz, all test modes were performed, and just the worst case shown in the report.

LTE Band 66, WB: 20MHz							
RB size 1 & RB offset 0							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3440.00	-57.15	12.34	0.71	-45.52	-13.00	-32.52	Vertical
5160.00	-58.27	12.67	1.03	-46.63	-13.00	-33.63	Vertical
6880.00	-49.62	11.55	1.54	-39.61	-13.00	-26.61	Vertical
3440.00	-54.15	12.34	0.71	-42.52	-13.00	-29.52	Horizontal
5160.00	-55.27	12.67	1.03	-43.63	-13.00	-30.63	Horizontal
6880.00	-49.80	11.55	1.54	-39.79	-13.00	-26.79	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3490.00	-56.28	12.49	0.73	-44.52	-13.00	-31.52	Vertical
5235.00	-55.74	12.61	1.06	-44.19	-13.00	-31.19	Vertical
6980.00	-49.56	11.51	1.57	-39.62	-13.00	-26.62	Vertical
3490.00	-53.28	12.49	0.73	-41.52	-13.00	-28.52	Horizontal
5235.00	-54.11	12.61	1.06	-42.56	-13.00	-29.56	Horizontal
6980.00	-49.70	11.51	1.57	-39.76	-13.00	-26.76	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3540.00	-57.35	12.58	0.75	-45.52	-13.00	-32.52	Vertical
5310.00	-57.29	12.60	1.02	-45.71	-13.00	-32.71	Vertical
7080.00	-45.20	11.53	1.58	-35.25	-13.00	-22.25	Vertical
3540.00	-53.70	12.58	0.75	-41.87	-13.00	-28.87	Horizontal
5310.00	-54.10	12.60	1.02	-42.52	-13.00	-29.52	Horizontal
7080.00	-49.74	11.53	1.58	-39.79	-13.00	-26.79	Horizontal
<p>Note:</p> <p>1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.</p> <p>2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.</p>							

## 6.6 Frequency stability V.S. Temperature measurement

Test Requirement:	Part 22.355, Part 24.235, Part 27.54, Part 2.1055(a)(1)(b)
Limit:	±2.5ppm
Test setup:	
Test procedure:	<ol style="list-style-type: none"> <li>1. The equipment under test was connected to an external DC power supply and input rated voltage.</li> <li>2. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators.</li> <li>3. The EUT was placed inside the temperature chamber.</li> <li>4. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency.</li> <li>5. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency.</li> <li>6. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached</li> </ol>
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed

**Measurement Data (worst case):**

**LTE Band 2 part:**

Reference Frequency: LTE Band 2 (10MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
<b>QPSK</b>					
3.80	-30	176	0.093617	±2.5	Pass
	-20	169	0.089894		
	-10	160	0.085106		
	0	152	0.080851		
	10	141	0.075000		
	20	130	0.069149		
	30	124	0.065957		
	40	112	0.059574		
	50	106	0.056383		
<b>16QAM</b>					
3.80	-30	174	0.092553	±2.5	Pass
	-20	160	0.085106		
	-10	153	0.081383		
	0	146	0.077660		
	10	139	0.073936		
	20	130	0.069149		
	30	121	0.064362		
	40	104	0.055319		
	50	115	0.061170		

*Note: Only the worst case shown in the report.*

**LTE Band 4 part:**

Reference Frequency: LTE Band 4 (10MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
<b>QPSK</b>					
3.80	-30	173	0.099856	±2.5	Pass
	-20	165	0.095238		
	-10	158	0.091198		
	0	150	0.086580		
	10	140	0.080808		
	20	132	0.076190		
	30	126	0.072727		
	40	119	0.068687		
	50	101	0.058297		
<b>16QAM</b>					
3.80	-30	170	0.098124	±2.5	Pass
	-20	157	0.090620		
	-10	143	0.082540		
	0	137	0.079076		
	10	130	0.075036		
	20	151	0.087157		
	30	116	0.066955		
	40	123	0.070996		
	50	102	0.058874		

*Note: Only the worst case shown in the report.*

**LTE Band 5 part:**

Reference Frequency: LTE Band 5 (10MHz) Middle channel=20525 channel=836.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
<b>QPSK</b>					
3.80	-30	174	0.208010	±2.5	Pass
	-20	168	0.200837		
	-10	154	0.184100		
	0	162	0.193664		
	10	149	0.178123		
	20	141	0.168559		
	30	130	0.155409		
	40	122	0.145846		
	50	111	0.132696		
<b>16QAM</b>					
3.80	-30	170	0.203228	±2.5	Pass
	-20	156	0.186491		
	-10	163	0.194860		
	0	146	0.174537		
	10	136	0.162582		
	20	127	0.151823		
	30	112	0.133891		
	40	120	0.143455		
	50	103	0.123132		

*Note: Only the worst case shown in the report.*

**LTE Band 7 part:**

Reference Frequency: LTE Band 7 (10MHz) Middle channel=21100 Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
<b>QPSK</b>					
3.80	-30	171	0.067456	±2.5	Pass
	-20	159	0.062722		
	-10	166	0.065483		
	0	152	0.059961		
	10	141	0.055621		
	20	130	0.051282		
	30	121	0.047732		
	40	115	0.045365		
	50	104	0.041026		
<b>16QAM</b>					
3.80	-30	168	0.066272	±2.5	Pass
	-20	150	0.059172		
	-10	161	0.063511		
	0	140	0.055227		
	10	136	0.053649		
	20	131	0.051677		
	30	124	0.048915		
	40	118	0.046548		
	50	102	0.040237		
<i>Note: Only the worst case shown in the report.</i>					



**LTE Band 66 part:**

Reference Frequency: LTE Band 66 (10MHz) Middle channel=132322 channel=1745.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
<b>QPSK</b>					
3.70	-30	180	0.103152	±2.5	Pass
	-20	155	0.088825		
	-10	163	0.093410		
	0	123	0.070487		
	10	140	0.080229		
	20	174	0.099713		
	30	114	0.065330		
	40	105	0.060172		
	50	150	0.085960		
<b>16QAM</b>					
3.70	-30	165	0.094556	±2.5	Pass
	-20	157	0.089971		
	-10	150	0.085960		
	0	143	0.081948		
	10	136	0.077937		
	20	130	0.074499		
	30	124	0.071060		
	40	118	0.067622		
	50	101	0.057880		
<i>Note: Only the worst case shown in the report.</i>					

## 6.7 Frequency stability V.S. Voltage measurement

Test Requirement:	Part 22.355, Part 24.235, Part 27.54, Part 2.1055(d)(2)
Limit:	±2.5ppm
Test setup:	<p>The diagram illustrates the test setup. A Power Source is connected to a Divider. The Divider is connected to two Spectrum Analyzers (SS and SA) and an EUT (Equipment Under Test) inside a Temperature &amp; Humidity Chamber. The Power Source is also connected to the EUT.</p>
Test procedure:	<ol style="list-style-type: none"> <li>1. Set chamber temperature to 25°C. Use a variable DC power source to power the EUT and set the voltage to rated voltage.</li> <li>2. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.</li> <li>3. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.</li> </ol>
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed

**Measurement Data (worst case):**

**LTE Band 2 part:**

Reference Frequency: LTE Band 2(10MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	4.35	89	0.047340	±2.5	Pass
	3.80	76	0.040426		
	3.50	50	0.026596		
16QAM					
25	4.35	87	0.046277	±2.5	Pass
	3.80	70	0.037234		
	3.50	60	0.031915		

*Note: Only the worst case shown in the report.*

**LTE Band 4 part:**

Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	4.35	90	0.051948	±2.5	Pass
	3.80	81	0.046753		
	3.50	73	0.042136		
16QAM					
25	4.35	80	0.046176	±2.5	Pass
	3.80	63	0.036364		
	3.50	50	0.028860		

*Note: Only the worst case shown in the report.*

**LTE Band 5 part:**

Reference Frequency: LTE Band 5(10MHz) Middle channel=20525 channel=836.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	4.35	87	0.104005	±2.5	Pass
	3.80	72	0.086073		
	3.50	63	0.075314		
16QAM					
25	4.35	80	0.095637	±2.5	Pass
	3.80	67	0.080096		
	3.50	59	0.070532		

*Note: Only the worst case shown in the report.*

**LTE Band 7 part:**

Reference Frequency: LTE Band 7(10MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	4.35	88	0.034714	±2.5	Pass
	3.80	59	0.023274		
	3.50	69	0.027219		
16QAM					
25	4.35	83	0.032742	±2.5	Pass
	3.80	64	0.025247		
	3.50	52	0.020513		

*Note: Only the worst case shown in the report.*

**LTE Band 66 part:**

Reference Frequency: LTE Band 66(10MHz) Middle channel=132332 channel=1745.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	4.20	90	0.051576	±2.5	Pass
	3.70	65	0.037249		
	3.50	74	0.042407		
16QAM					
25	4.20	70	0.040115	±2.5	Pass
	3.70	62	0.035530		
	3.50	50	0.028653		

*Note: Only the worst case shown in the report.*