





11N20SISO_Ant1_2437_1000~26500




11N20SISO_Ant1_2462_30~1000




11N20SISO_Ant1_2462_1000~26500






11N40SISO_Ant1_2422_30~1000




11N40SISO_Ant1_2422_1000~26500






11N40SISO_Ant1_2437_30~1000



11N40SISO_Ant1_2437_1000~26500



11N40SISO_Ant1_2452_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N40SISO_Ant1_2452_1000~26500



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Reference level measurement


Test Result


TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm]
11B	Ant0	2412	2412.49	2.51
		2437	2437.98	3.06
		2462	2460.50	3.06
11G	Ant0	2412	2415.72	-4.17
		2437	2438.27	-2.73
		2462	2463.27	-2.76
11N20SISO	Ant0	2412	2416.98	-3.79
		2437	2438.29	-3.12
		2462	2463.25	-2.84
11N40SISO	Ant0	2422	2425.75	-6.20
		2437	2440.71	-7.07
		2452	2448.25	-6.48






Test Graphs






11G_Ant0_2412




11G_Ant0_2437






11G_Ant0_2462




11N20SISO_Ant0_2412




11N20SISO_Ant0_2437






11N20SISO_Ant0_2462




11N40SISO_Ant0_2422






11N40SISO_Ant0_2437



11N40SISO_Ant0_2452






Test Result


TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm]
11B	Ant1	2412	2412.52	3.04
		2437	2437.48	3.49
		2462	2462.52	2.89
11G	Ant1	2412	2410.75	-3.87
		2437	2439.50	-3.36
		2462	2456.98	-4.65
11N20SISO	Ant1	2412	2413.22	-3.08
		2437	2435.75	-3.76
		2462	2464.51	-3.51
11N40SISO	Ant1	2422	2426.98	-6.97
		2437	2439.53	-7.32
		2452	2447.01	-6.43






Test Graphs






11G_Ant1_2412




11G_Ant1_2437






11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437






11N20SISO_Ant1_2462




11N40SISO_Ant1_2422






11N40SISO_Ant1_2437



11N40SISO_Ant1_2452





C.6 Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor	1/T Factor[k Hz]	Verdict
11B	Ant0	2412	8.37	8.42	99.41	0.03	0.12	---
		2437	8.38	8.42	99.52	0.02	0.12	---
		2462	8.39	8.42	99.64	0.02	0.12	---
11G	Ant0	2412	1.39	1.43	97.20	0.12	0.72	---
		2437	1.40	1.44	97.22	0.12	0.71	---
		2462	1.39	1.44	96.53	0.15	0.72	---
11N20SISO	Ant0	2412	1.30	1.34	97.01	0.13	0.77	---
		2437	1.30	1.35	96.30	0.16	0.77	---
		2462	1.30	1.35	96.30	0.16	0.77	---
11N40SISO	Ant0	2422	0.65	0.69	94.20	0.26	1.54	---
		2437	0.65	0.69	94.20	0.26	1.54	---
		2452	0.65	0.69	94.20	0.26	1.54	---






Test Graphs

11B_Ant0_2412




11B_Ant0_2437




11B_Ant0_2462






11G_Ant0_2412




11G_Ant0_2437






11G_Ant0_2462



11N20SISO_Ant0_2412



11N20SISO_Ant0_2437




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



11N20SISO_Ant0_2462




11N40SISO_Ant0_2422






11N40SISO_Ant0_2437



11N40SISO_Ant0_2452





Test Result


TestMode	Antenna	Freq(MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor	1/T Factor[kHz]	Verdict
11B	Ant1	2412	8.38	8.42	99.52	0.02	0.12	---
		2437	8.38	8.42	99.52	0.02	0.12	---
		2462	8.39	8.42	99.64	0.02	0.12	---
11G	Ant1	2412	1.39	1.43	97.20	0.12	0.72	---
		2437	1.39	1.43	97.20	0.12	0.72	---
		2462	1.39	1.44	96.53	0.15	0.72	---
11N20SISO	Ant1	2412	1.30	1.34	97.01	0.13	0.77	---
		2437	1.30	1.35	96.30	0.16	0.77	---
		2462	1.30	1.34	97.01	0.13	0.77	---
11N40SISO	Ant1	2422	0.64	0.69	92.75	0.33	1.56	---
		2437	0.64	0.69	92.75	0.33	1.56	---
		2452	0.64	0.69	92.75	0.33	1.56	---






Test Graphs

11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462






11G_Ant1_2412




11G_Ant1_2437






11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437






11N20SISO_Ant1_2462




11N40SISO_Ant1_2422






11N40SISO_Ant1_2437



11N40SISO_Ant1_2452





C.7 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant0	Low	2412	AV	2310.000	-49.44	≤-41.20	45.76	≤54	PASS
				AV	2377.610	-48.62	≤-41.20	46.58	≤54	PASS
				AV	2390.000	-49.3	≤-41.20	45.90	≤54	PASS
				Peak	2310.000	-42.2	≤-21.20	53.00	≤74	PASS
				Peak	2329.120	-38.69	≤-21.20	56.51	≤74	PASS
				Peak	2390.000	-41.84	≤-21.20	53.36	≤74	PASS
		High	2462	AV	2483.500	-49.09	≤-41.20	46.11	≤54	PASS
				AV	2496.650	-48.28	≤-41.20	46.92	≤54	PASS
				AV	2500.000	-48.61	≤-41.20	46.59	≤54	PASS
				Peak	2483.500	-40.43	≤-21.20	54.77	≤74	PASS
				Peak	2494.890	-38.29	≤-21.20	56.91	≤74	PASS
				Peak	2500.000	-39.93	≤-21.20	55.27	≤74	PASS
11G	Ant0	Low	2412	AV	2310.000	-49.87	≤-41.20	45.33	≤54	PASS
				AV	2389.570	-47.92	≤-41.20	47.28	≤54	PASS
				AV	2390.000	-48.1	≤-41.20	47.10	≤54	PASS
				Peak	2310.000	-41.97	≤-21.20	53.23	≤74	PASS
				Peak	2378.260	-38.04	≤-21.20	57.16	≤74	PASS
				Peak	2390.000	-39.05	≤-21.20	56.15	≤74	PASS
		High	2462	AV	2483.500	-47.65	≤-41.20	47.55	≤54	PASS
				AV	2484.330	-47.11	≤-41.20	48.09	≤54	PASS
				AV	2500.000	-48.44	≤-41.20	46.76	≤54	PASS
				Peak	2483.500	-34.94	≤-21.20	60.26	≤74	PASS
				Peak	2491.040	-37.27	≤-21.20	57.93	≤74	PASS
				Peak	2500.000	-40.03	≤-21.20	55.17	≤74	PASS
11N20SIS O	Ant0	Low	2412	AV	2310.000	-49.97	≤-41.20	45.23	≤54	PASS
				AV	2383.850	-47.69	≤-41.20	47.51	≤54	PASS
				AV	2390.000	-48.16	≤-41.20	47.04	≤54	PASS
				Peak	2310.000	-42.48	≤-21.20	52.72	≤74	PASS
				Peak	2389.830	-37.97	≤-21.20	57.23	≤74	PASS
				Peak	2390.000	-38.22	≤-21.20	56.98	≤74	PASS
		High	2462	AV	2483.500	-47.5	≤-41.20	47.70	≤54	PASS
				AV	2484.110	-46.79	≤-41.20	48.41	≤54	PASS
				AV	2500.000	-47.96	≤-41.20	47.24	≤54	PASS
				Peak	2483.500	-39.7	≤-21.20	55.50	≤74	PASS
				Peak	2485.100	-35.44	≤-21.20	59.76	≤74	PASS
				Peak	2500.000	-40.18	≤-21.20	55.02	≤74	PASS





11N40SIS O	Ant0	Low	2422	AV	2310.000	-49.9	≤-41.20	45.30	≤54	PASS
				AV	2389.830	-47.68	≤-41.20	47.52	≤54	PASS
				AV	2390.000	-48.67	≤-41.20	46.53	≤54	PASS
				Peak	2310.000	-42.61	≤-21.20	52.59	≤74	PASS
				Peak	2386.840	-37.98	≤-21.20	57.22	≤74	PASS
				Peak	2390.000	-39.18	≤-21.20	56.02	≤74	PASS
	High	2452	AV	2483.500	-48.45	≤-41.20	46.75	≤54	PASS	
			AV	2484.110	-46.77	≤-41.20	48.43	≤54	PASS	
			AV	2500.000	-47.74	≤-41.20	47.46	≤54	PASS	
			Peak	2483.500	-40.57	≤-21.20	54.63	≤74	PASS	
			Peak	2485.430	-35.2	≤-21.20	60.00	≤74	PASS	
			Peak	2500.000	-40.09	≤-21.20	55.11	≤74	PASS	

Note:


1. The Antenna Gain is compensated in the graph. The Correction Factor is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.






Test Graphs

11B_Ant0_Low_2412_AV



11B_Ant0_Low_2412_Peak



11B_Ant0_High_2462_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



11B_Ant0_High_2462_Peak




11G_Ant0_Low_2412_AV






11G_Ant0_Low_2412_Peak



11G_Ant0_High_2462_AV



11G_Ant0_High_2462_Peak




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



11N20SISO_Ant0_Low_2412_AV




11N20SISO_Ant0_Low_2412_Peak






11N20SISO_Ant0_High_2462_AV



11N20SISO_Ant0_High_2462_Peak



11N40SISO_Ant0_Low_2422_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



11N40SISO_Ant0_Low_2422_Peak




11N40SISO_Ant0_High_2452_AV





11N40SISO_Ant0_High_2452_Peak





Test Result

TestMode	Antenna	Channel Name	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-49.94	≤-41.20	45.26	≤54	PASS
				AV	2382.940	-48.64	≤-41.20	46.56	≤54	PASS
				AV	2390.000	-49.3	≤-41.20	45.90	≤54	PASS
				Peak	2310.000	-39.5	≤-21.20	55.70	≤74	PASS
				Peak	2380.600	-38.48	≤-21.20	56.72	≤74	PASS
				Peak	2390.000	-41.17	≤-21.20	54.03	≤74	PASS
		High	2462	AV	2483.500	-49.42	≤-41.20	45.78	≤54	PASS
				AV	2487.960	-48.36	≤-41.20	46.84	≤54	PASS
				AV	2500.000	-49.28	≤-41.20	45.92	≤54	PASS
				Peak	2483.500	-41.61	≤-21.20	53.59	≤74	PASS
				Peak	2485.430	-37.96	≤-21.20	57.24	≤74	PASS
				Peak	2500.000	-40.41	≤-21.20	54.79	≤74	PASS
11G	Ant1	Low	2412	AV	2310.000	-49.45	≤-41.20	45.75	≤54	PASS
				AV	2389.830	-47.6	≤-41.20	47.60	≤54	PASS
				AV	2390.000	-47.99	≤-41.20	47.21	≤54	PASS
				Peak	2310.000	-42.14	≤-21.20	53.06	≤74	PASS
				Peak	2323.270	-38.08	≤-21.20	57.12	≤74	PASS
				Peak	2390.000	-38.52	≤-21.20	56.68	≤74	PASS
		High	2462	AV	2483.500	-47.62	≤-41.20	47.58	≤54	PASS
				AV	2488.290	-47.27	≤-41.20	47.93	≤54	PASS
				AV	2500.000	-47.84	≤-41.20	47.36	≤54	PASS
				Peak	2483.500	-39.43	≤-21.20	55.77	≤74	PASS
				Peak	2486.420	-37.45	≤-21.20	57.75	≤74	PASS
				Peak	2500.000	-40.65	≤-21.20	54.55	≤74	PASS
11N20SI SO	Ant1	Low	2412	AV	2310.000	-49.56	≤-41.20	45.64	≤54	PASS
				AV	2385.150	-47.79	≤-41.20	47.41	≤54	PASS
				AV	2390.000	-47.98	≤-41.20	47.22	≤54	PASS
				Peak	2310.000	-40.78	≤-21.20	54.42	≤74	PASS
				Peak	2363.310	-37.74	≤-21.20	57.46	≤74	PASS
				Peak	2390.000	-40.26	≤-21.20	54.94	≤74	PASS
		High	2462	AV	2483.500	-47.66	≤-41.20	47.54	≤54	PASS
				AV	2486.970	-47.17	≤-41.20	48.03	≤54	PASS
				AV	2500.000	-48.26	≤-41.20	46.94	≤54	PASS
				Peak	2483.500	-39.05	≤-21.20	56.15	≤74	PASS
				Peak	2484.220	-35.77	≤-21.20	59.43	≤74	PASS
				Peak	2500.000	-41.04	≤-21.20	54.16	≤74	PASS
11N40SI SO	Ant1	Low	2422	AV	2310.000	-49.74	≤-41.20	45.46	≤54	PASS
				AV	2386.580	-47.92	≤-41.20	47.28	≤54	PASS





				AV	2390.000	-48.81	≤-41.20	46.39	≤54	PASS
				Peak	2310.000	-42.86	≤-21.20	52.34	≤74	PASS
				Peak	2386.580	-37.15	≤-21.20	58.05	≤74	PASS
				Peak	2390.000	-40.25	≤-21.20	54.95	≤74	PASS
		High	2452	AV	2483.500	-47.39	≤-41.20	47.81	≤54	PASS
				AV	2486.200	-47.01	≤-41.20	48.19	≤54	PASS
				AV	2500.000	-47.87	≤-41.20	47.33	≤54	PASS
				Peak	2483.500	-38.86	≤-21.20	56.34	≤74	PASS
				Peak	2486.640	-34.81	≤-21.20	60.39	≤74	PASS
				Peak	2500.000	-37.91	≤-21.20	57.29	≤74	PASS

Note:


- 3. The Antenna Gain is compensated in the graph. The Correction Factor is compensated in the graph.
- 4. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.






Test Graphs

11B_Ant1_Low_2412_AV



11B_Ant1_Low_2412_Peak



11B_Ant1_High_2462_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



11B_Ant1_High_2462_Peak



11G_Ant1_Low_2412_AV



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



11G_Ant1_Low_2412_Peak



11G_Ant1_High_2462_AV



11G_Ant1_High_2462_Peak




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



11N20SISO_Ant1_Low_2412_AV




11N20SISO_Ant1_Low_2412_Peak






11N20SISO_Ant1_High_2462_AV



11N20SISO_Ant1_High_2462_Peak



11N40SISO_Ant1_Low_2422_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



11N40SISO_Ant1_Low_2422_Peak




11N40SISO_Ant1_High_2452_AV





11N40SISO_Ant1_High_2452_Peak





MIMO

Condition	Mode	Frequency (MHz)	ANT0 Power (dBm)	ANT1 Power (dBm)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	2412	-49.56	-49.97	48.51	AV	≤54	Pass
NVNT	n20	2412	-47.79	-47.69	50.53	AV	≤54	Pass
NVNT	n20	2412	-47.98	-48.16	50.20	AV	≤54	Pass
NVNT	n20	2412	-40.78	-42.48	56.72	Peak	≤74	Pass
NVNT	n20	2412	-37.74	-37.97	60.41	Peak	≤74	Pass
NVNT	n20	2412	-40.26	-38.22	59.15	Peak	≤74	Pass
NVNT	n20	2462	-47.66	-47.5	50.69	AV	≤54	Pass
NVNT	n20	2462	-47.17	-46.79	51.29	AV	≤54	Pass
NVNT	n20	2462	-48.26	-47.96	50.16	AV	≤54	Pass
NVNT	n20	2462	-39.05	-39.7	58.91	Peak	≤74	Pass
NVNT	n20	2462	-35.77	-35.44	62.67	Peak	≤74	Pass
NVNT	n20	2462	-41.04	-40.18	57.68	Peak	≤74	Pass
NVNT	n40	2422	-49.74	-49.9	48.45	AV	≤54	Pass
NVNT	n40	2422	-47.92	-47.68	50.47	AV	≤54	Pass
NVNT	n40	2422	-48.81	-48.67	49.53	AV	≤54	Pass
NVNT	n40	2422	-42.86	-42.61	55.53	Peak	≤74	Pass
NVNT	n40	2422	-37.15	-37.98	60.72	Peak	≤74	Pass
NVNT	n40	2422	-40.25	-39.18	58.59	Peak	≤74	Pass
NVNT	n40	2452	-47.39	-48.45	50.38	AV	≤54	Pass
NVNT	n40	2452	-47.01	-46.77	51.38	AV	≤54	Pass
NVNT	n40	2452	-47.87	-47.74	50.46	AV	≤54	Pass
NVNT	n40	2452	-38.86	-40.57	58.64	Peak	≤74	Pass
NVNT	n40	2452	-34.81	-35.2	63.27	Peak	≤74	Pass
NVNT	n40	2452	-37.91	-40.09	59.40	Peak	≤74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity