





## Appendix D

### RF Test Data for 5.2G WIFI (Conducted Measurement)

Product Name: LED PROJECTOR

Test Model: L003A

#### Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	 Nick Peng
Supervised by:	 Li Huan





### D.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	20.249	---	Pass
NVNT	a	5200	Ant1	20.204	---	Pass
NVNT	a	5240	Ant1	20.001	---	Pass
NVNT	n20	5180	Ant1	21.138	---	Pass
NVNT	n20	5200	Ant1	20.974	---	Pass
NVNT	n20	5240	Ant1	21.297	---	Pass
NVNT	n40	5190	Ant1	41.357	---	Pass
NVNT	n40	5230	Ant1	41.542	---	Pass
NVNT	ac20	5180	Ant1	21.284	---	Pass
NVNT	ac20	5200	Ant1	21.229	---	Pass
NVNT	ac20	5240	Ant1	21.057	---	Pass
NVNT	ac40	5190	Ant1	41.211	---	Pass
NVNT	ac40	5230	Ant1	41.436	---	Pass
NVNT	ac80	5210	Ant1	82.952	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1





-26dB Bandwidth NVNT a 5240MHz Ant1



-26dB Bandwidth NVNT n20 5180MHz Ant1






-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1





-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1






-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1







-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1





## D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.18	0	11.18	24	Pass
NVNT	a	5200	Ant1	10.71	0	10.71	24	Pass
NVNT	a	5240	Ant1	10.59	0	10.59	24	Pass
NVNT	n20	5180	Ant1	10.84	0	10.84	24	Pass
NVNT	n20	5200	Ant1	11.45	0	11.45	24	Pass
NVNT	n20	5240	Ant1	11.34	0	11.34	24	Pass
NVNT	n40	5190	Ant1	11.41	0	11.41	24	Pass
NVNT	n40	5230	Ant1	10.75	0	10.75	24	Pass
NVNT	ac20	5180	Ant1	10.89	0	10.89	24	Pass
NVNT	ac20	5200	Ant1	11.5	0	11.5	24	Pass
NVNT	ac20	5240	Ant1	10.92	0	10.92	24	Pass
NVNT	ac40	5190	Ant1	11.36	0	11.36	24	Pass
NVNT	ac40	5230	Ant1	10.77	0	10.77	24	Pass
NVNT	ac80	5210	Ant1	11.02	0	11.02	24	Pass





### D.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	-1.25	0	-1.25	11	Pass
NVNT	a	5200	Ant1	-1.35	0	-1.35	11	Pass
NVNT	a	5240	Ant1	-1.65	0	-1.65	11	Pass
NVNT	n20	5180	Ant1	-1.37	0	-1.37	11	Pass
NVNT	n20	5200	Ant1	-1.2	0	-1.2	11	Pass
NVNT	n20	5240	Ant1	-1.12	0	-1.12	11	Pass
NVNT	n40	5190	Ant1	-4.03	0	-4.03	11	Pass
NVNT	n40	5230	Ant1	-4.7	0	-4.7	11	Pass
NVNT	ac20	5180	Ant1	-1.65	0	-1.65	11	Pass
NVNT	ac20	5200	Ant1	-1.23	0	-1.23	11	Pass
NVNT	ac20	5240	Ant1	-1.55	0	-1.55	11	Pass
NVNT	ac40	5190	Ant1	-3.97	0	-3.97	11	Pass
NVNT	ac40	5230	Ant1	-4.59	0	-4.59	11	Pass
NVNT	ac80	5210	Ant1	-6.47	0	-6.47	11	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1










PSD NVNT a 5240MHz Ant1



PSD NVNT n20 5180MHz Ant1











PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1








PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1





### D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-49.36	2.23	48.10	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-59.68	2.23	37.78	Average	54	Pass
NVNT	a	5180	Ant1	5149.6	-41.67	2.23	55.79	Peak	68.2	Pass
NVNT	a	5180	Ant1	5149.6	-55.49	2.23	41.97	Average	54	Pass
NVNT	a	5180	Ant1	5150	-44.71	2.23	52.75	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-54.97	2.23	42.49	Average	54	Pass
NVNT	a	5240	Ant1	5350	-49.08	2.23	48.38	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-58.89	2.23	38.57	Average	54	Pass
NVNT	a	5240	Ant1	5387.04	-46.73	2.23	50.73	Peak	68.2	Pass
NVNT	a	5240	Ant1	5374.56	-58.65	2.23	38.81	Average	54	Pass
NVNT	a	5240	Ant1	5460	-50.04	2.23	47.42	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-59.25	2.23	38.21	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-49.91	2.23	47.55	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-59.8	2.23	37.66	Average	54	Pass
NVNT	n20	5180	Ant1	5149.6	-40.74	2.23	56.72	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-55.4	2.23	42.06	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-41.58	2.23	55.88	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-54.87	2.23	42.59	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-49.58	2.23	47.88	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-58.78	2.23	38.68	Average	54	Pass
NVNT	n20	5240	Ant1	5372.64	-45.58	2.23	51.88	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5405.28	-58.54	2.23	38.92	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-50.12	2.23	47.34	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-59.43	2.23	38.03	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-50.46	2.23	47.00	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-59.72	2.23	37.74	Average	54	Pass
NVNT	n40	5190	Ant1	5149.7	-37.96	2.23	59.50	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-49.41	2.23	48.05	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-37.96	2.23	59.50	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-49.41	2.23	48.05	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-47.8	2.23	49.66	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-58.57	2.23	38.89	Average	54	Pass
NVNT	n40	5230	Ant1	5399.25	-46.85	2.23	50.61	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5372.52	-58.27	2.23	39.19	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-47.83	2.23	49.63	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-59.19	2.23	38.27	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



NVNT	ac20	5180	Ant1	4500	-48.87	2.23	48.59	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4500	-59.75	2.23	37.71	Average	54	Pass
NVNT	ac20	5180	Ant1	5149.6	-41.43	2.23	56.03	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5149.6	-54.6	2.23	42.86	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-42.51	2.23	54.95	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-54.64	2.23	42.82	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-48.59	2.23	48.87	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-58.78	2.23	38.68	Average	54	Pass
NVNT	ac20	5240	Ant1	5384.16	-46.25	2.23	51.21	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5364	-58.27	2.23	39.19	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-48.72	2.23	48.74	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-59.26	2.23	38.20	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-49.68	2.23	47.78	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-59.34	2.23	38.12	Average	54	Pass
NVNT	ac40	5190	Ant1	5147.51	-37.16	2.23	60.30	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-49.25	2.23	48.21	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-39.96	2.23	57.50	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-49.25	2.23	48.21	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-49.13	2.23	48.33	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-58.46	2.23	39.00	Average	54	Pass
NVNT	ac40	5230	Ant1	5439.21	-46.68	2.23	50.78	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5372.25	-57.82	2.23	39.64	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-49.45	2.23	48.01	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-58.34	2.23	39.12	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-47.16	2.23	50.30	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-55.94	2.23	41.52	Average	54	Pass
NVNT	ac80	5210	Ant1	5434.92	-45.35	2.23	52.11	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5364.63	-55.89	2.23	41.57	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-48.51	2.23	48.95	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-57.41	2.23	40.05	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-50.55	2.23	46.91	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-59.05	2.23	38.41	Average	54	Pass
NVNT	ac80	5210	Ant1	5149.38	-34.4	2.23	63.06	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5141.48	-45.8	2.23	51.66	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-36.19	2.23	61.27	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-45.93	2.23	51.53	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average








Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average





Restrict Band NVNT ac20 5180MHz Ant1 Peak



Restrict Band NVNT ac20 5180MHz Ant1 Average

