



## 1. Bandwidth

### 1.1 OBW


#### 1.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)	Verdict
				Result	
1M	SISO	2402	1	1.027	Pass
		2440	1	1.027	Pass
		2480	1	1.027	Pass
2M	SISO	2402	1	2.063	Pass
		2440	1	2.058	Pass
		2480	1	2.064	Pass


1.1.2 Test Graph





1M\_HCH\_2480MHz\_Ant1\_NTNV



2M\_LCH\_2402MHz\_Ant1\_NTNV









## 1.2 6dB BW

### 1.2.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.665	$\geq 0.5$	Pass
		2440	1	0.664	$\geq 0.5$	Pass
		2480	1	0.662	$\geq 0.5$	Pass
2M	SISO	2402	1	1.148	$\geq 0.5$	Pass
		2440	1	1.149	$\geq 0.5$	Pass
		2480	1	1.137	$\geq 0.5$	Pass

1.2.2 Test Graph






2M\_MCH\_2440MHz\_Ant1\_NTNV



2M\_HCH\_2480MHz\_Ant1\_NTNV





## 2. Maximum Conducted Output Power



### 2.1 Power

#### 2.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	2.40	<=30	Pass
		2440	3.51	<=30	Pass
		2480	2.52	<=30	Pass
2M	SISO	2402	2.48	<=30	Pass
		2440	6.39	<=30	Pass
		2480	2.59	<=30	Pass

Note1: Antenna Gain: Ant1: 2.56dBi;


2.1.2 Test Graph




1M\_HCH\_2480MHz\_Ant1\_NTNV




2M\_LCH\_2402MHz\_Ant1\_NTNV



2M\_MCH\_2440MHz\_Ant1\_NTNV



2M\_HCH\_2480MHz\_Ant1\_NTNV



### 3. Maximum Power Spectral Density



#### 3.1 PSD



##### 3.1.1 Test Result



Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-11.63	<=8	Pass
		2440	-12.30	<=8	Pass
		2480	-12.68	<=8	Pass
2M	SISO	2402	-15.66	<=8	Pass
		2440	-11.66	<=8	Pass
		2480	-15.71	<=8	Pass

Note1: Antenna Gain: Ant1: 2.56dBi;

3.1.2 Test Graph









## 4. Unwanted Emissions In Non-restricted Frequency Bands



### 4.1 Ref



#### 4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	1.63
		2440	1	2.85
		2480	1	1.90
2M	SISO	2402	1	1.58
		2440	1	5.20
		2480	1	1.80


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

4.1.2 Test Graph






2M\_MCH\_2440MHz\_Ant1\_NTNV



2M\_HCH\_2480MHz\_Ant1\_NTNV



## 4.2 CSE

### 4.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	2.85	-17.15	Pass
		2440	1	2.85	-17.15	Pass
		2480	1	2.85	-17.15	Pass
2M	SISO	2402	1	5.20	-14.80	Pass
		2440	1	5.20	-14.80	Pass
		2480	1	5.20	-14.80	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

4.2.2 Test Graph

