










EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

<p>EUT View 1</p>	 <p>A top-down photograph of a black, oval-shaped external unit (EUT) with the 'htc' logo printed in gold on its surface. The device is positioned next to a black L-shaped ruler for scale. The ruler has white markings in millimeters and centimeters. The background is a light blue textured fabric.</p>
<p>EUT View 2</p>	 <p>A side-view photograph of the black oval-shaped external unit. The device is oriented horizontally, showing a small rectangular USB port on its side. It is placed next to a black L-shaped ruler for scale. The ruler has white markings in millimeters and centimeters. The background is a light blue textured fabric.</p>

<p>EUT View 3</p>	
<p>EUT View 4</p>	



<p>EUT View 7</p>	
<p>EUT View 8</p>	

<p>EUT View 9</p>	 A photograph showing a small, black, L-shaped electronic component (EUT) placed on a blue grid background. A black ruler with white markings is positioned vertically to the left of the component, showing measurements from 0 to 100 mm. The component is located between the 20 mm and 30 mm marks on the ruler.
<p>EUT View 10</p>	 A photograph showing the same black electronic component from a different perspective. The component is placed on a blue grid background. A black ruler with white markings is positioned vertically to the left of the component, showing measurements from 0 to 100 mm. The component is located between the 20 mm and 30 mm marks on the ruler.