



Spurious emissions at antenna terminals & Band Edge Compliance

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3552.5MHz	TM1.1	5M	9K-1M	0.06	-75.78	30.00	-45.78	-43.00	Pass	
			1M-30M	1.09	-87.39	10.00	-77.39	-43.00	Pass	
			30M-10G	3117.50	-69.55	0.00	-69.55	-43.00	Pass	
				3924.00	-66.04	0.00	-66.04	-43.00	Pass	
			10G-25G	23836.50	-47.36	0.00	-47.36	-43.00	Pass	
			25G-37G	36348.80	-47.62	0.00	-47.62	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
				3492.49	-50.69	0.00	-50.69	-43.00	Pass	
				3539.35	-48.28	0.00	-48.28	-28.00	Pass	
				3549.50	-31.74	0.00	-31.74	-16.00	Pass	
				3555.50	-33.96	0.00	-33.96	-16.00	Pass	
				3686.39	-38.58	0.00	-38.58	-28.00	Pass	
				3732.77	-46.41	0.00	-46.41	-43.00	Pass	
			Test MIMO_Port2							
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3552.5MHz	TM1.1	5M	9K-1M	0.06	-78.21	30.00	-48.21	-43.00	Pass	
			1M-30M	1.00	-89.81	10.00	-79.81	-43.00	Pass	
			30M-10G	3070.00	-70.16	0.00	-70.16	-43.00	Pass	
				3994.50	-66.70	0.00	-66.70	-43.00	Pass	
			10G-25G	23879.50	-47.47	0.00	-47.47	-43.00	Pass	
			25G-37G	36825.60	-48.09	0.00	-48.09	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
				3525.60	-50.78	0.00	-50.78	-43.00	Pass	
				3539.33	-44.80	0.00	-44.80	-28.00	Pass	
				3549.50	-33.49	0.00	-33.49	-16.00	Pass	
				3555.50	-33.37	0.00	-33.37	-16.00	Pass	
				3686.40	-30.79	0.00	-30.79	-28.00	Pass	
				3727.66	-46.60	0.00	-46.60	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	5M	9K~1M	0.06	-76.19	30.00	-46.19	-43.00	Pass
			1M~30M	1.06	-89.04	10.00	-79.04	-43.00	Pass
			30M~10G	3192.50	-69.58	0.00	-69.58	-43.00	Pass
				3917.50	-66.61	0.00	-66.61	-43.00	Pass
			10G~25G	23934.00	-47.00	0.00	-47.00	-43.00	Pass
			25G~37G	36797.20	-47.80	0.00	-47.80	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3517.64	-50.59	0.00	-50.59	-43.00	Pass
				3610.02	-38.94	0.00	-38.94	-28.00	Pass
				3622.00	-30.19	0.00	-30.19	-16.00	Pass
				3628.00	-31.99	0.00	-31.99	-16.00	Pass
3686.38	-38.71	0.00		-38.71	-28.00	Pass			
			3748.13	-46.32	0.00	-46.32	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	5M	9K~1M	0.06	-78.00	30.00	-48.00	-43.00	Pass
			1M~30M	1.00	-89.64	10.00	-79.64	-43.00	Pass
			30M~10G	3219.00	-69.73	0.00	-69.73	-43.00	Pass
				3934.50	-66.06	0.00	-66.06	-43.00	Pass
			10G~25G	23841.50	-47.72	0.00	-47.72	-43.00	Pass
			25G~37G	36413.20	-47.34	0.00	-47.34	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3457.65	-50.85	0.00	-50.85	-43.00	Pass
				3563.63	-39.03	0.00	-39.03	-28.00	Pass
				3622.00	-33.56	0.00	-33.56	-16.00	Pass
				3628.00	-33.14	0.00	-33.14	-16.00	Pass
3686.40	-30.27	0.00		-30.27	-28.00	Pass			
			3746.14	-46.77	0.00	-46.77	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3697.5MHz	TM1.1	5M	9K-1M	0.06	-75.89	30.00	-45.89	-43.00	Pass
			1M-30M	1.00	-88.24	10.00	-78.24	-43.00	Pass
			30M-10G	3053.50	-69.34	0.00	-69.34	-43.00	Pass
				3933.50	-66.36	0.00	-66.36	-43.00	Pass
			10G-25G	23859.00	-47.66	0.00	-47.66	-43.00	Pass
			25G-37G	36702.00	-47.85	0.00	-47.85	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3494.20	-50.76	0.00	-50.76	-43.00	Pass
				3637.96	-39.87	0.00	-39.87	-28.00	Pass
				3694.50	-30.77	0.00	-30.77	-16.00	Pass
				3700.50	-30.95	0.00	-30.95	-16.00	Pass
				3710.50	-45.47	0.00	-45.47	-28.00	Pass
3734.79	-46.48	0.00	-46.48	-43.00	Pass				

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3697.5MHz	TM1.1	5M	9K-1M	0.06	-78.32	30.00	-48.32	-43.00	Pass
			1M-30M	1.03	-89.37	10.00	-79.37	-43.00	Pass
			30M-10G	2506.50	-69.90	0.00	-69.90	-43.00	Pass
				3911.00	-66.84	0.00	-66.84	-43.00	Pass
			10G-25G	23957.00	-47.14	0.00	-47.14	-43.00	Pass
			25G-37G	36797.20	-47.63	0.00	-47.63	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.20	-50.81	0.00	-50.81	-43.00	Pass
				3680.89	-37.96	0.00	-37.96	-28.00	Pass
				3686.40	-30.10	0.00	-30.10	-16.00	Pass
				3701.66	-34.30	0.00	-34.30	-16.00	Pass
				3710.93	-44.48	0.00	-44.48	-28.00	Pass
3749.30	-46.74	0.00	-46.74	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM1.1	10M	9K-1M	0.06	-78.89	30.00	-48.89	-43.00	Pass
			1M-30M	1.00	-90.05	10.00	-80.05	-43.00	Pass
			30M-10G	3080.50	-70.32	0.00	-70.32	-43.00	Pass
				3946.00	-66.67	0.00	-66.67	-43.00	Pass
			10G-25G	23858.00	-47.70	0.00	-47.70	-43.00	Pass
			25G-37G	36770.00	-48.51	0.00	-48.51	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3479.26	-50.87	0.00	-50.87	-43.00	Pass
				3538.86	-49.06	0.00	-49.06	-28.00	Pass
				3549.01	-38.56	0.00	-38.56	-16.00	Pass
				3563.89	-39.89	0.00	-39.89	-16.00	Pass
				3604.12	-38.79	0.00	-38.79	-28.00	Pass
				3720.60	-46.60	0.00	-46.60	-43.00	Pass

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM1.1	10M	9K-1M	0.06	-74.32	30.00	-44.32	-43.00	Pass
			1M-30M	1.06	-85.85	10.00	-75.85	-43.00	Pass
			30M-10G	3141.00	-69.48	0.00	-69.48	-43.00	Pass
				3950.50	-65.68	0.00	-65.68	-43.00	Pass
			10G-25G	24866.00	-47.48	0.00	-47.48	-43.00	Pass
			25G-37G	36337.60	-48.49	0.00	-48.49	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3513.99	-50.96	0.00	-50.96	-43.00	Pass
				3539.50	-43.24	0.00	-43.24	-28.00	Pass
				3547.62	-31.60	0.00	-31.60	-16.00	Pass
				3560.50	-32.40	0.00	-32.40	-16.00	Pass
				3686.40	-30.94	0.00	-30.94	-28.00	Pass
				3730.43	-46.55	0.00	-46.55	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3625MHz	TM1.1	10M	9K-1M	0.06	-78.75	30.00	-48.75	-43.00	Pass	
			1M-30M	1.03	-90.68	10.00	-80.68	-43.00	Pass	
			30M-10G	2750.00	-70.21	0.00	-70.21	-43.00	Pass	
				3951.50	-65.86	0.00	-65.86	-43.00	Pass	
			10G-25G	23867.00	-47.62	0.00	-47.62	-43.00	Pass	
			25G-37G	36783.20	-48.12	0.00	-48.12	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
				3462.85	-50.67	0.00	-50.67	-43.00	Pass	
				3602.34	-38.11	0.00	-38.11	-28.00	Pass	
				3619.13	-30.23	0.00	-30.23	-16.00	Pass	
3630.65	-33.69	0.00		-33.69	-16.00	Pass				
3640.50	-38.36	0.00		-38.36	-28.00	Pass				
3729.37	-46.40	0.00	-46.40	-43.00	Pass					

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3625MHz	TM1.1	10M	9K-1M	0.06	-74.52	30.00	-44.52	-43.00	Pass	
			1M-30M	1.09	-85.89	10.00	-75.89	-43.00	Pass	
			30M-10G	3185.50	-69.76	0.00	-69.76	-43.00	Pass	
				3953.00	-66.92	0.00	-66.92	-43.00	Pass	
			10G-25G	24020.00	-47.49	0.00	-47.49	-43.00	Pass	
			25G-37G	36752.40	-48.33	0.00	-48.33	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
				3520.54	-50.91	0.00	-50.91	-43.00	Pass	
				3608.99	-36.16	0.00	-36.16	-28.00	Pass	
				3619.50	-30.82	0.00	-30.82	-16.00	Pass	
3630.87	-32.71	0.00		-32.71	-16.00	Pass				
3686.40	-30.22	0.00		-30.22	-28.00	Pass				
3735.10	-46.47	0.00	-46.47	-43.00	Pass					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM1.1	10M	9K-1M	0.06	-78.96	30.00	-48.96	-43.00	Pass
			1M-30M	1.09	-89.91	10.00	-79.91	-43.00	Pass
			30M-10G	2979.00	-69.77	0.00	-69.77	-43.00	Pass
				3913.50	-66.64	0.00	-66.64	-43.00	Pass
			10G-25G	24848.00	-47.42	0.00	-47.42	-43.00	Pass
			25G-37G	36790.00	-48.31	0.00	-48.31	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3495.65	-50.65	0.00	-50.65	-43.00	Pass
				3678.90	-38.54	0.00	-38.54	-28.00	Pass
				3689.50	-34.87	0.00	-34.87	-16.00	Pass
				3700.50	-34.88	0.00	-34.88	-16.00	Pass
				3712.72	-46.15	0.00	-46.15	-28.00	Pass
3748.01	-46.28	0.00		-46.28	-43.00	Pass			

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM1.1	10M	9K-1M	0.06	-74.63	30.00	-44.63	-43.00	Pass
			1M-30M	1.12	-86.67	10.00	-76.67	-43.00	Pass
			30M-10G	2778.00	-70.14	0.00	-70.14	-43.00	Pass
				3960.00	-66.12	0.00	-66.12	-43.00	Pass
			10G-25G	23866.00	-47.91	0.00	-47.91	-43.00	Pass
			25G-37G	36425.60	-48.29	0.00	-48.29	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3478.17	-50.71	0.00	-50.71	-43.00	Pass
				3678.90	-37.11	0.00	-37.11	-28.00	Pass
				3686.34	-29.85	0.00	-29.85	-16.00	Pass
				3701.38	-35.24	0.00	-35.24	-16.00	Pass
				3710.50	-43.64	0.00	-43.64	-28.00	Pass
3742.50	-46.37	0.00		-46.37	-43.00	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3557.5MHz	TM1.1	15M	9K-1M	0.06	-76.13	30.00	-46.13	-43.00	Pass	
			1M-30M	1.06	-84.73	10.00	-74.73	-43.00	Pass	
			30M-10G	3111.00	-69.69	0.00	-69.69	-43.00	Pass	
				3965.00	-66.81	0.00	-66.81	-43.00	Pass	
			10G-25G	24039.00	-48.00	0.00	-48.00	-43.00	Pass	
			25G-37G	36727.60	-48.37	0.00	-48.37	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
					3521.29	-50.88	0.00	-50.88	-43.00	Pass
					3539.11	-47.99	0.00	-47.99	-28.00	Pass
					3549.50	-36.03	0.00	-36.03	-16.00	Pass
	3569.54	-37.46		0.00	-37.46	-16.00	Pass			
	3608.13	-38.62		0.00	-38.62	-28.00	Pass			
		3723.62	-46.72	0.00	-46.72	-43.00	Pass			

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3557.5MHz	TM1.1	15M	9K-1M	0.06	-73.46	30.00	-43.46	-43.00	Pass	
			1M-30M	1.06	-81.02	10.00	-71.02	-43.00	Pass	
			30M-10G	3101.50	-69.72	0.00	-69.72	-43.00	Pass	
				3902.00	-66.59	0.00	-66.59	-43.00	Pass	
			10G-25G	23849.00	-47.96	0.00	-47.96	-43.00	Pass	
			25G-37G	36776.00	-48.24	0.00	-48.24	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
					3494.54	-51.17	0.00	-51.17	-43.00	Pass
					3539.50	-42.50	0.00	-42.50	-28.00	Pass
					3549.50	-34.16	0.00	-34.16	-16.00	Pass
	3565.61	-35.12		0.00	-35.12	-16.00	Pass			
	3686.38	-33.07		0.00	-33.07	-28.00	Pass			
		3734.12	-46.89	0.00	-46.89	-43.00	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	15M	9K~1M	0.06	-75.40	30.00	-45.40	-43.00	Pass
			1M~30M	1.09	-84.19	10.00	-74.19	-43.00	Pass
			30M~10G	2937.50	-70.09	0.00	-70.09	-43.00	Pass
				3848.00	-66.93	0.00	-66.93	-43.00	Pass
			10G~25G	23902.00	-47.70	0.00	-47.70	-43.00	Pass
			25G~37G	36680.40	-48.24	0.00	-48.24	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3474.18	-50.95	0.00	-50.95	-43.00	Pass
				3606.98	-37.15	0.00	-37.15	-28.00	Pass
				3614.27	-35.55	0.00	-35.55	-16.00	Pass
				3636.69	-35.15	0.00	-35.15	-16.00	Pass
3643.06	-37.18	0.00		-37.18	-28.00	Pass			
			3746.60	-46.62	0.00	-46.62	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	15M	9K~1M	0.06	-73.31	30.00	-43.31	-43.00	Pass
			1M~30M	1.09	-80.96	10.00	-70.96	-43.00	Pass
			30M~10G	3112.50	-70.01	0.00	-70.01	-43.00	Pass
				3917.00	-66.62	0.00	-66.62	-43.00	Pass
			10G~25G	24037.50	-48.07	0.00	-48.07	-43.00	Pass
			25G~37G	36638.40	-48.07	0.00	-48.07	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3502.37	-51.07	0.00	-51.07	-43.00	Pass
				3605.94	-36.70	0.00	-36.70	-28.00	Pass
				3616.84	-33.01	0.00	-33.01	-16.00	Pass
				3633.85	-35.20	0.00	-35.20	-16.00	Pass
3686.33	-32.67	0.00		-32.67	-28.00	Pass			
			3744.66	-46.86	0.00	-46.86	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3692.5MHz	TM1.1	15M	9K-1M	0.06	-75.73	30.00	-45.73	-43.00	Pass
			1M-30M	1.09	-84.24	10.00	-74.24	-43.00	Pass
			30M-10G	3230.50	-69.90	0.00	-69.90	-43.00	Pass
				3897.50	-67.06	0.00	-67.06	-43.00	Pass
			10G-25G	23861.00	-47.98	0.00	-47.98	-43.00	Pass
			25G-37G	35901.20	-48.44	0.00	-48.44	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3463.03	-50.74	0.00	-50.74	-43.00	Pass
				3674.50	-38.35	0.00	-38.35	-28.00	Pass
				3683.95	-36.62	0.00	-36.62	-16.00	Pass
				3700.50	-36.21	0.00	-36.21	-16.00	Pass
				3711.87	-46.30	0.00	-46.30	-28.00	Pass
3733.98	-46.78	0.00	-46.78	-43.00	Pass				

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3692.5MHz	TM1.1	15M	9K-1M	0.06	-73.08	30.00	-43.08	-43.00	Pass
			1M-30M	1.12	-82.70	10.00	-72.70	-43.00	Pass
			30M-10G	3333.00	-70.01	0.00	-70.01	-43.00	Pass
				3954.00	-66.61	0.00	-66.61	-43.00	Pass
			10G-25G	23883.50	-47.77	0.00	-47.77	-43.00	Pass
			25G-37G	36761.60	-48.30	0.00	-48.30	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3477.49	-51.13	0.00	-51.13	-43.00	Pass
				3658.88	-37.04	0.00	-37.04	-28.00	Pass
				3680.11	-35.00	0.00	-35.00	-16.00	Pass
				3700.50	-35.24	0.00	-35.24	-16.00	Pass
				3710.50	-43.05	0.00	-43.05	-28.00	Pass
3740.00	-47.02	0.00	-47.02	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Laboratory

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM1.1	20M	9K-1M	0.06	-76.95	30.00	-46.95	-43.00	Pass
			1M-30M	1.09	-87.34	10.00	-77.34	-43.00	Pass
			30M-10G	3128.00	-69.77	0.00	-69.77	-43.00	Pass
				3974.00	-66.28	0.00	-66.28	-43.00	Pass
			10G-25G	23889.50	-47.90	0.00	-47.90	-43.00	Pass
			25G-37G	36808.40	-48.58	0.00	-48.58	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3521.25	-50.87	0.00	-50.87	-43.00	Pass
				3539.50	-46.95	0.00	-46.95	-28.00	Pass
				3548.55	-37.31	0.00	-37.31	-16.00	Pass
				3571.83	-36.23	0.00	-36.23	-16.00	Pass
3580.57	-38.87	0.00		-38.87	-28.00	Pass			
			3727.35	-46.77	0.00	-46.77	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM1.1	20M	9K-1M	0.06	-74.86	30.00	-44.86	-43.00	Pass
			1M-30M	1.06	-85.56	10.00	-75.56	-43.00	Pass
			30M-10G	3085.00	-70.01	0.00	-70.01	-43.00	Pass
				3917.50	-67.10	0.00	-67.10	-43.00	Pass
			10G-25G	23862.50	-47.46	0.00	-47.46	-43.00	Pass
			25G-37G	36254.40	-48.39	0.00	-48.39	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3464.15	-51.00	0.00	-51.00	-43.00	Pass
				3539.50	-41.49	0.00	-41.49	-28.00	Pass
				3549.50	-33.51	0.00	-33.51	-16.00	Pass
				3571.05	-34.57	0.00	-34.57	-16.00	Pass
3686.44	-32.88	0.00		-32.88	-28.00	Pass			
			3735.25	-46.84	0.00	-46.84	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	20M	9K-1M	0.06	-76.63	30.00	-46.63	-43.00	Pass
			1M-30M	1.00	-87.14	10.00	-77.14	-43.00	Pass
			30M-10G	3158.00	-70.00	0.00	-70.00	-43.00	Pass
				3943.00	-66.80	0.00	-66.80	-43.00	Pass
			10G-25G	23830.50	-47.73	0.00	-47.73	-43.00	Pass
			25G-37G	36774.80	-48.57	0.00	-48.57	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3523.32	-50.86	0.00	-50.86	-43.00	Pass
				3604.25	-35.17	0.00	-35.17	-28.00	Pass
				3610.06	-34.17	0.00	-34.17	-16.00	Pass
				3635.96	-32.76	0.00	-32.76	-16.00	Pass
				3657.25	-38.27	0.00	-38.27	-28.00	Pass
				3730.32	-46.80	0.00	-46.80	-43.00	Pass

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	20M	9K-1M	0.06	-74.66	30.00	-44.66	-43.00	Pass
			1M-30M	1.06	-85.55	10.00	-75.55	-43.00	Pass
			30M-10G	3120.00	-69.97	0.00	-69.97	-43.00	Pass
				3919.00	-66.89	0.00	-66.89	-43.00	Pass
			10G-25G	23982.00	-47.75	0.00	-47.75	-43.00	Pass
			25G-37G	36800.40	-48.46	0.00	-48.46	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3499.69	-51.14	0.00	-51.14	-43.00	Pass
				3603.04	-36.04	0.00	-36.04	-28.00	Pass
				3611.53	-34.30	0.00	-34.30	-16.00	Pass
				3642.50	-35.71	0.00	-35.71	-16.00	Pass
				3686.32	-33.38	0.00	-33.38	-28.00	Pass
				3740.39	-46.90	0.00	-46.90	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM1.1	20M	9K-1M	0.06	-76.60	30.00	-46.60	-43.00	Pass
			1M-30M	1.00	-88.50	10.00	-78.50	-43.00	Pass
			30M-10G	2749.50	-70.13	0.00	-70.13	-43.00	Pass
				3992.00	-67.32	0.00	-67.32	-43.00	Pass
			10G-25G	23846.00	-47.71	0.00	-47.71	-43.00	Pass
			25G-37G	36759.60	-48.41	0.00	-48.41	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3460.31	-50.84	0.00	-50.84	-43.00	Pass
				3668.97	-36.37	0.00	-36.37	-28.00	Pass
				3679.03	-33.82	0.00	-33.82	-16.00	Pass
				3700.50	-34.73	0.00	-34.73	-16.00	Pass
				3710.62	-45.14	0.00	-45.14	-28.00	Pass
			3746.09	-46.47	0.00	-46.47	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM1.1	20M	9K-1M	0.06	-75.07	30.00	-45.07	-43.00	Pass
			1M-30M	1.09	-84.73	10.00	-74.73	-43.00	Pass
			30M-10G	3296.00	-70.02	0.00	-70.02	-43.00	Pass
				3923.00	-67.03	0.00	-67.03	-43.00	Pass
			10G-25G	23865.00	-47.52	0.00	-47.52	-43.00	Pass
			25G-37G	36776.00	-48.71	0.00	-48.71	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3472.35	-51.06	0.00	-51.06	-43.00	Pass
				3669.50	-34.58	0.00	-34.58	-28.00	Pass
				3676.54	-34.33	0.00	-34.33	-16.00	Pass
				3700.50	-33.75	0.00	-33.75	-16.00	Pass
				3710.61	-42.51	0.00	-42.51	-28.00	Pass
			3741.67	-46.89	0.00	-46.89	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3552.5MHz	TM3.1	5M	9K-1M	0.28	-79.02	30.00	-49.02	-43.00	Pass
			1M-30M	1.00	-88.23	10.00	-78.23	-43.00	Pass
			30M-10G	3261.50	-70.25	0.00	-70.25	-43.00	Pass
				3922.50	-66.52	0.00	-66.52	-43.00	Pass
			10G-25G	24082.50	-47.84	0.00	-47.84	-43.00	Pass
			25G-37G	36794.80	-48.00	0.00	-48.00	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3497.17	-51.15	0.00	-51.15	-43.00	Pass
				3539.50	-48.67	0.00	-48.67	-28.00	Pass
				3549.50	-33.20	0.00	-33.20	-16.00	Pass
				3555.50	-35.04	0.00	-35.04	-16.00	Pass
				3686.40	-39.47	0.00	-39.47	-28.00	Pass
3738.94	-46.93	0.00	-46.93	-43.00	Pass				

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3552.5MHz	TM3.1	5M	9K-1M	0.29	-73.94	30.00	-43.94	-43.00	Pass
			1M-30M	1.00	-85.73	10.00	-75.73	-43.00	Pass
			30M-10G	3200.00	-69.44	0.00	-69.44	-43.00	Pass
				3934.00	-66.98	0.00	-66.98	-43.00	Pass
			10G-25G	23576.00	-47.94	0.00	-47.94	-43.00	Pass
			25G-37G	36796.40	-48.52	0.00	-48.52	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3519.22	-51.10	0.00	-51.10	-43.00	Pass
				3539.50	-44.52	0.00	-44.52	-28.00	Pass
				3549.50	-32.36	0.00	-32.36	-16.00	Pass
				3555.50	-34.20	0.00	-34.20	-16.00	Pass
				3686.40	-32.20	0.00	-32.20	-28.00	Pass
3740.61	-46.95	0.00	-46.95	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	5M	9K-1M	0.28	-79.60	30.00	-49.60	-43.00	Pass
			1M-30M	1.00	-90.25	10.00	-80.25	-43.00	Pass
			30M-10G	3210.50	-70.19	0.00	-70.19	-43.00	Pass
				3923.00	-66.53	0.00	-66.53	-43.00	Pass
			10G-25G	23833.50	-47.24	0.00	-47.24	-43.00	Pass
			25G-37G	36340.00	-48.61	0.00	-48.61	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3476.81	-50.85	0.00	-50.85	-43.00	Pass
				3610.80	-39.88	0.00	-39.88	-28.00	Pass
				3621.85	-33.53	0.00	-33.53	-16.00	Pass
				3628.15	-32.21	0.00	-32.21	-16.00	Pass
				3686.41	-39.33	0.00	-39.33	-28.00	Pass
			3741.08	-46.54	0.00	-46.54	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	5M	9K-1M	0.28	-77.18	30.00	-47.18	-43.00	Pass
			1M-30M	1.03	-86.28	10.00	-76.28	-43.00	Pass
			30M-10G	3060.00	-70.15	0.00	-70.15	-43.00	Pass
				3948.00	-66.32	0.00	-66.32	-43.00	Pass
			10G-25G	23974.00	-48.06	0.00	-48.06	-43.00	Pass
			25G-37G	36785.20	-47.89	0.00	-47.89	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3459.80	-50.92	0.00	-50.92	-43.00	Pass
				3563.62	-39.53	0.00	-39.53	-28.00	Pass
				3622.00	-31.13	0.00	-31.13	-16.00	Pass
				3628.14	-31.91	0.00	-31.91	-16.00	Pass
				3686.40	-31.24	0.00	-31.24	-28.00	Pass
			3734.40	-47.04	0.00	-47.04	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3697.5MHz	TM3.1	5M	9K-1M	0.28	-78.71	30.00	-48.71	-43.00	Pass
			1M-30M	1.00	-89.50	10.00	-79.50	-43.00	Pass
			30M-10G	3062.50	-69.85	0.00	-69.85	-43.00	Pass
				3937.00	-66.64	0.00	-66.64	-43.00	Pass
			10G-25G	23810.50	-47.72	0.00	-47.72	-43.00	Pass
			25G-37G	34695.60	-48.19	0.00	-48.19	-43.00	Pass
		3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
				3512.63	-50.72	0.00	-50.72	-43.00	Pass
				3684.50	-40.65	0.00	-40.65	-28.00	Pass
				3694.50	-32.36	0.00	-32.36	-16.00	Pass
				3700.50	-33.70	0.00	-33.70	-16.00	Pass
				3711.25	-46.41	0.00	-46.41	-28.00	Pass
		3741.50	-46.77	0.00	-46.77	-43.00	Pass		

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3697.5MHz	TM3.1	5M	9K-1M	0.29	-75.15	30.00	-45.15	-43.00	Pass
			1M-30M	1.09	-86.73	10.00	-76.73	-43.00	Pass
			30M-10G	3285.00	-70.32	0.00	-70.32	-43.00	Pass
				3965.50	-67.11	0.00	-67.11	-43.00	Pass
			10G-25G	23896.00	-47.78	0.00	-47.78	-43.00	Pass
			25G-37G	35912.40	-48.74	0.00	-48.74	-43.00	Pass
		3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
				3450.50	-50.97	0.00	-50.97	-43.00	Pass
				3684.50	-39.14	0.00	-39.14	-28.00	Pass
				3694.50	-30.40	0.00	-30.40	-16.00	Pass
				3700.50	-30.42	0.00	-30.42	-16.00	Pass
				3710.50	-44.85	0.00	-44.85	-28.00	Pass
		3722.56	-46.91	0.00	-46.91	-43.00	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgrupp.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.1	10M	9K-1M	0.06	-74.91	30.00	-44.91	-43.00	Pass
			1M-30M	1.09	-87.46	10.00	-77.46	-43.00	Pass
			30M-10G	2595.50	-70.19	0.00	-70.19	-43.00	Pass
				3909.00	-66.39	0.00	-66.39	-43.00	Pass
			10G-25G	23848.00	-47.72	0.00	-47.72	-43.00	Pass
			25G-37G	36822.00	-48.17	0.00	-48.17	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3461.00	-51.01	0.00	-51.01	-43.00	Pass
				3537.93	-49.47	0.00	-49.47	-28.00	Pass
				3546.72	-35.75	0.00	-35.75	-16.00	Pass
				3560.50	-34.84	0.00	-34.84	-16.00	Pass
3686.38	-39.12	0.00		-39.12	-28.00	Pass			
3741.00	-46.69	0.00	-46.69	-43.00	Pass				

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.1	10M	9K-1M	0.06	-79.40	30.00	-49.40	-43.00	Pass
			1M-30M	1.00	-88.40	10.00	-78.40	-43.00	Pass
			30M-10G	3208.50	-69.90	0.00	-69.90	-43.00	Pass
				3978.00	-66.63	0.00	-66.63	-43.00	Pass
			10G-25G	24084.00	-47.41	0.00	-47.41	-43.00	Pass
			25G-37G	36817.20	-48.50	0.00	-48.50	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3495.06	-51.30	0.00	-51.30	-43.00	Pass
				3538.92	-44.77	0.00	-44.77	-28.00	Pass
				3548.97	-33.89	0.00	-33.89	-16.00	Pass
				3563.25	-36.81	0.00	-36.81	-16.00	Pass
3686.41	-31.12	0.00		-31.12	-28.00	Pass			
3737.78	-46.95	0.00	-46.95	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	10M	9K-1M	0.06	-75.04	30.00	-45.04	-43.00	Pass
			1M-30M	1.09	-87.13	10.00	-77.13	-43.00	Pass
			30M-10G	3080.50	-70.17	0.00	-70.17	-43.00	Pass
				3966.00	-66.91	0.00	-66.91	-43.00	Pass
			10G-25G	23900.50	-47.36	0.00	-47.36	-43.00	Pass
			25G-37G	36777.60	-47.94	0.00	-47.94	-43.00	Pass
		3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3479.35	-51.06	0.00	-51.06	-43.00	Pass	
			3609.48	-37.55	0.00	-37.55	-28.00	Pass	
			3618.45	-34.06	0.00	-34.06	-16.00	Pass	
			3631.14	-34.93	0.00	-34.93	-16.00	Pass	
3641.55	-39.07	0.00	-39.07	-28.00	Pass				
3743.19	-46.71	0.00	-46.71	-43.00	Pass				

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	10M	9K-1M	0.06	-79.61	30.00	-49.61	-43.00	Pass
			1M-30M	1.00	-89.22	10.00	-79.22	-43.00	Pass
			30M-10G	3203.50	-69.77	0.00	-69.77	-43.00	Pass
				3984.00	-66.67	0.00	-66.67	-43.00	Pass
			10G-25G	23770.50	-47.77	0.00	-47.77	-43.00	Pass
			25G-37G	36245.20	-48.47	0.00	-48.47	-43.00	Pass
		3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3513.73	-51.22	0.00	-51.22	-43.00	Pass	
			3609.50	-37.34	0.00	-37.34	-28.00	Pass	
			3615.25	-34.58	0.00	-34.58	-16.00	Pass	
			3631.14	-32.66	0.00	-32.66	-16.00	Pass	
3686.38	-30.58	0.00	-30.58	-28.00	Pass				
3744.06	-46.76	0.00	-46.76	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM3.1	10M	9K-1M	0.06	-75.04	30.00	-45.04	-43.00	Pass
			1M-30M	1.06	-87.17	10.00	-77.17	-43.00	Pass
			30M-10G	3205.00	-70.03	0.00	-70.03	-43.00	Pass
				3944.00	-66.62	0.00	-66.62	-43.00	Pass
			10G-25G	23858.50	-47.49	0.00	-47.49	-43.00	Pass
			25G-37G	36347.60	-47.99	0.00	-47.99	-43.00	Pass
		3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
				3487.40	-51.04	0.00	-51.04	-43.00	Pass
				3678.89	-38.88	0.00	-38.88	-28.00	Pass
				3689.50	-34.32	0.00	-34.32	-16.00	Pass
				3701.01	-36.26	0.00	-36.26	-16.00	Pass
	3715.19	-46.68	0.00	-46.68	-28.00	Pass			
	3726.73	-46.74	0.00	-46.74	-43.00	Pass			

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM3.1	10M	9K-1M	0.06	-79.23	30.00	-49.23	-43.00	Pass
			1M-30M	1.09	-90.08	10.00	-80.08	-43.00	Pass
			30M-10G	3087.50	-69.83	0.00	-69.83	-43.00	Pass
				3933.00	-66.69	0.00	-66.69	-43.00	Pass
			10G-25G	24987.50	-47.62	0.00	-47.62	-43.00	Pass
			25G-37G	35968.40	-47.74	0.00	-47.74	-43.00	Pass
		3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
				3480.72	-51.20	0.00	-51.20	-43.00	Pass
				3648.90	-37.81	0.00	-37.81	-28.00	Pass
				3686.28	-29.89	0.00	-29.89	-16.00	Pass
				3701.02	-34.20	0.00	-34.20	-16.00	Pass
	3710.50	-43.97	0.00	-43.97	-28.00	Pass			
	3742.50	-46.82	0.00	-46.82	-43.00	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3557.5MHz	TM3.1	15M	9K-1M	0.28	-74.11	30.00	-44.11	-43.00	Pass
			1M-30M	1.00	-84.65	10.00	-74.65	-43.00	Pass
			30M-10G	3112.00	-70.08	0.00	-70.08	-43.00	Pass
				3938.50	-66.86	0.00	-66.86	-43.00	Pass
			10G-25G	23865.50	-47.61	0.00	-47.61	-43.00	Pass
			25G-37G	36724.40	-48.89	0.00	-48.89	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3518.18	-51.06	0.00	-51.06	-43.00	Pass
				3539.50	-47.60	0.00	-47.60	-28.00	Pass
				3549.50	-35.16	0.00	-35.16	-16.00	Pass
				3565.50	-34.35	0.00	-34.35	-16.00	Pass
3575.63	-39.06	0.00		-39.06	-28.00	Pass			
			3721.21	-46.85	0.00	-46.85	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3557.5MHz	TM3.1	15M	9K-1M	0.06	-76.68	30.00	-46.68	-43.00	Pass
			1M-30M	1.09	-85.47	10.00	-75.47	-43.00	Pass
			30M-10G	3222.50	-69.73	0.00	-69.73	-43.00	Pass
				3906.50	-66.92	0.00	-66.92	-43.00	Pass
			10G-25G	24602.50	-47.23	0.00	-47.23	-43.00	Pass
			25G-37G	36362.80	-47.61	0.00	-47.61	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3509.29	-51.39	0.00	-51.39	-43.00	Pass
				3539.50	-42.11	0.00	-42.11	-28.00	Pass
				3549.50	-34.16	0.00	-34.16	-16.00	Pass
				3566.74	-35.73	0.00	-35.73	-16.00	Pass
3686.35	-32.94	0.00		-32.94	-28.00	Pass			
			3748.62	-46.80	0.00	-46.80	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	15M	9K-1M	0.28	-76.80	30.00	-46.80	-43.00	Pass
			1M-30M	1.12	-85.55	10.00	-75.55	-43.00	Pass
			30M-10G	3233.00	-70.04	0.00	-70.04	-43.00	Pass
				3912.50	-66.33	0.00	-66.33	-43.00	Pass
			10G-25G	23834.50	-47.92	0.00	-47.92	-43.00	Pass
			25G-37G	36809.20	-48.47	0.00	-48.47	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3512.25	-51.07	0.00	-51.07	-43.00	Pass
				3607.00	-36.90	0.00	-36.90	-28.00	Pass
				3616.96	-32.17	0.00	-32.17	-16.00	Pass
				3635.12	-34.75	0.00	-34.75	-16.00	Pass
				3643.00	-36.09	0.00	-36.09	-28.00	Pass
			3731.69	-46.71	0.00	-46.71	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	15M	9K-1M	0.06	-76.42	30.00	-46.42	-43.00	Pass
			1M-30M	1.09	-85.56	10.00	-75.56	-43.00	Pass
			30M-10G	3043.00	-69.26	0.00	-69.26	-43.00	Pass
				3924.50	-66.37	0.00	-66.37	-43.00	Pass
			10G-25G	23843.00	-47.48	0.00	-47.48	-43.00	Pass
			25G-37G	36790.00	-48.17	0.00	-48.17	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3452.41	-51.22	0.00	-51.22	-43.00	Pass
				3606.63	-36.55	0.00	-36.55	-28.00	Pass
				3617.00	-34.70	0.00	-34.70	-16.00	Pass
				3634.51	-35.51	0.00	-35.51	-16.00	Pass
				3686.38	-32.66	0.00	-32.66	-28.00	Pass
			3734.17	-46.86	0.00	-46.86	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3692.5MHz	TM3.1	15M	9K-1M	0.28	-73.98	30.00	-43.98	-43.00	Pass
			1M-30M	1.09	-84.06	10.00	-74.06	-43.00	Pass
			30M-10G	3226.50	-69.77	0.00	-69.77	-43.00	Pass
				3897.00	-66.94	0.00	-66.94	-43.00	Pass
			10G-25G	23850.00	-47.89	0.00	-47.89	-43.00	Pass
			25G-37G	36667.60	-48.43	0.00	-48.43	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3451.28	-50.87	0.00	-50.87	-43.00	Pass
				3673.48	-38.20	0.00	-38.20	-28.00	Pass
				3684.50	-35.70	0.00	-35.70	-16.00	Pass
				3700.50	-36.89	0.00	-36.89	-16.00	Pass
				3711.64	-46.15	0.00	-46.15	-28.00	Pass
3743.23	-46.68	0.00		-46.68	-43.00	Pass			

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3692.5MHz	TM3.1	15M	9K-1M	0.28	-75.56	30.00	-45.56	-43.00	Pass
			1M-30M	1.12	-85.95	10.00	-75.95	-43.00	Pass
			30M-10G	3217.00	-69.77	0.00	-69.77	-43.00	Pass
				3923.50	-66.46	0.00	-66.46	-43.00	Pass
			10G-25G	23986.50	-47.40	0.00	-47.40	-43.00	Pass
			25G-37G	36784.00	-47.94	0.00	-47.94	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3484.63	-51.15	0.00	-51.15	-43.00	Pass
				3656.93	-36.92	0.00	-36.92	-28.00	Pass
				3684.50	-33.07	0.00	-33.07	-16.00	Pass
				3700.50	-35.04	0.00	-35.04	-16.00	Pass
				3710.50	-43.47	0.00	-43.47	-28.00	Pass
3726.15	-46.95	0.00		-46.95	-43.00	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM3.1	20M	9K-1M	0.06	-78.84	30.00	-48.84	-43.00	Pass
			1M-30M	1.06	-89.86	10.00	-79.86	-43.00	Pass
			30M-10G	3306.00	-69.75	0.00	-69.75	-43.00	Pass
				3976.00	-66.65	0.00	-66.65	-43.00	Pass
			10G-25G	23838.00	-47.53	0.00	-47.53	-43.00	Pass
			25G-37G	35909.20	-48.19	0.00	-48.19	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3502.95	-50.92	0.00	-50.92	-43.00	Pass
				3539.50	-46.64	0.00	-46.64	-28.00	Pass
				3549.50	-35.10	0.00	-35.10	-16.00	Pass
				3571.82	-35.29	0.00	-35.29	-16.00	Pass
				3580.50	-39.03	0.00	-39.03	-28.00	Pass
				3730.18	-46.65	0.00	-46.65	-43.00	Pass

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM3.1	20M	9K-1M	0.06	-79.47	30.00	-49.47	-43.00	Pass
			1M-30M	1.00	-89.10	10.00	-79.10	-43.00	Pass
			30M-10G	3193.50	-69.78	0.00	-69.78	-43.00	Pass
				3925.00	-66.26	0.00	-66.26	-43.00	Pass
			10G-25G	23841.00	-47.47	0.00	-47.47	-43.00	Pass
			25G-37G	36795.60	-47.98	0.00	-47.98	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3474.62	-51.07	0.00	-51.07	-43.00	Pass
				3539.50	-42.48	0.00	-42.48	-28.00	Pass
				3548.38	-35.04	0.00	-35.04	-16.00	Pass
				3571.20	-34.57	0.00	-34.57	-16.00	Pass
				3686.38	-32.68	0.00	-32.68	-28.00	Pass
				3726.68	-47.02	0.00	-47.02	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3625MHz	TM3.1	20M	9K-1M	0.06	-79.08	30.00	-49.08	-43.00	Pass	
			1M-30M	1.00	-89.17	10.00	-79.17	-43.00	Pass	
			30M-10G	3072.00	-70.05	0.00	-70.05	-43.00	Pass	
				3982.00	-66.19	0.00	-66.19	-43.00	Pass	
			10G-25G	23984.00	-47.67	0.00	-47.67	-43.00	Pass	
			25G-37G	35925.20	-48.16	0.00	-48.16	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
					3518.25	-51.17	0.00	-51.17	-43.00	Pass
					3604.49	-36.94	0.00	-36.94	-28.00	Pass
					3613.76	-33.22	0.00	-33.22	-16.00	Pass
	3635.89	-34.76		0.00	-34.76	-16.00	Pass			
	3646.75	-36.77		0.00	-36.77	-28.00	Pass			
		3741.55	-46.65	0.00	-46.65	-43.00	Pass			

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3625MHz	TM3.1	20M	9K-1M	0.06	-79.20	30.00	-49.20	-43.00	Pass	
			1M-30M	1.03	-89.67	10.00	-79.67	-43.00	Pass	
			30M-10G	3208.00	-70.03	0.00	-70.03	-43.00	Pass	
				3930.00	-66.65	0.00	-66.65	-43.00	Pass	
			10G-25G	23836.00	-47.28	0.00	-47.28	-43.00	Pass	
			25G-37G	35992.40	-47.96	0.00	-47.96	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
					3471.16	-51.14	0.00	-51.14	-43.00	Pass
					3602.80	-35.87	0.00	-35.87	-28.00	Pass
					3613.76	-33.74	0.00	-33.74	-16.00	Pass
	3635.63	-33.53		0.00	-33.53	-16.00	Pass			
	3645.50	-36.13		0.00	-36.13	-28.00	Pass			
		3737.76	-46.80	0.00	-46.80	-43.00	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.1	20M	9K-1M	0.06	-79.05	30.00	-49.05	-43.00	Pass
			1M-30M	1.00	-90.48	10.00	-80.48	-43.00	Pass
			30M-10G	3241.00	-69.86	0.00	-69.86	-43.00	Pass
				3908.00	-66.33	0.00	-66.33	-43.00	Pass
			10G-25G	23850.00	-47.55	0.00	-47.55	-43.00	Pass
			25G-37G	36808.00	-48.45	0.00	-48.45	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3467.07	-50.90	0.00	-50.90	-43.00	Pass
				3667.96	-36.02	0.00	-36.02	-28.00	Pass
				3679.50	-31.92	0.00	-31.92	-16.00	Pass
				3700.50	-34.50	0.00	-34.50	-16.00	Pass
3710.80	-45.56	0.00		-45.56	-28.00	Pass			
3747.18	-46.61	0.00		-46.61	-43.00	Pass			

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.1	20M	9K-1M	0.06	-79.05	30.00	-49.05	-43.00	Pass
			1M-30M	1.03	-89.41	10.00	-79.41	-43.00	Pass
			30M-10G	3237.50	-70.08	0.00	-70.08	-43.00	Pass
				3904.50	-66.42	0.00	-66.42	-43.00	Pass
			10G-25G	23848.50	-47.28	0.00	-47.28	-43.00	Pass
			25G-37G	34650.80	-48.54	0.00	-48.54	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3525.43	-51.07	0.00	-51.07	-43.00	Pass
				3655.14	-36.62	0.00	-36.62	-28.00	Pass
				3677.83	-34.36	0.00	-34.36	-16.00	Pass
				3700.50	-33.13	0.00	-33.13	-16.00	Pass
3710.50	-42.54	0.00		-42.54	-28.00	Pass			
3743.81	-46.92	0.00		-46.92	-43.00	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3552.5MHz	TM3.2	5M	9K-1M	0.28	-76.39	30.00	-46.39	-43.00	Pass
			1M-30M	1.00	-87.66	10.00	-77.66	-43.00	Pass
			30M-10G	3121.00	-70.14	0.00	-70.14	-43.00	Pass
				3947.50	-66.54	0.00	-66.54	-43.00	Pass
			10G-25G	23790.50	-48.20	0.00	-48.20	-43.00	Pass
			25G-37G	35794.00	-48.70	0.00	-48.70	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3464.53	-50.59	0.00	-50.59	-43.00	Pass
				3539.27	-48.69	0.00	-48.69	-28.00	Pass
				3549.50	-35.66	0.00	-35.66	-16.00	Pass
				3555.50	-32.57	0.00	-32.57	-16.00	Pass
				3686.41	-38.00	0.00	-38.00	-28.00	Pass
			3736.59	-46.47	0.00	-46.47	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3552.5MHz	TM3.2	5M	9K-1M	0.06	-75.36	30.00	-45.36	-43.00	Pass
			1M-30M	1.09	-84.49	10.00	-74.49	-43.00	Pass
			30M-10G	3319.00	-70.18	0.00	-70.18	-43.00	Pass
				3932.00	-66.43	0.00	-66.43	-43.00	Pass
			10G-25G	23929.00	-47.62	0.00	-47.62	-43.00	Pass
			25G-37G	36714.40	-48.62	0.00	-48.62	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3465.87	-50.87	0.00	-50.87	-43.00	Pass
				3539.50	-44.29	0.00	-44.29	-28.00	Pass
				3549.11	-34.46	0.00	-34.46	-16.00	Pass
				3555.50	-36.41	0.00	-36.41	-16.00	Pass
				3686.40	-29.13	0.00	-29.13	-28.00	Pass
			3737.62	-46.61	0.00	-46.61	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	5M	9K-1M	0.28	-75.42	30.00	-45.42	-43.00	Pass
			1M-30M	1.03	-87.03	10.00	-77.03	-43.00	Pass
			30M-10G	3083.50	-70.29	0.00	-70.29	-43.00	Pass
				3920.00	-66.74	0.00	-66.74	-43.00	Pass
			10G-25G	23868.00	-48.07	0.00	-48.07	-43.00	Pass
			25G-37G	36729.60	-48.68	0.00	-48.68	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3502.66	-50.71	0.00	-50.71	-43.00	Pass
				3607.30	-38.94	0.00	-38.94	-28.00	Pass
				3622.00	-32.16	0.00	-32.16	-16.00	Pass
3628.00	-30.80	0.00		-30.80	-16.00	Pass			
3686.41	-37.41	0.00		-37.41	-28.00	Pass			
			3740.97	-46.30	0.00	-46.30	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	5M	9K-1M	0.06	-75.82	30.00	-45.82	-43.00	Pass
			1M-30M	1.09	-85.04	10.00	-75.04	-43.00	Pass
			30M-10G	3246.00	-69.97	0.00	-69.97	-43.00	Pass
				3983.50	-66.35	0.00	-66.35	-43.00	Pass
			10G-25G	22159.50	-48.06	0.00	-48.06	-43.00	Pass
			25G-37G	36783.20	-48.55	0.00	-48.55	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3517.87	-50.94	0.00	-50.94	-43.00	Pass
				3563.62	-38.64	0.00	-38.64	-28.00	Pass
				3621.23	-31.50	0.00	-31.50	-16.00	Pass
3628.00	-31.67	0.00		-31.67	-16.00	Pass			
3686.41	-28.70	0.00		-28.70	-28.00	Pass			
			3731.73	-46.56	0.00	-46.56	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3697.5MHz	TM3.2	5M	9K-1M	0.28	-77.66	30.00	-47.66	-43.00	Pass	
			1M-30M	1.09	-86.47	10.00	-76.47	-43.00	Pass	
			30M-10G	3083.00	-69.84	0.00	-69.84	-43.00	Pass	
				3908.00	-66.82	0.00	-66.82	-43.00	Pass	
			10G-25G	23845.00	-47.76	0.00	-47.76	-43.00	Pass	
			25G-37G	36815.20	-48.37	0.00	-48.37	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
					3518.85	-50.58	0.00	-50.58	-43.00	Pass
					3608.29	-39.40	0.00	-39.40	-28.00	Pass
					3694.50	-33.24	0.00	-33.24	-16.00	Pass
	3700.50	-35.10		0.00	-35.10	-16.00	Pass			
	3711.00	-45.94		0.00	-45.94	-28.00	Pass			
		3722.01	-46.35	0.00	-46.35	-43.00	Pass			

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3697.5MHz	TM3.2	5M	9K-1M	0.29	-74.23	30.00	-44.23	-43.00	Pass	
			1M-30M	1.09	-85.37	10.00	-75.37	-43.00	Pass	
			30M-10G	3275.00	-69.67	0.00	-69.67	-43.00	Pass	
				3934.50	-66.35	0.00	-66.35	-43.00	Pass	
			10G-25G	23865.00	-47.90	0.00	-47.90	-43.00	Pass	
			25G-37G	36388.80	-48.45	0.00	-48.45	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
					3490.27	-51.00	0.00	-51.00	-43.00	Pass
					3654.02	-38.35	0.00	-38.35	-28.00	Pass
					3686.40	-28.93	0.00	-28.93	-16.00	Pass
	3700.50	-32.88		0.00	-32.88	-16.00	Pass			
	3710.57	-44.13		0.00	-44.13	-28.00	Pass			
		3720.50	-46.65	0.00	-46.65	-43.00	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.2	10M	9K-1M	0.29	-79.03	30.00	-49.03	-43.00	Pass
			1M-30M	1.03	-88.40	10.00	-78.40	-43.00	Pass
			30M-10G	3119.00	-69.78	0.00	-69.78	-43.00	Pass
				3964.50	-66.25	0.00	-66.25	-43.00	Pass
			10G-25G	23849.00	-47.56	0.00	-47.56	-43.00	Pass
			25G-37G	36778.40	-48.34	0.00	-48.34	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3509.80	-51.05	0.00	-51.05	-43.00	Pass
				3539.50	-48.11	0.00	-48.11	-28.00	Pass
				3549.50	-34.97	0.00	-34.97	-16.00	Pass
				3563.40	-37.72	0.00	-37.72	-16.00	Pass
				3686.36	-39.07	0.00	-39.07	-28.00	Pass
			3748.78	-46.53	0.00	-46.53	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.2	10M	9K-1M	0.06	-78.61	30.00	-48.61	-43.00	Pass
			1M-30M	1.17	-90.22	10.00	-80.22	-43.00	Pass
			30M-10G	3331.50	-69.92	0.00	-69.92	-43.00	Pass
				3971.00	-66.40	0.00	-66.40	-43.00	Pass
			10G-25G	23838.50	-47.65	0.00	-47.65	-43.00	Pass
			25G-37G	36744.40	-48.19	0.00	-48.19	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3476.87	-51.29	0.00	-51.29	-43.00	Pass
				3539.50	-43.53	0.00	-43.53	-28.00	Pass
				3549.36	-34.40	0.00	-34.40	-16.00	Pass
				3560.65	-33.96	0.00	-33.96	-16.00	Pass
				3686.39	-30.88	0.00	-30.88	-28.00	Pass
			3741.15	-46.78	0.00	-46.78	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3625MHz	TM3.2	10M	9K~1M	0.29	-77.50	30.00	-47.50	-43.00	Pass	
			1M~30M	1.00	-89.62	10.00	-79.62	-43.00	Pass	
			30M~10G	3223.00	-70.07	0.00	-70.07	-43.00	Pass	
				3936.00	-66.78	0.00	-66.78	-43.00	Pass	
			10G~25G	23851.00	-47.90	0.00	-47.90	-43.00	Pass	
			25G~37G	36657.60	-48.13	0.00	-48.13	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
					3514.95	-50.97	0.00	-50.97	-43.00	Pass
					3608.22	-38.29	0.00	-38.29	-28.00	Pass
					3619.37	-31.96	0.00	-31.96	-16.00	Pass
	3630.50	-28.59		0.00	-28.59	-16.00	Pass			
	3643.38	-38.70		0.00	-38.70	-28.00	Pass			
		3744.12	-46.50	0.00	-46.50	-43.00	Pass			

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict	
3625MHz	TM3.2	10M	9K~1M	0.06	-78.11	30.00	-48.11	-43.00	Pass	
			1M~30M	1.06	-89.15	10.00	-79.15	-43.00	Pass	
			30M~10G	2692.50	-70.21	0.00	-70.21	-43.00	Pass	
				3943.00	-66.82	0.00	-66.82	-43.00	Pass	
			10G~25G	24020.00	-47.54	0.00	-47.54	-43.00	Pass	
			25G~37G	36750.00	-48.39	0.00	-48.39	-43.00	Pass	
			3.5 GHz Emissions	Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
					3506.54	-51.23	0.00	-51.23	-43.00	Pass
					3608.23	-37.33	0.00	-37.33	-28.00	Pass
					3619.39	-30.58	0.00	-30.58	-16.00	Pass
	3630.50	-33.38		0.00	-33.38	-16.00	Pass			
	3686.39	-30.61		0.00	-30.61	-28.00	Pass			
		3733.34	-46.72	0.00	-46.72	-43.00	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM3.2	10M	9K-1M	0.06	-79.64	30.00	-49.64	-43.00	Pass
			1M-30M	1.09	-89.74	10.00	-79.74	-43.00	Pass
			30M-10G	3078.50	-69.75	0.00	-69.75	-43.00	Pass
				3969.00	-67.02	0.00	-67.02	-43.00	Pass
			10G-25G	24824.50	-47.83	0.00	-47.83	-43.00	Pass
			25G-37G	35911.60	-47.98	0.00	-47.98	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3482.79	-50.98	0.00	-50.98	-43.00	Pass
				3677.12	-38.86	0.00	-38.86	-28.00	Pass
				3688.07	-35.59	0.00	-35.59	-16.00	Pass
				3700.50	-35.90	0.00	-35.90	-16.00	Pass
3710.50	-45.55	0.00		-45.55	-28.00	Pass			
			3720.50	-46.75	0.00	-46.75	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM3.2	10M	9K-1M	0.06	-78.98	30.00	-48.98	-43.00	Pass
			1M-30M	1.09	-89.98	10.00	-79.98	-43.00	Pass
			30M-10G	3194.50	-69.81	0.00	-69.81	-43.00	Pass
				3930.50	-66.77	0.00	-66.77	-43.00	Pass
			10G-25G	23764.00	-47.57	0.00	-47.57	-43.00	Pass
			25G-37G	36798.40	-48.54	0.00	-48.54	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3478.50	-51.03	0.00	-51.03	-43.00	Pass
				3679.15	-37.20	0.00	-37.20	-28.00	Pass
				3686.40	-29.74	0.00	-29.74	-16.00	Pass
				3703.51	-36.57	0.00	-36.57	-16.00	Pass
3710.50	-43.89	0.00		-43.89	-28.00	Pass			
			3748.12	-46.79	0.00	-46.79	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3557.5MHz	TM3.2	15M	9K~1M	0.29	-76.22	30.00	-46.22	-43.00	Pass
			1M~30M	1.06	-83.70	10.00	-73.70	-43.00	Pass
			30M~10G	3267.50	-69.84	0.00	-69.84	-43.00	Pass
				3956.00	-66.92	0.00	-66.92	-43.00	Pass
			10G~25G	24015.00	-47.51	0.00	-47.51	-43.00	Pass
			25G~37G	36698.80	-47.51	0.00	-47.51	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3468.15	-50.84	0.00	-50.84	-43.00	Pass
				3539.45	-47.90	0.00	-47.90	-28.00	Pass
				3549.49	-35.59	0.00	-35.59	-16.00	Pass
3566.96	-35.97	0.00		-35.97	-16.00	Pass			
3578.47	-39.50	0.00		-39.50	-28.00	Pass			
			3721.25	-46.74	0.00	-46.74	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3557.5MHz	TM3.2	15M	9K~1M	0.28	-75.68	30.00	-45.68	-43.00	Pass
			1M~30M	1.09	-83.55	10.00	-73.55	-43.00	Pass
			30M~10G	3218.50	-69.33	0.00	-69.33	-43.00	Pass
				3963.50	-66.20	0.00	-66.20	-43.00	Pass
			10G~25G	23843.00	-47.44	0.00	-47.44	-43.00	Pass
			25G~37G	36756.40	-48.06	0.00	-48.06	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3509.12	-51.27	0.00	-51.27	-43.00	Pass
				3539.50	-42.48	0.00	-42.48	-28.00	Pass
				3549.50	-34.77	0.00	-34.77	-16.00	Pass
3565.50	-33.65	0.00		-33.65	-16.00	Pass			
3686.45	-33.14	0.00		-33.14	-28.00	Pass			
			3731.86	-46.86	0.00	-46.86	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	15M	9K~1M	0.28	-76.32	30.00	-46.32	-43.00	Pass
			1M~30M	1.09	-84.71	10.00	-74.71	-43.00	Pass
			30M~10G	3113.00	-70.14	0.00	-70.14	-43.00	Pass
				3962.00	-66.73	0.00	-66.73	-43.00	Pass
			10G~25G	23851.00	-47.52	0.00	-47.52	-43.00	Pass
			25G~37G	36797.60	-48.23	0.00	-48.23	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3511.27	-51.02	0.00	-51.02	-43.00	Pass
				3607.00	-35.66	0.00	-35.66	-28.00	Pass
				3615.87	-34.12	0.00	-34.12	-16.00	Pass
3636.05	-35.09	0.00		-35.09	-16.00	Pass			
3643.30	-36.55	0.00		-36.55	-28.00	Pass			
			3743.43	-46.49	0.00	-46.49	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	15M	9K~1M	0.06	-75.76	30.00	-45.76	-43.00	Pass
			1M~30M	1.09	-83.91	10.00	-73.91	-43.00	Pass
			30M~10G	3208.00	-69.46	0.00	-69.46	-43.00	Pass
				3910.50	-66.28	0.00	-66.28	-43.00	Pass
			10G~25G	23856.50	-47.48	0.00	-47.48	-43.00	Pass
			25G~37G	36770.00	-47.67	0.00	-47.67	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3496.10	-51.22	0.00	-51.22	-43.00	Pass
				3606.56	-36.48	0.00	-36.48	-28.00	Pass
				3616.37	-33.34	0.00	-33.34	-16.00	Pass
3634.80	-33.31	0.00		-33.31	-16.00	Pass			
3686.40	-32.69	0.00		-32.69	-28.00	Pass			
			3721.95	-46.95	0.00	-46.95	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3692.5MHz	TM3.2	15M	9K~1M	0.28	-76.64	30.00	-46.64	-43.00	Pass
			1M~30M	1.06	-84.96	10.00	-74.96	-43.00	Pass
			30M~10G	3238.50	-69.77	0.00	-69.77	-43.00	Pass
				3978.50	-66.57	0.00	-66.57	-43.00	Pass
			10G~25G	23602.00	-47.64	0.00	-47.64	-43.00	Pass
			25G~37G	36721.20	-48.23	0.00	-48.23	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3483.71	-50.87	0.00	-50.87	-43.00	Pass
				3674.50	-36.04	0.00	-36.04	-28.00	Pass
				3684.50	-33.60	0.00	-33.60	-16.00	Pass
3700.50	-33.84	0.00		-33.84	-16.00	Pass			
3710.50	-45.35	0.00		-45.35	-28.00	Pass			
			3734.19	-46.72	0.00	-46.72	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3692.5MHz	TM3.2	15M	9K~1M	0.06	-75.93	30.00	-45.93	-43.00	Pass
			1M~30M	1.12	-84.74	10.00	-74.74	-43.00	Pass
			30M~10G	3186.00	-69.67	0.00	-69.67	-43.00	Pass
				3952.00	-66.76	0.00	-66.76	-43.00	Pass
			10G~25G	24962.00	-47.37	0.00	-47.37	-43.00	Pass
			25G~37G	36790.80	-47.48	0.00	-47.48	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3519.31	-51.21	0.00	-51.21	-43.00	Pass
				3641.89	-36.98	0.00	-36.98	-28.00	Pass
				3684.50	-34.43	0.00	-34.43	-16.00	Pass
3704.28	-37.52	0.00		-37.52	-16.00	Pass			
3710.50	-42.98	0.00		-42.98	-28.00	Pass			
			3731.15	-46.97	0.00	-46.97	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM3.2	20M	9K~1M	0.06	-79.31	30.00	-49.31	-43.00	Pass
			1M~30M	1.09	-88.22	10.00	-78.22	-43.00	Pass
			30M~10G	3227.00	-70.17	0.00	-70.17	-43.00	Pass
				3917.00	-66.89	0.00	-66.89	-43.00	Pass
			10G~25G	23829.00	-47.98	0.00	-47.98	-43.00	Pass
			25G~37G	36802.80	-48.59	0.00	-48.59	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3481.64	-50.99	0.00	-50.99	-43.00	Pass
				3538.51	-48.05	0.00	-48.05	-28.00	Pass
				3548.14	-36.11	0.00	-36.11	-16.00	Pass
3571.63	-36.04	0.00		-36.04	-16.00	Pass			
3580.50	-38.86	0.00		-38.86	-28.00	Pass			
			3740.37	-46.52	0.00	-46.52	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM3.2	20M	9K~1M	0.06	-78.31	30.00	-48.31	-43.00	Pass
			1M~30M	1.00	-89.54	10.00	-79.54	-43.00	Pass
			30M~10G	3252.50	-69.74	0.00	-69.74	-43.00	Pass
				3916.50	-66.61	0.00	-66.61	-43.00	Pass
			10G~25G	23876.00	-47.81	0.00	-47.81	-43.00	Pass
			25G~37G	36769.60	-48.34	0.00	-48.34	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3508.21	-51.17	0.00	-51.17	-43.00	Pass
				3539.50	-41.90	0.00	-41.90	-28.00	Pass
				3549.22	-35.03	0.00	-35.03	-16.00	Pass
3577.14	-37.35	0.00		-37.35	-16.00	Pass			
3686.39	-33.08	0.00		-33.08	-28.00	Pass			
			3747.82	-46.85	0.00	-46.85	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	20M	9K~1M	0.06	-78.82	30.00	-48.82	-43.00	Pass
			1M~30M	1.00	-89.19	10.00	-79.19	-43.00	Pass
			30M~10G	3259.50	-70.28	0.00	-70.28	-43.00	Pass
				3946.00	-66.93	0.00	-66.93	-43.00	Pass
			10G~25G	23839.00	-48.10	0.00	-48.10	-43.00	Pass
			25G~37G	35928.40	-48.82	0.00	-48.82	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3523.74	-50.97	0.00	-50.97	-43.00	Pass
				3602.56	-37.22	0.00	-37.22	-28.00	Pass
				3614.35	-35.87	0.00	-35.87	-16.00	Pass
3637.56	-34.51	0.00		-34.51	-16.00	Pass			
3645.70	-37.29	0.00		-37.29	-28.00	Pass			
			3730.58	-46.72	0.00	-46.72	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	20M	9K~1M	0.06	-78.19	30.00	-48.19	-43.00	Pass
			1M~30M	1.12	-89.07	10.00	-79.07	-43.00	Pass
			30M~10G	3356.00	-70.34	0.00	-70.34	-43.00	Pass
				3935.50	-67.02	0.00	-67.02	-43.00	Pass
			10G~25G	23805.50	-47.62	0.00	-47.62	-43.00	Pass
			25G~37G	35938.40	-48.48	0.00	-48.48	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3474.79	-51.13	0.00	-51.13	-43.00	Pass
				3604.50	-36.13	0.00	-36.13	-28.00	Pass
				3613.65	-33.85	0.00	-33.85	-16.00	Pass
3637.56	-34.36	0.00		-34.36	-16.00	Pass			
3647.14	-35.86	0.00		-35.86	-28.00	Pass			
			3720.84	-46.84	0.00	-46.84	-43.00	Pass	





Test MIMO_Port1									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.2	20M	9K~1M	0.06	-79.34	30.00	-49.34	-43.00	Pass
			1M~30M	1.00	-88.96	10.00	-78.96	-43.00	Pass
			30M~10G	3251.50	-70.21	0.00	-70.21	-43.00	Pass
				3909.00	-66.74	0.00	-66.74	-43.00	Pass
			10G~25G	23860.00	-48.18	0.00	-48.18	-43.00	Pass
			25G~37G	36368.40	-48.60	0.00	-48.60	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3464.72	-50.79	0.00	-50.79	-43.00	Pass
				3669.50	-36.14	0.00	-36.14	-28.00	Pass
				3677.98	-35.98	0.00	-35.98	-16.00	Pass
				3701.24	-33.84	0.00	-33.84	-16.00	Pass
				3710.50	-45.13	0.00	-45.13	-28.00	Pass
			3737.54	-46.62	0.00	-46.62	-43.00	Pass	

Test MIMO_Port2									
Conducted Spurious Emission									
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.2	20M	9K~1M	0.06	-77.91	30.00	-47.91	-43.00	Pass
			1M~30M	1.12	-89.55	10.00	-79.55	-43.00	Pass
			30M~10G	3202.00	-70.02	0.00	-70.02	-43.00	Pass
				3985.50	-66.27	0.00	-66.27	-43.00	Pass
			10G~25G	23884.00	-47.59	0.00	-47.59	-43.00	Pass
			25G~37G	36792.40	-48.17	0.00	-48.17	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3463.51	-50.97	0.00	-50.97	-43.00	Pass
				3668.94	-35.86	0.00	-35.86	-28.00	Pass
				3678.95	-33.28	0.00	-33.28	-16.00	Pass
				3701.24	-33.75	0.00	-33.75	-16.00	Pass
				3710.74	-43.07	0.00	-43.07	-28.00	Pass
			3731.59	-47.04	0.00	-47.04	-43.00	Pass	


Remark: For RF power measurement, test equipment was set to synchronize trigger with BS, and capture the max tx on power.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1_10M_3555MHz_TM1.1_CHL_CSE0a



Port1_10M_3555MHz_TM1.1_CHL_CSE0b




Port1_10M_3555MHz_TM1.1_CHL_CSE1



Port1_10M_3555MHz_TM1.1_CHL_CSE2



Port1_10M_3555MHz_TM1.1_CHL_CSE3



Port1_10M_3555MHz_TM1.1_CHL_CSEpart96




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1_10M_3625MHz_TM1.1_CHM_CSE0a



Port1_10M_3625MHz_TM1.1_CHM_CSE0b




Port1_10M_3625MHz_TM1.1_CHM_CSE1




Port1_10M_3625MHz_TM1.1_CHM_CSE2



Port1_10M_3625MHz_TM1.1_CHM_CSE3



Port1_10M_3625MHz_TM1.1_CHM_CSEpart96




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to terms and conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, 10/F, 1001-1002, Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1_10M_3695MHz_TM1.1_CHH_CSE0a



Port1_10M_3695MHz_TM1.1_CHH_CSE0b




Port1_10M_3695MHz_TM1.1_CHH_CSE1




Port1_10M_3695MHz_TM1.1_CHH_CSE2



Port1_10M_3695MHz_TM1.1_CHH_CSE3



Port1_10M_3695MHz_TM1.1_CHH_CSEpart96




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to terms and conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1_15M_3557.5MHz_TM1.1_CHL_CSE0a



Port1_15M_3557.5MHz_TM1.1_CHL_CSE0b




Port1_15M_3557.5MHz_TM1.1_CHL_CSE1




Port1_15M_3557.5MHz_TM1.1_CHL_CSE2



Port1_15M_3557.5MHz_TM1.1_CHL_CSE3



Port1_15M_3557.5MHz_TM1.1_CHL_CSEpart96




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Port1_15M_3625MHz_TM1.1_CHM_CSE0a



Port1_15M_3625MHz_TM1.1_CHM_CSE0b




Port1_15M_3625MHz_TM1.1_CHM_CSE1




Port1_15M_3625MHz_TM1.1_CHM_CSE2



Port1_15M_3625MHz_TM1.1_CHM_CSE3



Port1_15M_3625MHz_TM1.1_CHM_CSEpart96



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions-for-Electronic-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Port1_15M_3692.5MHz_TM1.1_CHH_CSE0a



Port1_15M_3692.5MHz_TM1.1_CHH_CSE0b




Port1_15M_3692.5MHz_TM1.1_CHH_CSE1




Port1_15M_3692.5MHz_TM1.1_CHH_CSE2



Port1_15M_3692.5MHz_TM1.1_CHH_CSE3



Port1_15M_3692.5MHz_TM1.1_CHH_CSEpart96




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1_20M_3560MHz_TM1.1_CHL_CSE0a



Port1_20M_3560MHz_TM1.1_CHL_CSE0b



Port1_20M_3560MHz_TM1.1_CHL_CSE1




Port1_20M_3560MHz_TM1.1_CHL_CSE2



Port1_20M_3560MHz_TM1.1_CHL_CSE3



Port1_20M_3560MHz_TM1.1_CHL_CSEpart96




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1_20M_3625MHz_TM1.1_CHM_CSE0a



Port1_20M_3625MHz_TM1.1_CHM_CSE0b




Port1_20M_3625MHz_TM1.1_CHM_CSE1




Port1_20M_3625MHz_TM1.1_CHM_CSE2



Port1_20M_3625MHz_TM1.1_CHM_CSE3



Port1_20M_3625MHz_TM1.1_CHM_CSEpart96




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Port1_20M_3690MHz_TM1.1_CHH_CSE0a



Port1_20M_3690MHz_TM1.1_CHH_CSE0b



Port1_20M_3690MHz_TM1.1_CHH_CSE1




Port1_20M_3690MHz_TM1.1_CHH_CSE2



Port1_20M_3690MHz_TM1.1_CHH_CSE3



Port1_20M_3690MHz_TM1.1_CHH_CSEpart96




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to terms and conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Shenzhen Laboratory.
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1_5M_3552.5MHz_TM1.1_CHL_CSE0a



Port1_5M_3552.5MHz_TM1.1_CHL_CSE0b




Port1_5M_3552.5MHz_TM1.1_CHL_CSE1




Port1_5M_3552.5MHz_TM1.1_CHL_CSE2



Port1_5M_3552.5MHz_TM1.1_CHL_CSE3



Port1_5M_3552.5MHz_TM1.1_CHL_CSEpart96



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com