Above 1G (1GHz~18GHz)	Test mode: 11AC80MIMO	Test Channel:155

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11550.000	-0.63	49.05	48.42	74.00	-25.58	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5650.000	50.86	5.12	55.98	68.20	-12.22	peak			
2		5700.000	59.05	5.46	64.51	105.20	-40.69	peak			
3		5720.000	63.81	5.33	69.14	110.80	-41.66	peak			
4		5725.000	64.23	5.30	69.53	122.20	-52.67	peak			
5		5850.000	58.78	5.18	63.96	122.20	-58.24	peak			
6		5855.000	57.52	5.25	62.77	110.80	-48.03	peak			
7		5875.000	49.63	5.51	55.14	105.20	-50.06	peak			
8	*	5925.000	50.42	6.28	56.70	68.20	-11.50	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11550.000	-2.80	49.05	46.25	74.00	-27.75	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5650.000	49.42	5.12	54.54	68.20	-13.66	peak			
2		5700.000	56.57	5.46	62.03	105.20	-43.17	peak			
3		5720.000	60.20	5.33	65.53	110.80	-45.27	peak			
4		5725.000	60.19	5.30	65.49	122.20	-56.71	peak			
5		5850.000	52.06	5.18	57.24	122.20	-64.96	peak			
6		5855.000	51.36	5.25	56.61	110.80	-54.19	peak			
7		5875.000	49.08	5.51	54.59	105.20	-50.61	peak			
8	*	5925.000	49.55	6.28	55.83	68.20	-12.37	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC160MIMO	Test Channel:50

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10500.000	41.22	6.46	47.68	68.20	-20.52	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	41.02	3.85	44.87	68.20	-23.33	peak			
2	*	5150.000	60.06	5.62	65.68	68.20	-2.52	peak			
3		5150.000	44.65	5.62	50.27	54.00	-3.73	AVG			

HORIZONTA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10500.000	39.21	6.46	45.67	68.20	-22.53	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	41.05	3.85	44.90	68.20	-23.30	peak			
2	*	5150.000	57.58	5.62	63.20	68.20	-5.00	peak			
3		5150.000	43.21	5.62	48.83	54.00	-5.17	AVG			

Above 1G (1GHz~18GHz)	Test mode: 11AC160MIMO	Test Channel:114

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11140.000	-2.20	48.77	46.57	74.00	-27.43	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	40.99	4.44	45.43	68.20	-22.77	peak			
2		5460.000	57.44	4.51	61.95	68.20	-6.25	peak			
3	*	5460.000	45.57	4.51	50.08	54.00	-3.92	AVG			

HORIZONTA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11140.000	-4.69	48.77	44.08	74.00	-29.92	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	41.95	4.44	46.39	68.20	-21.81	peak			
2		5460.000	53.22	4.51	57.73	68.20	-10.47	peak			
3	*	5460.000	42.54	4.51	47.05	54.00	-6.95	AVG			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:36

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10360.000	41.42	7.05	48.47	68.20	-19.73	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	41.62	3.85	45.47	68.20	-22.73	peak			
2		5150.000	58.02	5.62	63.64	68.20	-4.56	peak			
3	*	5150.000	45.01	5.62	50.63	54.00	-3.37	AVG			

HORIZONTA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10360.000	39.79	7.05	46.84	68.20	-21.36	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	41.05	3.85	44.90	68.20	-23.30	peak			
2		5150.000	56.24	5.62	61.86	68.20	-6.34	peak			
3	*	5150.000	43.41	5.62	49.03	54.00	-4.97	AVG			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10400.000	40.80	6.55	47.35	68.20	-20.85	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10400.000	39.43	6.55	45.98	68.20	-22.22	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10480.000	41.30	6.47	47.77	68.20	-20.43	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10480.000	39.33	6.47	45.80	68.20	-22.40	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:52

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10520.000	41.26	6.30	47.56	68.20	-20.64	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10520.000	39.40	6.30	45.70	68.20	-22.50	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:56

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10560.000	42.50	5.98	48.48	68.20	-19.72	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10560.000	40.11	5.98	46.09	68.20	-22.11	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:64

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10640.000	42.38	6.47	48.85	74.00	-25.15	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	58.22	4.44	62.66	68.20	-5.54	peak			
2	*	5350.000	46.09	4.44	50.53	54.00	-3.47	AVG			
3		5460.000	41.10	4.51	45.61	68.20	-22.59	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10640.000	40.21	6.47	46.68	74.00	-27.32	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	54.90	4.44	59.34	68.20	-8.86	peak			
2	*	5350.000	42.82	4.44	47.26	54.00	-6.74	AVG			
3		5460.000	41.41	4.51	45.92	68.20	-22.28	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:100

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11000.000	42.35	3.44	45.79	74.00	-28.21	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	42.56	4.44	47.00	68.20	-21.20	peak			
2		5460.000	54.51	4.51	59.02	68.20	-9.18	peak			
3	*	5460.000	43.71	4.51	48.22	54.00	-5.78	AVG			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11000.000	39.77	3.44	43.21	74.00	-30.79	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	41.82	4.44	46.26	68.20	-21.94	peak			
2	*	5460.000	47.84	4.51	52.35	68.20	-15.85	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11160.000	-2.39	48.77	46.38	74.00	-27.62	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11160.000	-4.47	48.77	44.30	74.00	-29.70	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:140

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11400.000	-0.06	49.06	49.00	74.00	-25.00	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11400.000	-1.99	49.06	47.07	74.00	-26.93	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:149

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11490.000	-0.56	49.26	48.70	74.00	-25.30	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	50.10	5.12	55.22	68.20	-12.98	peak			
2		5700.000	49.52	5.46	54.98	105.20	-50.22	peak			
3		5720.000	69.48	5.33	74.81	110.80	-35.99	peak			
4		5725.000	77.12	5.30	82.42	122.20	-39.78	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11490.000	-2.91	49.26	46.35	74.00	-27.65	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	50.13	5.12	55.25	68.20	-12.95	peak			
2		5700.000	49.83	5.46	55.29	105.20	-49.91	peak			
3		5720.000	66.81	5.33	72.14	110.80	-38.66	peak			
4		5725.000	71.70	5.30	77.00	122.20	-45.20	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	34.09	9.94	44.03	74.00	-29.97	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	34.76	9.94	44.70	74.00	-29.30	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:165

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	-0.36	48.62	48.26	74.00	-25.74	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	64.50	5.18	69.68	122.20	-52.52	peak			
2		5855.000	51.99	5.25	57.24	110.80	-53.56	peak			
3		5875.000	49.52	5.51	55.03	105.20	-50.17	peak			
4	*	5925.000	50.28	6.28	56.56	68.20	-11.64	peak			

HORIZONTA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	-2.64	48.62	45.98	74.00	-28.02	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	64.49	5.18	69.67	122.20	-52.53	peak			
2		5855.000	54.04	5.25	59.29	110.80	-51.51	peak			
3		5875.000	50.88	5.51	56.39	105.20	-48.81	peak			
4	*	5925.000	49.11	6.28	55.39	68.20	-12.81	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:38

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	40.23	6.80	47.03	68.20	-21.17	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	39.87	3.85	43.72	68.20	-24.48	peak			
2		5150.000	58.91	5.62	64.53	68.20	-3.67	peak			
3	*	5150.000	45.45	5.62	51.07	54.00	-2.93	AVG			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	38.73	6.80	45.53	68.20	-22.67	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	40.79	3.85	44.64	68.20	-23.56	peak			
2	*	5150.000	58.88	5.62	64.50	68.20	-3.70	peak			
3		5150.000	44.14	5.62	49.76	54.00	-4.24	AVG			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:46

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10460.000	41.08	6.49	47.57	68.20	-20.63	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10460.000	39.25	6.49	45.74	68.20	-22.46	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:54

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10540.000	43.03	6.14	49.17	68.20	-19.03	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10540.000	41.33	6.14	47.47	68.20	-20.73	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:62

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10620.000	41.15	6.07	47.22	74.00	-26.78	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	59.33	4.44	63.77	68.20	-4.43	peak			
2	*	5350.000	46.63	4.44	51.07	54.00	-2.93	AVG			
3		5460.000	41.68	4.51	46.19	68.20	-22.01	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10620.000	39.39	6.07	45.46	74.00	-28.54	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	56.07	4.44	60.51	68.20	-7.69	peak			
2	*	5350.000	44.33	4.44	48.77	54.00	-5.23	AVG			
3		5460.000	41.21	4.51	45.72	68.20	-22.48	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:102

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11020.000	41.70	3.66	45.36	74.00	-28.64	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	41.01	4.44	45.45	68.20	-22.75	peak			
2		5460.000	56.05	4.51	60.56	68.20	-7.64	peak			
3	*	5460.000	45.37	4.51	49.88	54.00	-4.12	AVG			

HORIZONTA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11020.000	39.57	3.66	43.23	74.00	-30.77	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	41.87	4.44	46.31	68.20	-21.89	peak			
2		5460.000	52.36	4.51	56.87	68.20	-11.33	peak			
3	*	5460.000	43.68	4.51	48.19	54.00	-5.81	AVG			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:118

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11180.000	-3.04	48.77	45.73	74.00	-28.27	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11180.000	-5.46	48.77	43.31	74.00	-30.69	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:134

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11340.000	-1.24	48.76	47.52	74.00	-26.48	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11340.000	-3.02	48.76	45.74	74.00	-28.26	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:151

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11510.000	1.28	49.24	50.52	74.00	-23.48	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	50.29	5.12	55.41	68.20	-12.79	peak			
2		5700.000	49.49	5.46	54.95	105.20	-50.25	peak			
3		5720.000	65.97	5.33	71.30	110.80	-39.50	peak			
4		5725.000	68.77	5.30	74.07	122.20	-48.13	peak			

HORIZONTA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11510.000	-0.93	49.24	48.31	74.00	-25.69	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	50.14	5.12	55.26	68.20	-12.94	peak			
2		5700.000	50.79	5.46	56.25	105.20	-48.95	peak			
3		5720.000	62.09	5.33	67.42	110.80	-43.38	peak			
4		5725.000	63.51	5.30	68.81	122.20	-53.39	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:159

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11590.000	-0.58	48.86	48.28	74.00	-25.72	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	50.08	5.18	55.26	122.20	-66.94	peak			
2		5855.000	50.98	5.25	56.23	110.80	-54.57	peak			
3		5875.000	50.46	5.51	55.97	105.20	-49.23	peak			
4	*	5925.000	50.70	6.28	56.98	68.20	-11.22	peak			

HORIZONTA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11590.000	-2.58	48.86	46.28	74.00	-27.72	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	48.96	5.18	54.14	122.20	-68.06	peak			
2		5855.000	49.29	5.25	54.54	110.80	-56.26	peak			
3		5875.000	49.36	5.51	54.87	105.20	-50.33	peak			
4	*	5925.000	48.90	6.28	55.18	68.20	-13.02	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX80MIMO	Test Channel:42

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10420.000	40.88	6.54	47.42	68.20	-20.78	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	41.93	3.85	45.78	68.20	-22.42	peak			
2	*	5150.000	59.88	5.62	65.50	68.20	-2.70	peak			
3		5150.000	45.56	5.62	51.18	54.00	-2.82	AVG			

HORIZONTA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10420.000	39.45	6.54	45.99	68.20	-22.21	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	41.23	3.85	45.08	68.20	-23.12	peak			
2		5150.000	57.99	5.62	63.61	68.20	-4.59	peak			
3	*	5150.000	43.92	5.62	49.54	54.00	-4.46	AVG			

Above 1G (1GHz~18GHz)	Test mode: 11AX80MIMO	Test Channel:58

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10580.000	41.89	5.83	47.72	68.20	-20.48	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	59.94	4.44	64.38	68.20	-3.82	peak			
2	*	5350.000	46.35	4.44	50.79	54.00	-3.21	AVG			
3		5460.000	41.51	4.51	46.02	68.20	-22.18	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10580.000	39.43	5.83	45.26	68.20	-22.94	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	55.79	4.44	60.23	68.20	-7.97	peak			
2	*	5350.000	44.06	4.44	48.50	54.00	-5.50	AVG			
3		5460.000	41.46	4.51	45.97	68.20	-22.23	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX80MIMO	Test Channel:106

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11060.000	41.69	4.11	45.80	74.00	-28.20	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	40.65	4.44	45.09	68.20	-23.11	peak			
2		5460.000	56.14	4.51	60.65	68.20	-7.55	peak			
3	*	5460.000	46.22	4.51	50.73	54.00	-3.27	AVG			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11060.000	39.69	4.11	43.80	74.00	-30.20	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	40.90	4.44	45.34	68.20	-22.86	peak			
2		5460.000	52.21	4.51	56.72	68.20	-11.48	peak			
3	*	5460.000	42.76	4.51	47.27	54.00	-6.73	AVG			

Above 1G (1GHz~18GHz)	Test mode: 11AX80MIMO	Test Channel:122

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11220.000	-4.17	48.73	44.56	74.00	-29.44	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11220.000	-5.79	48.73	42.94	74.00	-31.06	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX80MIMO	Test Channel:155

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11550.000	0.85	49.05	49.90	74.00	-24.10	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5650.000	50.12	5.12	55.24	68.20	-12.96	peak			
2		5700.000	59.95	5.46	65.41	105.20	-39.79	peak			
3		5720.000	62.87	5.33	68.20	110.80	-42.60	peak			
4		5725.000	63.92	5.30	69.22	122.20	-52.98	peak			
5		5850.000	58.79	5.18	63.97	122.20	-58.23	peak			
6		5855.000	56.94	5.25	62.19	110.80	-48.61	peak			
7		5875.000	50.28	5.51	55.79	105.20	-49.41	peak			
8	*	5925.000	49.56	6.28	55.84	68.20	-12.36	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11550.000	-1.40	49.05	47.65	74.00	-26.35	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5650.000	50.60	5.12	55.72	68.20	-12.48	peak			
2		5700.000	56.70	5.46	62.16	105.20	-43.04	peak			
3		5720.000	60.34	5.33	65.67	110.80	-45.13	peak			
4		5725.000	61.86	5.30	67.16	122.20	-55.04	peak			
5		5850.000	57.61	5.18	62.79	122.20	-59.41	peak			
6		5855.000	55.56	5.25	60.81	110.80	-49.99	peak			
7		5875.000	50.50	5.51	56.01	105.20	-49.19	peak			
8	*	5925.000	49.57	6.28	55.85	68.20	-12.35	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX160MIMO	Test Channel:50

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10500.000	42.53	6.46	48.99	68.20	-19.21	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	41.43	3.85	45.28	68.20	-22.92	peak			
2		5150.000	58.55	5.62	64.17	68.20	-4.03	peak			
3	*	5150.000	45.38	5.62	51.00	54.00	-3.00	AVG			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10500.000	40.06	6.46	46.52	68.20	-21.68	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	41.30	3.85	45.15	68.20	-23.05	peak			
2		5150.000	54.57	5.62	60.19	68.20	-8.01	peak			
3	*	5150.000	43.32	5.62	48.94	54.00	-5.06	AVG			

Above 1G (1GHz~18GHz)	Test mode: 11AX160MIMO	Test Channel:114

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11140.000	-2.42	48.77	46.35	74.00	-27.65	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	40.79	4.44	45.23	68.20	-22.97	peak			
2		5460.000	55.79	4.51	60.30	68.20	-7.90	peak			
3	*	5460.000	45.36	4.51	49.87	54.00	-4.13	AVG			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11140.000	-3.94	48.77	44.83	74.00	-29.17	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	40.36	4.44	44.80	68.20	-23.40	peak			
2		5460.000	52.57	4.51	57.08	68.20	-11.12	peak			
3	*	5460.000	41.22	4.51	45.73	54.00	-8.27	AVG			

The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a) 15.407(e)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscend test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	≥1% x Nominal Channel Bandwidth
VBW	≥3 x RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.

d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.

e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

3.3.5.1 26 dB Bandwidth

Test Mode	Antenna	Freq(MHz)	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant1	5180	19.400	5170.160	5189.560	---	---
	Ant2	5180	19.760	5170.120	5189.880	---	---
	Ant1	5200	19.680	5189.920	5209.600	---	---
	Ant2	5200	19.640	5190.120	5209.760	---	---
	Ant1	5240	20.280	5229.880	5250.160	---	---
	Ant2	5240	19.800	5230.200	5250.000	---	---
	Ant1	5260	18.240	5250.840	5269.080	---	---
	Ant2	5260	18.400	5250.720	5269.120	---	---
	Ant1	5280	18.480	5270.680	5289.160	---	---
	Ant2	5280	21.040	5269.560	5290.600	---	---
	Ant1	5320	18.600	5310.600	5329.200	---	---
	Ant2	5320	19.400	5310.640	5330.040	---	---
	Ant1	5500	18.480	5490.840	5509.320	---	---
	Ant2	5500	18.920	5490.360	5509.280	---	---
	Ant1	5580	18.400	5570.800	5589.200	---	---
	Ant2	5580	18.840	5570.480	5589.320	---	---
	Ant1	5700	18.800	5690.440	5709.240	---	---
	Ant2	5700	19.120	5690.120	5709.240	---	---
	Ant1	5745	18.520	5735.800	5754.320	---	---
	Ant2	5745	18.280	5735.640	5753.920	---	---
	Ant1	5785	18.280	5775.840	5794.120	---	---
	Ant2	5785	18.800	5775.040	5793.840	---	---
	Ant1	5825	18.600	5815.760	5834.360	---	---
	Ant2	5825	19.080	5815.760	5834.840	---	---
11N20MIMO	Ant1	5180	19.880	5169.720	5189.600	---	---
	Ant2	5180	20.240	5169.760	5190.000	---	---
	Ant1	5200	19.840	5190.080	5209.920	---	---
	Ant2	5200	19.720	5190.400	5210.120	---	---
	Ant1	5240	19.800	5229.880	5249.680	---	---
	Ant2	5240	21.440	5229.120	5250.560	---	---
	Ant1	5260	19.040	5250.400	5269.440	---	---
	Ant2	5260	19.880	5250.200	5270.080	---	---
	Ant1	5280	19.480	5270.000	5289.480	---	---
	Ant2	5280	25.920	5267.280	5293.200	---	---
	Ant1	5320	19.560	5310.120	5329.680	---	---
	Ant2	5320	19.800	5310.240	5330.040	---	---
	Ant1	5500	19.800	5490.120	5509.920	---	---

	Ant2	5500	19.960	5489.840	5509.800	---	---
	Ant1	5580	19.800	5570.040	5589.840	---	---
	Ant2	5580	20.080	5569.760	5589.840	---	---
	Ant1	5700	19.800	5689.840	5709.640	---	---
	Ant2	5700	20.360	5689.600	5709.960	---	---
	Ant1	5745	20.400	5734.760	5755.160	---	---
	Ant2	5745	21.200	5734.480	5755.680	---	---
	Ant1	5785	19.680	5774.840	5794.520	---	---
	Ant2	5785	20.240	5774.600	5794.840	---	---
	Ant1	5825	19.360	5815.040	5834.400	---	---
	Ant2	5825	19.840	5815.520	5835.360	---	---
11N40MIMO	Ant1	5190	39.120	5170.240	5209.360	---	---
	Ant2	5190	38.800	5170.640	5209.440	---	---
	Ant1	5230	39.360	5210.160	5249.520	---	---
	Ant2	5230	39.040	5210.480	5249.520	---	---
	Ant1	5270	38.640	5250.560	5289.200	---	---
	Ant2	5270	38.560	5250.560	5289.120	---	---
	Ant1	5310	39.120	5290.320	5329.440	---	---
	Ant2	5310	38.960	5290.400	5329.360	---	---
	Ant1	5510	39.360	5490.160	5529.520	---	---
	Ant2	5510	38.560	5490.400	5528.960	---	---
	Ant1	5550	38.880	5530.480	5569.360	---	---
	Ant2	5550	38.240	5530.800	5569.040	---	---
	Ant1	5670	39.040	5650.400	5689.440	---	---
	Ant2	5670	39.760	5650.320	5690.080	---	---
	Ant1	5755	39.040	5735.480	5774.520	---	---
	Ant2	5755	38.800	5735.560	5774.360	---	---
	Ant1	5795	38.960	5775.400	5814.360	---	---
	Ant2	5795	38.960	5775.240	5814.200	---	---
11AC20MIMO	Ant1	5180	19.400	5170.120	5189.520	---	---
	Ant2	5180	19.880	5169.920	5189.800	---	---
	Ant1	5200	19.880	5189.920	5209.800	---	---
	Ant2	5200	19.960	5190.400	5210.360	---	---
	Ant1	5240	19.720	5230.000	5249.720	---	---
	Ant2	5240	20.720	5229.440	5250.160	---	---
	Ant1	5260	19.640	5250.000	5269.640	---	---
	Ant2	5260	19.520	5250.360	5269.880	---	---
	Ant1	5280	19.760	5270.040	5289.800	---	---
	Ant2	5280	20.440	5269.480	5289.920	---	---
	Ant1	5320	19.480	5310.320	5329.800	---	---
	Ant2	5320	19.840	5310.080	5329.920	---	---
	Ant1	5500	20.040	5490.160	5510.200	---	---

	Ant2	5500	19.640	5489.800	5509.440	---	---
	Ant1	5580	19.280	5570.400	5589.680	---	---
	Ant2	5580	19.480	5570.080	5589.560	---	---
	Ant1	5700	20.960	5689.160	5710.120	---	---
	Ant2	5700	20.160	5689.760	5709.920	---	---
	Ant1	5745	20.480	5734.880	5755.360	---	---
	Ant2	5745	20.160	5734.680	5754.840	---	---
	Ant1	5785	19.960	5775.000	5794.960	---	---
	Ant2	5785	20.440	5774.440	5794.880	---	---
	Ant1	5825	20.560	5814.840	5835.400	---	---
	Ant2	5825	20.400	5814.960	5835.360	---	---
11AC40MIMO	Ant1	5190	39.040	5170.320	5209.360	---	---
	Ant2	5190	39.680	5170.640	5210.320	---	---
	Ant1	5230	38.960	5210.480	5249.440	---	---
	Ant2	5230	39.520	5210.160	5249.680	---	---
	Ant1	5270	39.040	5250.400	5289.440	---	---
	Ant2	5270	38.640	5250.720	5289.360	---	---
	Ant1	5310	39.040	5290.240	5329.280	---	---
	Ant2	5310	39.120	5290.320	5329.440	---	---
	Ant1	5510	38.640	5490.560	5529.200	---	---
	Ant2	5510	38.800	5490.400	5529.200	---	---
	Ant1	5550	38.960	5530.320	5569.280	---	---
	Ant2	5550	38.880	5530.400	5569.280	---	---
	Ant1	5670	38.720	5650.560	5689.280	---	---
	Ant2	5670	40.000	5650.320	5690.320	---	---
	Ant1	5755	39.200	5735.320	5774.520	---	---
	Ant2	5755	38.800	5735.720	5774.520	---	---
	Ant1	5795	39.040	5775.480	5814.520	---	---
	Ant2	5795	38.960	5775.240	5814.200	---	---
11AC80MIMO	Ant1	5210	80.160	5169.520	5249.680	---	---
	Ant2	5210	79.520	5170.160	5249.680	---	---
	Ant1	5290	80.000	5250.000	5330.000	---	---
	Ant2	5290	79.200	5250.640	5329.840	---	---
	Ant1	5530	79.840	5490.160	5570.000	---	---
	Ant2	5530	81.280	5488.720	5570.000	---	---
	Ant1	5610	79.680	5570.000	5649.680	---	---
	Ant2	5610	80.800	5568.880	5649.680	---	---
	Ant1	5775	80.480	5734.520	5815.000	---	---
	Ant2	5775	79.520	5735.160	5814.680	---	---
11AC160MIMO	Ant1	5250	162.560	5168.080	5330.640	---	---
	Ant2	5250	161.600	5169.360	5330.960	---	---
	Ant1	5250_UNII-1	81.92	5168.080	5250	---	---

	Ant2	5250_UNII-1	80.64	5169.360	5250	---	---
	Ant1	5250_UNII-2A	80.64	5250	5330.640	---	---
	Ant2	5250_UNII-2A	80.96	5250	5330.960	---	---
	Ant1	5570	162.880	5487.760	5650.640	---	---
	Ant2	5570	162.240	5489.040	5651.280	---	---
11AX20MIMO	Ant1	5180	20.160	5169.840	5190.000	---	---
	Ant2	5180	19.840	5170.080	5189.920	---	---
	Ant1	5200	20.040	5189.760	5209.800	---	---
	Ant2	5200	19.960	5190.240	5210.200	---	---
	Ant1	5240	20.600	5229.480	5250.080	---	---
	Ant2	5240	20.320	5229.800	5250.120	---	---
	Ant1	5260	20.640	5249.520	5270.160	---	---
	Ant2	5260	20.520	5249.760	5270.280	---	---
	Ant1	5280	20.280	5269.800	5290.080	---	---
	Ant2	5280	20.720	5269.440	5290.160	---	---
	Ant1	5320	20.280	5309.680	5329.960	---	---
	Ant2	5320	20.240	5309.840	5330.080	---	---
	Ant1	5500	20.360	5489.760	5510.120	---	---
	Ant2	5500	20.480	5489.640	5510.120	---	---
	Ant1	5580	20.320	5569.640	5589.960	---	---
	Ant2	5580	20.280	5569.760	5590.040	---	---
	Ant1	5700	20.640	5689.320	5709.960	---	---
	Ant2	5700	20.560	5689.600	5710.160	---	---
	Ant1	5745	20.440	5734.840	5755.280	---	---
	Ant2	5745	20.600	5734.720	5755.320	---	---
	Ant1	5785	20.200	5774.760	5794.960	---	---
	Ant2	5785	20.560	5774.560	5795.120	---	---
	Ant1	5825	20.280	5814.840	5835.120	---	---
	Ant2	5825	20.320	5815.000	5835.320	---	---
11AX40MIMO	Ant1	5190	39.680	5170.000	5209.680	---	---
	Ant2	5190	39.920	5170.160	5210.080	---	---
	Ant1	5230	39.680	5209.920	5249.600	---	---
	Ant2	5230	39.920	5210.080	5250.000	---	---
	Ant1	5270	39.600	5250.080	5289.680	---	---
	Ant2	5270	39.600	5250.160	5289.760	---	---
	Ant1	5310	39.760	5289.920	5329.680	---	---
	Ant2	5310	40.560	5289.280	5329.840	---	---
	Ant1	5510	39.680	5489.920	5529.600	---	---
	Ant2	5510	39.760	5489.920	5529.680	---	---
	Ant1	5550	39.520	5530.160	5569.680	---	---
	Ant2	5550	39.840	5530.000	5569.840	---	---
	Ant1	5670	40.000	5649.920	5689.920	---	---

	Ant2	5670	40.800	5649.440	5690.240	---	---
	Ant1	5755	39.600	5735.240	5774.840	---	---
	Ant2	5755	39.520	5735.080	5774.600	---	---
	Ant1	5795	40.560	5774.440	5815.000	---	---
	Ant2	5795	39.760	5774.840	5814.600	---	---
11AX80MIMO	Ant1	5210	80.960	5169.520	5250.480	---	---
	Ant2	5210	80.000	5170.000	5250.000	---	---
	Ant1	5290	80.480	5249.680	5330.160	---	---
	Ant2	5290	79.840	5250.160	5330.000	---	---
	Ant1	5530	81.120	5489.520	5570.640	---	---
	Ant2	5530	81.440	5488.880	5570.320	---	---
	Ant1	5610	80.320	5569.520	5649.840	---	---
	Ant2	5610	80.480	5569.360	5649.840	---	---
	Ant1	5775	80.960	5734.680	5815.640	---	---
	Ant2	5775	80.640	5734.360	5815.000	---	---
11AX160MIMO	Ant1	5250	163.520	5168.080	5331.600	---	---
	Ant2	5250	162.240	5168.720	5330.960	---	---
	Ant1	5250_UNII-1	81.92	5168.080	5250	---	---
	Ant2	5250_UNII-1	81.28	5168.720	5250	---	---
	Ant1	5250_UNII-2A	81.6	5250	5331.600	---	---
	Ant2	5250_UNII-2A	80.96	5250	5330.960	---	---
	Ant1	5570	162.880	5488.080	5650.960	---	---
	Ant2	5570	162.560	5488.400	5650.960	---	---

11A-CDD_Ant1_5180

11A-CDD_Ant2_5180


11A-CDD_Ant1_5200

11A-CDD_Ant2_5200


11A-CDD_Ant1_5240

11A-CDD_Ant2_5240


11A-CDD_Ant1_5260

11A-CDD_Ant2_5260


11A-CDD_Ant1_5280

11A-CDD_Ant2_5280


11A-CDD_Ant1_5320

11A-CDD_Ant2_5320


11A-CDD_Ant1_5500

11A-CDD_Ant2_5500


11A-CDD_Ant1_5580

11A-CDD_Ant2_5580


11A-CDD_Ant1_5700

11A-CDD_Ant2_5700


11A-CDD_Ant1_5745

11A-CDD_Ant2_5745


11A-CDD_Ant1_5785

11A-CDD_Ant2_5785


11A-CDD_Ant1_5825

11A-CDD_Ant2_5825


11N20MIMO_Ant1_5180

11N20MIMO_Ant2_5180


11N20MIMO_Ant1_5200

11N20MIMO_Ant2_5200


11N20MIMO_Ant1_5240

11N20MIMO_Ant2_5240


11N20MIMO_Ant1_5260

11N20MIMO_Ant2_5260


11N20MIMO_Ant1_5280

11N20MIMO_Ant2_5280


11N20MIMO_Ant1_5320

11N20MIMO_Ant2_5320


11N20MIMO_Ant1_5500

11N20MIMO_Ant2_5500


11N20MIMO_Ant1_5580

11N20MIMO_Ant2_5580


11N20MIMO_Ant1_5700

11N20MIMO_Ant2_5700


11N20MIMO_Ant1_5745

11N20MIMO_Ant2_5745


11N20MIMO_Ant1_5785

11N20MIMO_Ant2_5785


11N20MIMO_Ant1_5825

11N20MIMO_Ant2_5825


11N40MIMO_Ant1_5190

11N40MIMO_Ant2_5190


11N40MIMO_Ant1_5230

11N40MIMO_Ant2_5230


11N40MIMO_Ant1_5270

11N40MIMO_Ant2_5270


11N40MIMO_Ant1_5310

11N40MIMO_Ant2_5310


11N40MIMO_Ant1_5510

11N40MIMO_Ant2_5510


11N40MIMO_Ant1_5550

11N40MIMO_Ant2_5550


11N40MIMO_Ant1_5670

11N40MIMO_Ant2_5670


11N40MIMO_Ant1_5755

11N40MIMO_Ant2_5755


11N40MIMO_Ant1_5795

11N40MIMO_Ant2_5795


11AC20MIMO_Ant1_5180

11AC20MIMO_Ant2_5180


11AC20MIMO_Ant1_5200

11AC20MIMO_Ant2_5200


11AC20MIMO_Ant1_5240

11AC20MIMO_Ant2_5240


11AC20MIMO_Ant1_5260

11AC20MIMO_Ant2_5260


11AC20MIMO_Ant1_5280

11AC20MIMO_Ant2_5280