

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230300074503

Page: 1 of 8

RF EXPOSURE EVALUATION REPORT

Application No.: SZCR2303000745AT

Applicant: Leax Arkivator Telecom USA Inc.

Address of Applicant: 833 E Arapaho Rd Suite 203, Richardson, Texas 75081 United States

Manufacturer: Leax Arkivator Telecom USA Inc.

Address of Manufacturer: 833 E Arapaho Rd Suite 203, Richardson, Texas 75081 United States

Factory: Leax Arkivator Telecom USA Inc.

Address of Factory: 833 E Arapaho Rd Suite 203, Richardson, Texas 75081 United States

Equipment Under Test (EUT):

EUT Name: CAT12 Module Model No.: MGA6230A

FCC ID: 2AVFNMGA6230A

Standard(s): FCC Rules 47 CFR §2.1091

KDB 447498 D04 interim General RF Exposure Guidance v01

Date of Receipt: 2023-03-20

Date of Evaluation: 2023-03-28 to 2023-04-25

Date of Issue: 2023-05-15

Evaluation Result: Pass*

Keny Xu EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed voverleaf, available on requests or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.xtlention is drawn to the limitation of liability, indemnification and jurisdiction issues defined there. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exence the prevailed to the screen of the

vo.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgrou 中国 • 梁圳 • 科技图中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sc

^{*} In the configuration evaluated, the EUT complied with the standards specified above.



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230300074503

Page: 2 of 8

	Revision Record							
Version	Chapter	Date	Modifier	Remark				
01		2023-05-15		Original				

Authorized for issue by:		
	Benson Wang	
	Benson Wang/Project Engineer	
	Exic Fu	
	Eric Fu/Reviewer	



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230300074503

Page: 3 of 8

Contents 2

		ŀ	Page
1	Cov	ver Page	1
2	Con	ntents	3
3	Gen	neral Information	4
	3.1	General Description of E.U.T.	4
	3.2	Details of E.U.T.	
	3.3	Separation Distance	
	3.4	Test Location	6
	3.5	Test Facility	6
	3.6	Deviation from Standards	6
	3.7	Abnormalities from Standard Conditions	6
4	FCC	C Radiofrequency radiation exposure limits	7
5	Mea	asurement and Calculation	8
	5.1	Maximum transmit power	8



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230300074503

4 of 8 Page:

General Information

General Description of E.U.T.

		☐ Portable device						
	Product Type:							
		☐ Fixed device						
		•						
3.2	Details of E.U.T.							
	Power supply:	POE Passiv	ve Injector p	owered by	Adapter			
		Adapter 1 N	Nodel No.: A	ASSA107A-	240050			
		Input: AC 1						
		Output: DC	24V 500m/	4				
					00.40.110			
		Adapter 2 N			2240-US			
		Input: AC 1	•	J/60HZ;				
	Cable(a):	Output: DC		dad 100 Fa				
	Cable(s):	Network ca Cable of Ac						
		Cable of Ac	•					
	Sample Type:		•	Siliciaca 13				
	Campio Typo.	Mobile production LTE FDD Band 2,4,5,12,13,66,71						
	LTE Operation Frequency Band:	CA: 2A-12A; 12A-66A						
	Modulation Type:	QPSK, 16QAM,64QAM						
	LTE Power Class:	3						
	Antenna Type:	Panel Antenna						
		LTE	ANT0	ANT1	ANT2	ANT3	Direction	
		Band	TRX0	RX1	TRX2	RX3	al Gain	
		2	6.83	/	9.48	/	8.35	
		4	7.24	/	9.19	/	8.32	
		5	6.18	/	/	/	/	
		12	/	/	0.85	/	/	
		13	5.43	/	/	/	/	
	Antenna Gain:	66	7.24	/	9.19	/	8.32	
		71	/	/	0.18	/	/	
		Remark 1: Band 2/4/66:						
		1) ANT0 and ANT2 can Simultaneous transmission,						
		2) They are uncorrelated.3) ANT0 is primarily Antenna; ANT2 is Secondary Antenna						
		3) ANTO IS	s primarily P	witerina, Alv	11 2 13 3600	nuary Ante	ша	
		Remark 2: Band 5/13: Only support ANT0;						
		. tomant Z.	<u> </u>	. Э.п., очрр	J. C. 7 4 1 O,			



or email: CN.Doccheck@sgs.com Nol.Workslopk, IVO, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技因中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com 中国・深圳・科技圏中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230300074503

Page: 5 of 8

Remark 3: Band 12/71: Only support ANT2;

Note:

(1) The antenna gain value is provided by the customer. The test lab will not be responsible for wrong test result due to incorrect information about antenna gain values.

3.3 Separation Distance

20cm Minimum test separation distance:

Remark: This minimum test separation distance is determined by the smallest distance from the antenna and radiating structures or outer surface of the device, according to the host form factor, exposure conditions and platform requirements, to any part of the body or extremity of a user or bystander.





SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230300074503

Page: 6 of 8

3.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

3.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI (Member No. 1937)

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC -Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

3.6 Deviation from Standards

None

Abnormalities from Standard Conditions

None



op, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230300074503

Page: 7 of 8

FCC Radiofrequency radiation exposure limits

According to §1.1310, the limit for general population/uncontrolled exposures

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)				
Limits for General Population/Uncontrolled Exposure								
0.3-1.34	614	1.63	*(100)	30				
1.34-30	824/f	2.19/f	*(180/f2)	30				
30-300	27.5	0.073	0.2	30				
300-1500	/	/	f/1500	30				
1500-100,000	/	/	1.0	30				



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230300074503

Page: 8 of 8

Measurement and Calculation 5

5.1 **Maximum transmit power**

LTE:

The Power Data is based on the RF Test Report SZCR230300074503 and Tune up procedure.

	LTE Band	ANT0 TRX0	ANT1 RX1	ANT2 TRX2	ANT3 RX3	Direction al Gain	
	2	6.83	/	9.48	/	8.35	
	4	7.24	/	9.19	/	8.32	
	5	6.18	/	/	/	/	
	12	/	/	0.85	/	/	
	13	5.43	/	/	/	/	
Antenna Gain:	66	7.24	/	9.19	/	8.32	
Antenna Gam.	71	/	/	0.18	/	/	
	Remark 1: Band 2/4/66:						
	1) ANT0 and ANT2 can Simultaneous transmission,						
	2) They are uncorrelated.						
	3) ANT0 is primarily Antenna; ANT2 is Secondary Antenna						
	Remark 2: Band 5/13: Only support ANT0;						
	Remark 3: Band 12/71: Only support ANT2;						

MPE Calculation

According to the formula $S=P/4\pi R^2$, we can calculate S which is MPE.

- 1)P (mW)
- 2) R = distance to the center of radiation of antenna (in centimeter)
- 3) MPE limit = 1mW/cm²

Test Mode	Frequency Band (MHz)	Max Conducted power (dBm)	Operation Distance R(cm)	Power Density (mW/cm²)	Limit of Power Density S(mW/cm²)	Result
LTE Band 2	1850-1910	25	20	0.43	1.00	Pass
LTE Band 4	1710-1755	22	20	0.214	1.00	Pass
LTE Band 5	824-849	24.5	20	0.233	0.55	Pass
LTE Band 12	699-716	24	20	0.061	0.47	Pass
LTE Band 13	777-787	24	20	0.174	0.52	Pass
LTE Band 66	1710-1780	22	20	0.214	1.00	Pass
LTE Band 71	663-698	24	20	0.052	0.44	Pass

-- End of the Report--

