


ANTENNA SPECIFICATION


Summary

ITEM	ANT SPEC
Model Name	TMRC210TX
Frequency	2445MHz
MAX. Gain	0.5 dBi
Azimuth Beam Pattern	Omni-directional
Antenna Type	PCB Antenna
Antenna Length	26mm
Impedance	50 ohm
Modulation Type	GFSK
Manufacture	King Wins Technology Co., Ltd. 11F., No.33, Ln. 332, Sec. 2, Zhongshan Rd., Zhonghe Dist., New Taipei City 235, Taiwan (R.O.C.)

Antenna Photo & Length (mm)




EUT Flat




___ Vertical Polarization Gain (dBi)	min: -33.4	max: -6.5	avg: -13.2
— Horizontal Polarization Gain (dBi)	min: -37.5	max: -0.2	avg: -9.6

EUT Side



— Vertical Polarization Gain (dBi)	min: -35.4	max: -4.1	avg: -10.8
— Horizontal Polarization Gain (dBi)	min: -38.7	max: -2.8	avg: -11.2

EUT Vertical



— Vertical Polarization Gain (dBi)	min: -12.3	max: +0.5	avg: -4.2
- - Horizontal Polarization Gain (dBi)	min: -28.5	max: -4.9	avg: -14.6