





PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1





B.4 Restrict Band

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	4500	-41.33	5.00	58.90	Peak	68.2	Pass
NVNT	a	5180	4500	-51.89	5.00	48.34	Average	54	Pass
NVNT	a	5180	4993.5	-38.34	5.00	61.89	Peak	68.2	Pass
NVNT	a	5180	5072.6	-50.09	5.00	50.14	Average	54	Pass
NVNT	a	5180	5150	-40.58	5.00	59.65	Peak	68.2	Pass
NVNT	a	5180	5150	-50.5	5.00	49.73	Average	54	Pass
NVNT	a	5240	5350	-38.46	5.00	61.77	Peak	68.2	Pass
NVNT	a	5240	5350	-50.29	5.00	49.94	Average	54	Pass
NVNT	a	5240	5411.04	-38.27	5.00	61.96	Peak	68.2	Pass
NVNT	a	5240	5356.08	-50.16	5.00	50.07	Average	54	Pass
NVNT	a	5240	5460	-41.94	5.00	58.29	Peak	68.2	Pass
NVNT	a	5240	5460	-51.32	5.00	48.91	Average	54	Pass
NVNT	n20mimo	5180	4500	-51.44	8.01	51.80	Peak	68.2	Pass
NVNT	n20mimo	5180	4500	-61.85	8.01	41.39	Average	54	Pass
NVNT	n20mimo	5180	5146.8	-45	8.01	58.24	Peak	68.2	Pass
NVNT	n20mimo	5180	5146.8	-56.31	8.01	46.93	Average	54	Pass
NVNT	n20mimo	5180	5150	-47.49	8.01	55.75	Peak	68.2	Pass
NVNT	n20mimo	5180	5150	-56.12	8.01	47.12	Average	54	Pass
NVNT	n20mimo	5240	5350	-46.48	8.01	56.76	Peak	68.2	Pass
NVNT	n20mimo	5240	5350	-54.49	8.01	48.75	Average	54	Pass
NVNT	n20mimo	5240	5355.6	-43.44	8.01	59.80	Peak	68.2	Pass
NVNT	n20mimo	5240	5351.76	-54.27	8.01	48.97	Average	54	Pass
NVNT	n20mimo	5240	5460	-48.49	8.01	54.75	Peak	68.2	Pass
NVNT	n20mimo	5240	5460	-58.51	8.01	44.73	Average	54	Pass
NVNT	n40mimo	5190	4500	-52.71	8.01	50.53	Peak	68.2	Pass
NVNT	n40mimo	5190	4500	-61.41	8.01	41.83	Average	54	Pass
NVNT	n40mimo	5190	5148.97	-42.34	8.01	60.90	Peak	68.2	Pass
NVNT	n40mimo	5190	5149.7	-54.78	8.01	48.46	Average	54	Pass
NVNT	n40mimo	5190	5150	-44.23	8.01	59.01	Peak	68.2	Pass
NVNT	n40mimo	5190	5150	-54.78	8.01	48.46	Average	54	Pass
NVNT	n40mimo	5230	5350	-49.64	8.01	53.60	Peak	68.2	Pass
NVNT	n40mimo	5230	5350	-58.86	8.01	44.38	Average	54	Pass
NVNT	n40mimo	5230	5355.24	-47.5	8.01	55.74	Peak	68.2	Pass
NVNT	n40mimo	5230	5353.89	-58.42	8.01	44.82	Average	54	Pass
NVNT	n40mimo	5230	5460	-49.29	8.01	53.95	Peak	68.2	Pass
NVNT	n40mimo	5230	5460	-60.35	8.01	42.89	Average	54	Pass
NVNT	ac20mimo	5180	4500	-52.79	8.01	50.45	Peak	68.2	Pass





NVNT	ac20mimo	5180	4500	-61.58	8.01	41.66	Average	54	Pass
NVNT	ac20mimo	5180	5137.7	-45.2	8.01	58.04	Peak	68.2	Pass
NVNT	ac20mimo	5180	5149.6	-56.1	8.01	47.14	Average	54	Pass
NVNT	ac20mimo	5180	5150	-46.75	8.01	56.49	Peak	68.2	Pass
NVNT	ac20mimo	5180	5150	-56.21	8.01	47.03	Average	54	Pass
NVNT	ac20mimo	5240	5350	-45.21	8.01	58.03	Peak	68.2	Pass
NVNT	ac20mimo	5240	5350	-54.44	8.01	48.80	Average	54	Pass
NVNT	ac20mimo	5240	5365.92	-43.55	8.01	59.69	Peak	68.2	Pass
NVNT	ac20mimo	5240	5350.56	-54.43	8.01	48.81	Average	54	Pass
NVNT	ac20mimo	5240	5460	-50.92	8.01	52.32	Peak	68.2	Pass
NVNT	ac20mimo	5240	5460	-58.48	8.01	44.76	Average	54	Pass
NVNT	ac40mimo	5190	4500	-52.67	8.01	50.57	Peak	68.2	Pass
NVNT	ac40mimo	5190	4500	-61.52	8.01	41.72	Average	54	Pass
NVNT	ac40mimo	5190	5144.59	-44.9	8.01	58.34	Peak	68.2	Pass
NVNT	ac40mimo	5190	5149.7	-54.27	8.01	48.97	Average	54	Pass
NVNT	ac40mimo	5190	5150	-45.16	8.01	58.08	Peak	68.2	Pass
NVNT	ac40mimo	5190	5150	-54.27	8.01	48.97	Average	54	Pass
NVNT	ac40mimo	5230	5350	-45.61	8.01	57.63	Peak	68.2	Pass
NVNT	ac40mimo	5230	5350	-54.11	8.01	49.13	Average	54	Pass
NVNT	ac40mimo	5230	5358.21	-42.93	8.01	60.31	Peak	68.2	Pass
NVNT	ac40mimo	5230	5350.38	-53.82	8.01	49.42	Average	54	Pass
NVNT	ac40mimo	5230	5460	-50.18	8.01	53.06	Peak	68.2	Pass
NVNT	ac40mimo	5230	5460	-58.19	8.01	45.05	Average	54	Pass
NVNT	ac80mimo	5210	5350	-48.59	8.01	54.65	Peak	68.2	Pass
NVNT	ac80mimo	5210	5350	-58.21	8.01	45.03	Average	54	Pass
NVNT	ac80mimo	5210	5411.16	-46.94	8.01	56.30	Peak	68.2	Pass
NVNT	ac80mimo	5210	5355.39	-57.74	8.01	45.50	Average	54	Pass
NVNT	ac80mimo	5210	5460	-52.15	8.01	51.09	Peak	68.2	Pass
NVNT	ac80mimo	5210	5460	-59.53	8.01	43.71	Average	54	Pass
NVNT	ac80mimo	5210	4500	-52.05	8.01	51.19	Peak	68.2	Pass
NVNT	ac80mimo	5210	4500	-61.24	8.01	42.00	Average	54	Pass
NVNT	ac80mimo	5210	5146.22	-40.27	8.01	62.97	Peak	68.2	Pass
NVNT	ac80mimo	5210	5149.38	-50.41	8.01	52.83	Average	54	Pass
NVNT	ac80mimo	5210	5150	-41.15	8.01	62.09	Peak	68.2	Pass
NVNT	ac80mimo	5210	5150	-50.34	8.01	52.90	Average	54	Pass

Note: 802.11a mode, only show the worst set of antenna data.




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Peak




Restrict Band NVNT a 5180MHz Average






Restrict Band NVNT a 5240MHz Peak




Restrict Band NVNT a 5240MHz Average






Restrict Band NVNT n20 5180MHz Peak




Restrict Band NVNT n20 5180MHz Average






Restrict Band NVNT n20 5240MHz Peak




Restrict Band NVNT n20 5240MHz Average






Restrict Band NVNT n40 5190MHz Peak




Restrict Band NVNT n40 5190MHz Average






Restrict Band NVNT n40 5230MHz Peak




Restrict Band NVNT n40 5230MHz Average






Restrict Band NVNT ac20 5180MHz Peak




Restrict Band NVNT ac20 5180MHz Average






Restrict Band NVNT ac20 5240MHz Peak




Restrict Band NVNT ac20 5240MHz Average






Restrict Band NVNT ac40 5190MHz Peak




Restrict Band NVNT ac40 5190MHz Average






Restrict Band NVNT ac40 5230MHz Peak




Restrict Band NVNT ac40 5230MHz Average






Restrict Band NVNT ac80 5210MHz Peak




Restrict Band NVNT ac80 5210MHz Average






Restrict Band NVNT ac80 5210MHz Peak



Restrict Band NVNT ac80 5210MHz Average





B.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant0	5179.98	-20000	-3.86	25	Pass
NVNT	a	5200	Ant0	5200	0	0	25	Pass
NVNT	a	5240	Ant0	5240	0	0	25	Pass
NVNT	n20	5180	Ant0	5179.98	-20000	-3.86	25	Pass
NVNT	n20	5200	Ant0	5200.04	40000	7.69	25	Pass
NVNT	n20	5240	Ant0	5239.98	-20000	-3.82	25	Pass
NVNT	n40	5190	Ant0	5190	0	0	25	Pass
NVNT	n40	5230	Ant0	5229.96	-40000	-7.65	25	Pass
NVNT	ac20	5180	Ant0	5180	0	0	25	Pass
NVNT	ac20	5200	Ant0	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant0	5240	0	0	25	Pass
NVNT	ac40	5190	Ant0	5189.96	-40000	-7.71	25	Pass
NVNT	ac40	5230	Ant0	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant0	5209.92	-80000	-15.36	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5180MHz Ant0




Freq. Stability NVNT a 5200MHz Ant0






Freq. Stability NVNT a 5240MHz Ant0




Freq. Stability NVNT n20 5180MHz Ant0






Freq. Stability NVNT n20 5200MHz Ant0




Freq. Stability NVNT n20 5240MHz Ant0






Freq. Stability NVNT n40 5190MHz Ant0




Freq. Stability NVNT n40 5230MHz Ant0






Freq. Stability NVNT ac20 5180MHz Ant0




Freq. Stability NVNT ac20 5200MHz Ant0






Freq. Stability NVNT ac20 5240MHz Ant0




Freq. Stability NVNT ac40 5190MHz Ant0






Freq. Stability NVNT ac40 5230MHz Ant0



Freq. Stability NVNT ac80 5210MHz Ant0





Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
NVNT	a	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	a	5240	Ant1	5240	0	0	25	Pass
NVNT	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	n20	5200	Ant1	5200	0	0	25	Pass
NVNT	n20	5240	Ant1	5240	0	0	25	Pass
NVNT	n40	5190	Ant1	5190	0	0	25	Pass
NVNT	n40	5230	Ant1	5230.04	40000	7.65	25	Pass
NVNT	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant1	5200	0	0	25	Pass
NVNT	ac20	5240	Ant1	5240	0	0	25	Pass
NVNT	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
NVNT	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant1	5210	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Test Graphs

Freq. Stability NVNT a 5180MHz Ant1



Freq. Stability NVNT a 5200MHz Ant1

