

















Instructionsof RF.44.18.01









1 appearance



2 Key function

Key value	Specification
PAIR	press and hold  and  button ,the remote enters pairing mode
HEAD UP	Press and hold  button, head actuator moves out, stop when released

HEAD DOWN	Press and hold  button, head actuator moves in, stop when released
FOOT UP	Press and hold  button, foot actuator moves out, stop when released
FOOTDOWN	Press and hold  button, foot actuator moves in, stop when released
HEAD UP&FOOT UP	Press and hold  button, head actuator and foot actuator moves out, stop when released
HEAD DOWN&FOOT DOWN	Press and hold  button, head actuator and foot actuator moves in, stop when released
FLAT	Press and hold  button, the bed goes flat
ZG	Click  button, the bed moves to zeroG position, press and hold zeroG button for 5s, until backlight flashes, the control set the current position as zeroG position
MEMORY A	Click  button, the bed moves to memory a position, press and hold memory a button for 5s until backlight flashes, the control set the current position as memory a position
MEMORY B	Click  button, the bed moves to memory b position, press and hold memory b button for 5s, until backlight flashes, the control set the current position as memory b position
UBB	Click  button, open or close under bed light
FLASH LIGHT	Press and hold  button, open flash light close when released
Massage head+	Click  button, head massage motor switches message intensity, message intensity switches among 0-1-2-3;
Massage timer	Click  If the massage motors do not work, the button is invalid, if the massage motors work, click the button to switch the massage time, when massage time switch to 0, turn off the massage;

Message head-	 <p>Click  button, head message motor switches message intensity, message intensity switches among 3-2-1-0;</p>
Message foot+	 <p>Click  button, foot message motor switches message intensity, message intensity switches among 0-1-2-3;</p>
Message Type	 <p>Click  button, to switch the message mode of message motors, message mode switches among type0→type1→type2→type3→type0; this button can only switch the message mode, it can not open message motors;</p>
Message foot-	 <p>Click  button, head message motor switches message intensity, message intensity switches among 3-2-1-0;</p>

1. FCC:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

2. IC RSS warning

This device complies with Industry Canada licence-exempt RSS standard (s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

3. ISED RSS Warning:

This device complies with Innovation, Science and Economic Development Canada licence exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence.

L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

ADD: No.465 Xinnanyang Road, Wangjiangjing Development Zone, Jiaxing, Zhejiang, China

URL: <http://www.dewokang.com/>

Tel : 86-400-887-8573