





Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission






Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission






Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission






Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission






Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission






Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission






Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission






Tx. Spurious NVNT n40 2452MHz Ant1 Ref



Tx. Spurious NVNT n40 2452MHz Ant1 Emission





A.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.55	0	0.01
NVNT	b	2437	Ant1	99.57	0	0.01
NVNT	b	2462	Ant1	99.55	0	0.01
NVNT	g	2412	Ant1	96.94	0.13	0.72
NVNT	g	2437	Ant1	96.8	0.14	0.72
NVNT	g	2462	Ant1	96.94	0.13	0.72
NVNT	n20	2412	Ant1	96.73	0.14	0.77
NVNT	n20	2437	Ant1	96.73	0.14	0.77
NVNT	n20	2462	Ant1	96.73	0.14	0.77
NVNT	n40	2422	Ant1	93.93	0.27	1.54
NVNT	n40	2437	Ant1	93.64	0.29	1.54
NVNT	n40	2452	Ant1	93.93	0.27	1.54








Test Graphs



Duty Cycle NVNT b 2412MHz Ant1







Duty Cycle NVNT b 2437MHz Ant1

















A.7 Restrict Band

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	2310	-51.4	4.0	47.86	Peak	74	Pass
NVNT	b	2412	2310	-57.62	4.0	41.64	Average	54	Pass
NVNT	b	2412	2336.793	-46.57	4.0	52.69	Peak	74	Pass
NVNT	b	2412	2387.337	-55.67	4.0	43.59	Average	54	Pass
NVNT	b	2412	2390	-49.28	4.0	49.98	Peak	74	Pass
NVNT	b	2412	2390	-56.45	4.0	42.81	Average	54	Pass
NVNT	b	2462	2483.5	-49.71	4.0	49.55	Peak	74	Pass
NVNT	b	2462	2483.5	-55.66	4.0	43.6	Average	54	Pass
NVNT	b	2462	2485.69	-44.48	4.0	54.78	Peak	74	Pass
NVNT	b	2462	2488.287	-55.14	4.0	44.12	Average	54	Pass
NVNT	b	2462	2500	-49.1	4.0	50.16	Peak	74	Pass
NVNT	b	2462	2500	-55.63	4.0	43.63	Average	54	Pass
NVNT	g	2412	2310	-49.38	4.0	49.88	Peak	74	Pass
NVNT	g	2412	2310	-57.01	4.0	42.25	Average	54	Pass
NVNT	g	2412	2389.092	-41.3	4.0	57.96	Peak	74	Pass
NVNT	g	2412	2389.911	-51.42	4.0	47.84	Average	54	Pass
NVNT	g	2412	2390	-42.27	4.0	56.99	Peak	74	Pass
NVNT	g	2412	2390	-51.44	4.0	47.82	Average	54	Pass
NVNT	g	2462	2483.5	-41.89	4.0	57.37	Peak	74	Pass
NVNT	g	2462	2483.5	-50.62	4.0	48.64	Average	54	Pass
NVNT	g	2462	2483.888	-41.72	4.0	57.54	Peak	74	Pass
NVNT	g	2462	2483.517	-50.62	4.0	48.64	Average	54	Pass
NVNT	g	2462	2500	-46.48	4.0	52.78	Peak	74	Pass
NVNT	g	2462	2500	-53.95	4.0	45.31	Average	54	Pass
NVNT	n20	2412	2310	-50.67	4.0	48.59	Peak	74	Pass
NVNT	n20	2412	2310	-57.01	4.0	42.25	Average	54	Pass
NVNT	n20	2412	2389.794	-42.73	4.0	56.53	Peak	74	Pass
NVNT	n20	2412	2389.911	-51.99	4.0	47.27	Average	54	Pass
NVNT	n20	2412	2390	-43.93	4.0	55.33	Peak	74	Pass
NVNT	n20	2412	2390	-51.81	4.0	47.45	Average	54	Pass
NVNT	n20	2462	2483.5	-43.66	4.0	55.6	Peak	74	Pass
NVNT	n20	2462	2483.5	-51.36	4.0	47.9	Average	54	Pass
NVNT	n20	2462	2483.623	-38.53	4.0	60.73	Peak	74	Pass
NVNT	n20	2462	2483.517	-51.36	4.0	47.9	Average	54	Pass
NVNT	n20	2462	2500	-48.17	4.0	51.09	Peak	74	Pass
NVNT	n20	2462	2500	-53.8	4.0	45.46	Average	54	Pass
NVNT	n40	2422	2310	-49.78	4.0	49.48	Peak	74	Pass





NVNT	n40	2422	2310	-56.76	4.0	42.5	Average	54	Pass
NVNT	n40	2422	2389.52	-31.65	4.0	67.61	Peak	74	Pass
NVNT	n40	2422	2389.662	-53.39	4.0	45.87	Average	54	Pass
NVNT	n40	2422	2390	-40.92	4.0	58.34	Peak	74	Pass
NVNT	n40	2422	2390	-53.49	4.0	45.77	Average	54	Pass
NVNT	n40	2452	2483.5	-34.26	4.0	65	Peak	74	Pass
NVNT	n40	2452	2483.5	-52.7	4.0	46.56	Average	54	Pass
NVNT	n40	2452	2483.932	-31.4	4.0	67.86	Peak	74	Pass
NVNT	n40	2452	2483.854	-52.48	4.0	46.78	Average	54	Pass
NVNT	n40	2452	2500	-46.27	4.0	52.99	Peak	74	Pass
NVNT	n40	2452	2500	-53.61	4.0	45.65	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Test Graphs

Restrict Band NVNT b 2412MHz Peak



Restrict Band NVNT b 2412MHz Average

