



						087	17		
	Ant2	5580	242Tone	RU61	18.966	5570.5050	5589.4710	---	---
	Ant1	5620	242Tone	RU61	19.012	5610.4858	5629.4978	---	---
	Ant2	5620	242Tone	RU61	18.958	5610.5027	5629.4607	---	---
	Ant1	5700	242Tone	RU61	18.989	5690.5138	5709.5028	---	---
	Ant2	5700	242Tone	RU61	18.929	5690.5086	5709.4376	---	---
	Ant1	5720	242Tone	RU61	18.970	5710.5372	5729.5072	---	---
	Ant2	5720	242Tone	RU61	18.943	5710.5007	5729.4437	---	---
	Ant1	5720_ UNII-2 C	242Tone	RU61	14.463	5710.5372	5725	---	---
	Ant2	5720_ UNII-2 C	242Tone	RU61	14.499	5710.5007	5725	---	---
	Ant1	5720_ UNII-3	242Tone	RU61	4.507	5725	5729.5072	---	---
	Ant2	5720_ UNII-3	242Tone	RU61	4.444	5725	5729.4437	---	---
	Ant1	5745	242Tone	RU61	18.971	5735.5013	5754.4723	---	---
	Ant2	5745	242Tone	RU61	18.958	5735.4847	5754.4427	---	---
	Ant1	5785	242Tone	RU61	18.984	5775.5072	5794.4912	---	---
	Ant2	5785	242Tone	RU61	18.947	5775.5030	5794.4500	---	---
	Ant1	5825	242Tone	RU61	18.966	5815.5237	5834.4897	---	---
	Ant2	5825	242Tone	RU61	18.984	5815.4	5834.46	---	---



						775	15		
11AX40 _RU	Ant1	5190	484Tone	RU65	38.008	5171.0 350	5209.04 30	---	---
	Ant2	5190	484Tone	RU65	37.952	5171.0 005	5208.95 25	---	---
	Ant1	5230	484Tone	RU65	37.991	5211.0 099	5249.00 09	---	---
	Ant2	5230	484Tone	RU65	37.993	5211.0 031	5248.99 61	---	---
	Ant1	5270	484Tone	RU65	38.008	5250.9 967	5289.00 47	---	---
	Ant2	5270	484Tone	RU65	38.026	5250.9 753	5289.00 13	---	---
	Ant1	5310	484Tone	RU65	37.949	5291.0 278	5328.97 68	---	---
	Ant2	5310	484Tone	RU65	37.952	5291.0 147	5328.96 67	---	---
	Ant1	5510	484Tone	RU65	38.053	5490.9 951	5529.04 81	---	---
	Ant2	5510	484Tone	RU65	37.949	5491.0 223	5528.97 13	---	---
	Ant1	5550	484Tone	RU65	37.971	5531.0 362	5569.00 72	---	---
	Ant2	5550	484Tone	RU65	37.952	5531.0 439	5568.99 59	---	---
	Ant1	5670	484Tone	RU65	37.991	5651.0 597	5689.05 07	---	---
	Ant2	5670	484Tone	RU65	37.903	5651.0 158	5688.91 88	---	---
	Ant1	5710	484Tone	RU65	37.936	5691.0 940	5729.03 00	---	---
	Ant2	5710	484Tone	RU65	37.920	5691.0 436	5728.96 36	---	---
	Ant1	5710_ UNII-2 C	484Tone	RU65	33.906	5691.0 940	5725	---	---



	Ant2	5710_ UNII-2 C	484Tone	RU65	33.956	5691.0 436	5725	---	---
	Ant1	5710_ UNII-3	484Tone	RU65	4.03	5725	5729.03 00	---	---
	Ant2	5710_ UNII-3	484Tone	RU65	3.964	5725	5728.96 36	---	---
	Ant1	5755	484Tone	RU65	37.926	5736.0 821	5774.00 81	---	---
	Ant2	5755	484Tone	RU65	37.879	5736.0 036	5773.88 26	---	---
	Ant1	5795	484Tone	RU65	37.970	5776.0 609	5814.03 09	---	---
	Ant2	5795	484Tone	RU65	37.863	5775.9 895	5813.85 25	---	---
11AX80 _RU	Ant1	5210	996Tone	RU67	78.117	5170.9 806	5249.09 76	---	---
	Ant2	5210	996Tone	RU67	77.835	5171.0 887	5248.92 37	---	---
	Ant1	5290	996Tone	RU67	78.053	5250.9 661	5329.01 91	---	---
	Ant2	5290	996Tone	RU67	77.879	5250.9 683	5328.84 73	---	---
	Ant1	5530	996Tone	RU67	78.135	5491.0 193	5569.15 43	---	---
	Ant2	5530	996Tone	RU67	77.930	5491.0 592	5568.98 92	---	---
	Ant1	5610	996Tone	RU67	78.017	5571.1 198	5649.13 68	---	---
	Ant2	5610	996Tone	RU67	77.775	5571.1 270	5648.90 20	---	---
	Ant1	5690	996Tone	RU67	77.771	5651.2 243	5728.99 53	---	---
	Ant2	5690	996Tone	RU67	77.853	5651.0 619	5728.91 49	---	---
	Ant1	5690_	996Tone	RU67	73.776	5651.2	5725	---	---




		UNII-2 C				243			
	Ant2	5690_ UNII-2 C	996Tone	RU67	73.938	5651.0 619	5725	---	---
	Ant1	5690_ UNII-3	996Tone	RU67	3.995	5725	5728.99 53	---	---
	Ant2	5690_ UNII-3	996Tone	RU67	3.915	5725	5728.91 49	---	---
	Ant1	5775	996Tone	RU67	77.827	5736.1 283	5813.95 53	---	---
	Ant2	5775	996Tone	RU67	77.832	5736.0 069	5813.83 89	---	---



BUREAU VERITAS

Test Report No.: W7L-P23100014RF03


### TEST GRAPHS






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5200\_242Tone\_RU61




11AX20\_RU\_Ant1\_5240\_242Tone\_RU61




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5240\_242Tone\_RU61




11AX20\_RU\_Ant1\_5260\_242Tone\_RU61






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5260\_242Tone\_RU61



11AX20\_RU\_Ant1\_5300\_242Tone\_RU61






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5300\_242Tone\_RU61




11AX20\_RU\_Ant1\_5320\_242Tone\_RU61




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5320\_242Tone\_RU61




11AX20\_RU\_Ant1\_5500\_242Tone\_RU61




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5500\_242Tone\_RU61



11AX20\_RU\_Ant1\_5580\_242Tone\_RU61




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5580\_242Tone\_RU61



11AX20\_RU\_Ant1\_5620\_242Tone\_RU61





BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5620\_242Tone\_RU61




11AX20\_RU\_Ant1\_5700\_242Tone\_RU61




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5700\_242Tone\_RU61




11AX20\_RU\_Ant1\_5720\_242Tone\_RU61





BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5720\_242Tone\_RU61




11AX20\_RU\_Ant1\_5745\_242Tone\_RU61




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5745\_242Tone\_RU61




11AX20\_RU\_Ant1\_5785\_242Tone\_RU61




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5785\_242Tone\_RU61





11AX20\_RU\_Ant1\_5825\_242Tone\_RU61



BUREAU VERITAS

Test Report No.: W7L-P23100014RF03








BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5190\_484Tone\_RU65




11AX40\_RU\_Ant1\_5230\_484Tone\_RU65




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5230\_484Tone\_RU65




11AX40\_RU\_Ant1\_5270\_484Tone\_RU65






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5270\_484Tone\_RU65





11AX40\_RU\_Ant1\_5310\_484Tone\_RU65



BUREAU VERITAS


Test Report No.: W7L-P23100014RF03






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5510\_484Tone\_RU65




11AX40\_RU\_Ant1\_5550\_484Tone\_RU65




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5550\_484Tone\_RU65



11AX40\_RU\_Ant1\_5670\_484Tone\_RU65






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5670\_484Tone\_RU65




11AX40\_RU\_Ant1\_5710\_484Tone\_RU65



BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5710\_484Tone\_RU65




11AX40\_RU\_Ant1\_5755\_484Tone\_RU65






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5755\_484Tone\_RU65




11AX40\_RU\_Ant1\_5795\_484Tone\_RU65




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5795\_484Tone\_RU65




11AX80\_RU\_Ant1\_5210\_996Tone\_RU67



BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX80\_RU\_Ant2\_5210\_996Tone\_RU67




11AX80\_RU\_Ant1\_5290\_996Tone\_RU67




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX80\_RU\_Ant2\_5290\_996Tone\_RU67




11AX80\_RU\_Ant1\_5530\_996Tone\_RU67






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX80\_RU\_Ant2\_5530\_996Tone\_RU67




11AX80\_RU\_Ant1\_5610\_996Tone\_RU67




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX80\_RU\_Ant2\_5610\_996Tone\_RU67




11AX80\_RU\_Ant1\_5690\_996Tone\_RU67






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX80\_RU\_Ant2\_5690\_996Tone\_RU67




11AX80\_RU\_Ant1\_5775\_996Tone\_RU67




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX80\_RU\_Ant2\_5775\_996Tone\_RU67





### MIN EMISSION BANDWIDTH

### TEST RESULT

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	6db BW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11AX20 _RU	Ant1	5745	242Tone	RU61	18.520	5735.920	5754.440	0.5	PASS
	Ant2	5745	242Tone	RU61	18.800	5735.600	5754.400	0.5	PASS
	Ant1	5785	242Tone	RU61	18.600	5775.720	5794.320	0.5	PASS
	Ant2	5785	242Tone	RU61	16.720	5775.840	5792.560	0.5	PASS
	Ant1	5825	242Tone	RU61	18.560	5815.640	5834.200	0.5	PASS
	Ant2	5825	242Tone	RU61	18.720	5815.600	5834.320	0.5	PASS
11AX40 _RU	Ant1	5755	484Tone	RU65	37.200	5736.680	5773.880	0.5	PASS
	Ant2	5755	484Tone	RU65	36.480	5736.200	5772.680	0.5	PASS
	Ant1	5795	484Tone	RU65	37.760	5776.120	5813.880	0.5	PASS
	Ant2	5795	484Tone	RU65	35.680	5776.680	5812.360	0.5	PASS
11AX80 _RU	Ant1	5775	996Tone	RU67	76.960	5736.280	5813.240	0.5	PASS
	Ant2	5775	996Tone	RU67	76.000	5736.120	5812.120	0.5	PASS




BUREAU VERITAS


Test Report No.: W7L-P23100014RF03

### TEST GRAPHS

11AX20\_RU\_Ant1\_5745\_242Tone\_RU61



11AX20\_RU\_Ant2\_5745\_242Tone\_RU61




11AX20\_RU\_Ant1\_5785\_242Tone\_RU61




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5785\_242Tone\_RU61




11AX20\_RU\_Ant1\_5825\_242Tone\_RU61





BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5825\_242Tone\_RU61




11AX40\_RU\_Ant1\_5755\_484Tone\_RU65




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5755\_484Tone\_RU65




11AX40\_RU\_Ant1\_5795\_484Tone\_RU65




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX40\_RU\_Ant2\_5795\_484Tone\_RU65




11AX80\_RU\_Ant1\_5775\_996Tone\_RU67




BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX80\_RU\_Ant2\_5775\_996Tone\_RU67







**MAXIMUM CONDUCTED OUTPUT POWER**

**TEST RESULT**

Test Mode	Freq. [MHz]	Ru Size	Ru Index	Maximum Conducted Output Power (dBm)			FCC Conducted Limit [dBm]	IC Conducted Limit [dBm]	Equivalent Isotropically Radiated Power (dBm)			EIRP Limit [dBm]	Verdict	Power Setting
				ANT1	ANT2	MIMO			ANT1	ANT2	MIMO			
11ax20 RU-SISO	5180	242Tone	RU61	9.22	7.89	---	≤24.00	---	6.22	6.09	---	≤22.79	PASS	10
	5200	242Tone	RU61	9.45	7.91	---	≤24.00	---	6.45	6.11	---	≤22.79	PASS	10
	5240	242Tone	RU61	8.98	7.47	---	≤24.00	---	5.98	5.67	---	≤22.79	PASS	10
	5260	242Tone	RU61	8.51	7.23	---	≤24.00	≤23.76	5.51	5.43	---	≤29.76	PASS	10
	5300	242Tone	RU61	9.13	7.29	---	≤24.00	≤23.79	6.13	5.49	---	≤29.79	PASS	10
	5320	242Tone	RU61	9.06	7.37	---	≤24.00	≤23.79	6.06	5.57	---	≤29.79	PASS	10
	5500	242Tone	RU61	8.41	6.74	---	≤24.00	≤23.79	5.41	4.94	---	≤29.79	PASS	10
	5580	242Tone	RU61	8.12	7.07	---	≤24.00	≤23.78	5.12	5.27	---	≤29.78	PASS	10
	5700	242Tone	RU61	8.09	6.91	---	≤24.00	≤23.77	5.09	5.11	---	≤29.77	PASS	10.5
	5720	242Tone	RU61	8.54	6.38	---	≤24.00	≤22.60	5.54	4.58	---	≤28.60	PASS	10.5
	5720	242Tone	RU61	8.54	6.38	---	≤30.00	≤30.00	5.54	4.58	---	---	PASS	10.5
	5745	242Tone	RU61	8.58	6.22	---	≤30.00	≤30.00	5.58	4.42	---	---	PASS	10.5
	5785	242Tone	RU61	8.64	6.79	---	≤30.00	≤30.00	5.64	4.99	---	---	PASS	10.5
5825	242Tone	RU61	8.61	7.14	---	≤30.00	≤30.00	5.61	5.34	---	---	PASS	10.5	
11ax20 RU-MIM	5180	242Tone	RU61	9.41	8.06	11.80	≤24.00	---	7.61	6.26	10.30	≤22.79	PASS	10
	5200	242Tone	RU61	9.67	8.08	11.96	≤24.00	---	7.87	6.28	10.30	≤22.79	PASS	10





**BUREAU  
VERITAS**

**Test Report No.: W7L-P23100014RF03**

O	5240	242Tone	RU61	9.20	7.64	11.50	≤24.00	---	7.40	5.84	9.95	≤22.79	PASS	10
	5260	242Tone	RU61	8.73	7.40	11.13	≤24.00	≤23.76	6.93	5.60	9.85	≤29.76	PASS	10
	5300	242Tone	RU61	9.35	7.46	11.52	≤24.00	≤23.79	7.55	5.66	10.03	≤29.79	PASS	10
	5320	242Tone	RU61	9.28	7.54	11.51	≤24.00	≤23.79	7.48	5.74	10.08	≤29.79	PASS	10
	5500	242Tone	RU61	8.63	6.91	10.86	≤24.00	≤23.79	6.83	5.11	9.16	≤29.79	PASS	10
	5580	242Tone	RU61	8.34	7.24	10.84	≤24.00	≤23.78	6.54	5.44	9.30	≤29.78	PASS	10
	5700	242Tone	RU61	8.31	7.08	10.75	≤24.00	≤23.77	6.51	5.28	9.54	≤29.77	PASS	10.5
	5720	242Tone	RU61	8.76	6.55	10.80	≤24.00	≤22.60	6.96	4.75	9.46	≤28.60	PASS	10.5
	5720	242Tone	RU61	8.80	6.39	10.77	≤30.00	≤30.00	7.00	4.59	9.46	---	PASS	10.5
	5745	242Tone	RU61	8.80	6.39	10.77	≤30.00	≤30.00	7.00	4.59	9.41	---	PASS	10.5
	5785	242Tone	RU61	8.86	6.96	11.02	≤30.00	≤30.00	7.06	5.16	9.62	---	PASS	10.5
5825	242Tone	RU61	8.83	7.31	11.15	≤30.00	≤30.00	7.03	5.51	9.87	---	PASS	10.5	
11ax40 RU-SISO	5190	484Tone	RU65	9.33	7.88	---	≤24.00	---	6.33	6.08	---	≤23.01	PASS	10
	5230	484Tone	RU65	8.77	7.68	---	≤24.00	---	5.77	5.88	---	≤23.01	PASS	10
	5270	484Tone	RU65	8.64	7.32	---	≤24.00	≤24.00	5.64	5.52	---	≤30.00	PASS	10
	5310	484Tone	RU65	9.08	7.23	---	≤24.00	≤24.00	6.08	5.43	---	≤30.00	PASS	10
	5510	484Tone	RU65	8.11	6.78	---	≤24.00	≤24.00	5.11	4.98	---	≤30.00	PASS	10
	5550	484Tone	RU65	8.18	6.61	---	≤24.00	≤24.00	5.18	4.81	---	≤30.00	PASS	10
	5670	484Tone	RU65	8.13	7.22	---	≤24.00	≤24.00	5.13	5.42	---	≤30.00	PASS	10
	5710	484Tone	RU65	8.45	6.33	---	≤24.00	≤24.00	5.45	4.53	---	≤30.00	PASS	10.5
	5710	484Tone	RU65	8.45	6.33	---	≤30.00	≤30.00	5.45	4.53	---	---	PASS	10.5
5755	484Tone	RU65	8.48	6.81	---	≤30.00	≤30.00	5.48	5.01	---	---	PASS	10.5	

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



**BUREAU  
VERITAS**

**Test Report No.: W7L-P23100014RF03**

	5795	484Tone	RU65	8.10	7.27	---	≤30.00	≤30.00	5.1	5.47	---	---	PASS	11
11ax40 RU-MIM O	5190	484Tone	RU65	9.55	8.05	11.87	≤24.00	---	7.75	6.25	10.31	≤23.01	PASS	10
	5230	484Tone	RU65	8.99	7.85	11.47	≤24.00	---	7.19	6.05	9.93	≤23.01	PASS	10
	5270	484Tone	RU65	8.86	7.49	11.24	≤24.00	≤24.00	7.06	5.69	9.74	≤30.00	PASS	10
	5310	484Tone	RU65	9.30	7.40	11.46	≤24.00	≤24.00	7.5	5.6	10.04	≤30.00	PASS	10
	5510	484Tone	RU65	8.33	6.95	10.70	≤24.00	≤24.00	6.53	5.15	9.04	≤30.00	PASS	10
	5550	484Tone	RU65	8.40	6.78	10.68	≤24.00	≤24.00	6.6	4.98	8.97	≤30.00	PASS	10
	5670	484Tone	RU65	8.35	7.39	10.91	≤24.00	≤24.00	6.55	5.59	9.51	≤30.00	PASS	10
	5710	484Tone	RU65	8.67	6.50	10.73	≤24.00	≤24.00	6.87	4.7	9.42	≤30.00	PASS	10.5
	5710	484Tone	RU65	8.67	6.50	10.73	≤30.00	≤30.00	6.87	4.7	9.42	---	PASS	10.5
	5755	484Tone	RU65	8.70	6.98	10.93	≤30.00	≤30.00	6.9	5.18	9.49	---	PASS	10.5
5795	484Tone	RU65	8.32	7.44	10.91	≤30.00	≤30.00	6.52	5.64	10.08	---	PASS	11	
11ax80 RU-SISO	5210	996Tone	RU67	8.31	7.36	---	≤24.00	---	5.31	5.56	---	≤23.01	PASS	10
	5290	996Tone	RU67	8.11	7.03	---	≤24.00	≤24.00	5.11	5.23	---	≤30.00	PASS	10
	5530	996Tone	RU67	8.07	6.61	---	≤24.00	≤24.00	5.07	4.81	---	≤30.00	PASS	10
	5610	996Tone	RU67	7.51	6.75	---	≤24.00	≤24.00	4.51	4.95	---	≤30.00	PASS	10
	5690	996Tone	RU67	8.29	6.61	---	≤24.00	≤24.00	5.29	4.81	---	≤30.00	PASS	10.5
	5690	996Tone	RU67	8.29	6.61	---	≤30.00	≤30.00	5.29	4.81	---	---	PASS	10.5
	5775	996Tone	RU67	8.31	6.63	---	≤30.00	≤30.00	5.31	4.83	---	---	PASS	10.5
11ax80 RU-MIM O	5210	996Tone	RU67	8.53	7.53	11.07	≤24.00	---	6.73	5.73	10.12	≤23.01	PASS	10
	5290	996Tone	RU67	8.33	7.20	10.81	≤24.00	≤24.00	6.53	5.4	10.08	≤30.00	PASS	10
	5530	996Tone	RU67	8.29	6.78	10.61	≤24.00	≤24.00	6.49	4.98	9.35	≤30.00	PASS	10

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



**BUREAU  
VERITAS**

**Test Report No.: W7L-P23100014RF03**

	5610	996Tone	RU67	7.73	6.92	10.35	≤24.00	≤24.00	5.93	5.12	9.44	≤30.00	PASS	10
	5690	996Tone	RU67	8.51	6.78	10.74	≤24.00	≤24.00	6.71	4.98	9.56	≤30.00	PASS	10.5
	5690	996Tone	RU67	8.51	6.78	10.74	≤30.00	≤30.00	6.71	4.98	9.56	---	PASS	10.5
	5775	996Tone	RU67	8.55	6.76	10.76	≤30.00	≤30.00	6.75	4.96	9.56	---	PASS	10.5

- Note: 1. Conducted Power=Measured Power +Duty Cycle Factor  
 2. Equivalent Isotropically Radiated Power =Measured Power +Duty Cycle Factor+Gain  
 3. ANT1 Gain=-3.0dBi,ANT2 Gain=-1.8dBi.



### MAXIMUM POWER SPECTRAL DENSITY

### TEST RESULT

Test Mode	Antenna	Freq. [MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP PSD [dBm/MHz]	EIRP PSD Limit [dBm/MHz]	Verdict
11AX20_RU	Ant1	5180	242Tone	RU61	-1.96	≤11.00	-1.33	≤10.00	PASS
	Ant2	5180	242Tone	RU61	-1.52	≤11.00	-0.89	≤10.00	PASS
	total	5180	242Tone	RU61	1.28	≤11.00	1.91	≤10.00	PASS
	Ant1	5200	242Tone	RU61	-1.9	≤11.00	-1.27	≤10.00	PASS
	Ant2	5200	242Tone	RU61	-1.41	≤11.00	-0.78	≤10.00	PASS
	total	5200	242Tone	RU61	1.36	≤11.00	1.99	≤10.00	PASS
	Ant1	5240	242Tone	RU61	-1.62	≤11.00	-0.99	≤10.00	PASS
	Ant2	5240	242Tone	RU61	-1.48	≤11.00	-0.85	≤10.00	PASS
	total	5240	242Tone	RU61	1.46	≤11.00	2.09	≤10.00	PASS
	Ant1	5260	242Tone	RU61	-2.21	≤11.00	-4.01	----	PASS
	Ant2	5260	242Tone	RU61	-2.14	≤11.00	-3.94	----	PASS
	total	5260	242Tone	RU61	0.84	≤11.00	-0.96	----	PASS
	Ant1	5300	242Tone	RU61	-1.63	≤11.00	-3.43	----	PASS
	Ant2	5300	242Tone	RU61	-1.9	≤11.00	-3.7	----	PASS
	total	5300	242Tone	RU61	1.25	≤11.00	-0.55	----	PASS



BUREAU  
VERITAS

Test Report No.: W7L-P23100014RF03

Ant1	5320	242Tone	RU61	-1.54	≤11.00	-3.34	----	PASS
Ant2	5320	242Tone	RU61	-1.82	≤11.00	-3.62	----	PASS
total	5320	242Tone	RU61	1.33	≤11.00	-0.47	----	PASS
Ant1	5500	242Tone	RU61	-2.82	≤11.00	-4.62	----	PASS
Ant2	5500	242Tone	RU61	-2.27	≤11.00	-4.07	----	PASS
total	5500	242Tone	RU61	0.47	≤11.00	-1.33	----	PASS
Ant1	5580	242Tone	RU61	-2.47	≤11.00	-4.27	----	PASS
Ant2	5580	242Tone	RU61	-1.44	≤11.00	-3.24	----	PASS
total	5580	242Tone	RU61	1.09	≤11.00	-0.71	----	PASS
Ant1	5620	242Tone	RU61	-2.19	≤11.00	-3.99	----	PASS
Ant2	5620	242Tone	RU61	-1.48	≤11.00	-3.28	----	PASS
total	5620	242Tone	RU61	1.19	≤11.00	-0.61	----	PASS
Ant1	5700	242Tone	RU61	-1.21	≤11.00	-3.01	----	PASS
Ant2	5700	242Tone	RU61	-1.84	≤11.00	-3.64	----	PASS
total	5700	242Tone	RU61	1.50	≤11.00	-0.3	----	PASS
Ant1	5720_UNII-2C	242Tone	RU61	-1.22	≤11.00	-3.02	----	PASS
Ant2	5720_UNII-2C	242Tone	RU61	-1.75	≤11.00	-3.55	----	PASS
total	5720_UNII-2C	242Tone	RU61	1.53	≤11.00	-0.27	----	PASS
Ant1	5720_UNII-3	242Tone	RU61	-4.34	≤30.00	-6.14	----	PASS
Ant2	5720_UNII-3	242Tone	RU61	-5.41	≤30.00	-7.21	----	PASS
total	5720_UNII-3	242Tone	RU61	-1.83	≤11.00	-3.63	----	PASS
Ant1	5745	242Tone	RU61	-3.63	≤30.00	-5.43	----	PASS

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)





**BUREAU  
VERITAS**

**Test Report No.: W7L-P23100014RF03**

	Ant2	5745	242Tone	RU61	-4.47	≤30.00	-6.27	----	PASS
	total	5745	242Tone	RU61	-1.02	≤30.00	-2.82	----	PASS
	Ant1	5785	242Tone	RU61	-3.77	≤30.00	-5.57	----	PASS
	Ant2	5785	242Tone	RU61	-3.58	≤30.00	-5.38	----	PASS
	total	5785	242Tone	RU61	-0.66	≤30.00	-2.46	----	PASS
	Ant1	5825	242Tone	RU61	-4.06	≤30.00	-5.86	----	PASS
	Ant2	5825	242Tone	RU61	-2.82	≤30.00	-4.62	----	PASS
	total	5825	242Tone	RU61	-0.39	≤30.00	-2.19	----	PASS
11AX40_RU	Ant1	5190	484Tone	RU65	-4.86	≤11.00	-4.23	≤10.00	PASS
	Ant2	5190	484Tone	RU65	-4.52	≤11.00	-3.89	≤10.00	PASS
	total	5190	484Tone	RU65	-1.68	≤11.00	-1.05	≤10.00	PASS
	Ant1	5230	484Tone	RU65	-5.21	≤11.00	-4.58	≤10.00	PASS
	Ant2	5230	484Tone	RU65	-4.39	≤11.00	-3.76	≤10.00	PASS
	total	5230	484Tone	RU65	-1.77	≤11.00	-1.14	≤10.00	PASS
	Ant1	5270	484Tone	RU65	-5.46	≤11.00	-7.26	----	PASS
	Ant2	5270	484Tone	RU65	-5.05	≤11.00	-6.85	----	PASS
	total	5270	484Tone	RU65	-2.24	≤11.00	-4.04	----	PASS
	Ant1	5310	484Tone	RU65	-4.74	≤11.00	-6.54	----	PASS
	Ant2	5310	484Tone	RU65	-5.08	≤11.00	-6.88	----	PASS
	total	5310	484Tone	RU65	-1.90	≤11.00	-3.7	----	PASS
	Ant1	5510	484Tone	RU65	-6.14	≤11.00	-7.94	----	PASS
	Ant2	5510	484Tone	RU65	-5.39	≤11.00	-7.19	----	PASS

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



**BUREAU  
VERITAS**

**Test Report No.: W7L-P23100014RF03**

	total	5510	484Tone	RU65	-2.74	≤11.00	-4.54	----	PASS
	Ant1	5550	484Tone	RU65	-5.76	≤11.00	-7.56	----	PASS
	Ant2	5550	484Tone	RU65	-5.42	≤11.00	-7.22	----	PASS
	total	5550	484Tone	RU65	-2.58	≤11.00	-4.38	----	PASS
	Ant1	5670	484Tone	RU65	-5.11	≤11.00	-6.91	----	PASS
	Ant2	5670	484Tone	RU65	-4.15	≤11.00	-5.95	----	PASS
	total	5670	484Tone	RU65	-1.59	≤11.00	-3.39	----	PASS
	Ant1	5710_UNII-2C	484Tone	RU65	-4.17	≤11.00	-5.97	----	PASS
	Ant2	5710_UNII-2C	484Tone	RU65	-4.74	≤11.00	-6.54	----	PASS
	total	5710_UNII-2C	484Tone	RU65	-1.44	≤11.00	-3.24	----	PASS
	Ant1	5710_UNII-3	484Tone	RU65	-7.95	≤30.00	-9.75	----	PASS
	Ant2	5710_UNII-3	484Tone	RU65	-9.31	≤30.00	-11.11	----	PASS
	total	5710_UNII-3	484Tone	RU65	-5.57	≤11.00	-7.37	----	PASS
	Ant1	5755	484Tone	RU65	-6.93	≤30.00	-8.73	----	PASS
	Ant2	5755	484Tone	RU65	-6.95	≤30.00	-8.75	----	PASS
	total	5755	484Tone	RU65	-3.93	≤30.00	-5.73	----	PASS
	Ant1	5795	484Tone	RU65	-8.48	≤30.00	-10.28	----	PASS
	Ant2	5795	484Tone	RU65	-6.38	≤30.00	-8.18	----	PASS
	total	5795	484Tone	RU65	-4.29	≤30.00	-6.09	----	PASS
11AX80_RU	Ant1	5210	996Tone	RU67	-8.76	≤11.00	-8.13	≤10.00	PASS
	Ant2	5210	996Tone	RU67	-7.98	≤11.00	-7.35	≤10.00	PASS
	total	5210	996Tone	RU67	-5.34	≤11.00	-4.71	≤10.00	PASS

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



Ant1	5290	996Tone	RU67	-8.48	≤11.00	-10.28	----	PASS
Ant2	5290	996Tone	RU67	-8	≤11.00	-9.8	----	PASS
total	5290	996Tone	RU67	-5.22	≤11.00	-7.02	----	PASS
Ant1	5530	996Tone	RU67	-9.12	≤11.00	-10.92	----	PASS
Ant2	5530	996Tone	RU67	-8.65	≤11.00	-10.45	----	PASS
total	5530	996Tone	RU67	-5.87	≤11.00	-7.67	----	PASS
Ant1	5610	996Tone	RU67	-8.63	≤11.00	-10.43	----	PASS
Ant2	5610	996Tone	RU67	-7.71	≤11.00	-9.51	----	PASS
total	5610	996Tone	RU67	-5.14	≤11.00	-6.94	----	PASS
Ant1	5690_UNII-2C	996Tone	RU67	-7.73	≤11.00	-9.53	----	PASS
Ant2	5690_UNII-2C	996Tone	RU67	-7.32	≤11.00	-9.12	----	PASS
total	5690_UNII-2C	996Tone	RU67	-4.51	≤11.00	-6.31	----	PASS
Ant1	5690_UNII-3	996Tone	RU67	-12.22	≤30.00	-14.02	----	PASS
Ant2	5690_UNII-3	996Tone	RU67	-12.01	≤30.00	-13.81	----	PASS
total	5690_UNII-3	996Tone	RU67	-9.10	≤11.00	-10.9	----	PASS
Ant1	5775	996Tone	RU67	-10.17	≤30.00	-11.97	----	PASS
Ant2	5775	996Tone	RU67	-9.61	≤30.00	-11.41	----	PASS
total	5775	996Tone	RU67	-6.87	≤30.00	-8.67	----	PASS

- Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.  
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.  
3.The EIRP PSD = Directional Gain(0.63dBi) + Result



BUREAU VERITAS

Test Report No.: W7L-P23100014RF03

### TEST GRAPHS

11AX20\_RU\_Ant1\_5180\_242Tone\_RU61



11AX20\_RU\_Ant2\_5180\_242Tone\_RU61



11AX20\_RU\_Ant1\_5200\_242Tone\_RU61



BUREAU  
VERITAS

Test Report No.: W7L-P23100014RF03







BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5240\_242Tone\_RU61



11AX20\_RU\_Ant1\_5260\_242Tone\_RU61




BUREAU  
VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5260\_242Tone\_RU61



11AX20\_RU\_Ant1\_5300\_242Tone\_RU61



BUREAU  
VERITAS

Test Report No.: W7L-P23100014RF03





BUREAU  
VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5320\_242Tone\_RU61



11AX20\_RU\_Ant1\_5500\_242Tone\_RU61





BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5500\_242Tone\_RU61



11AX20\_RU\_Ant1\_5580\_242Tone\_RU61





BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5580\_242Tone\_RU61



11AX20\_RU\_Ant1\_5620\_242Tone\_RU61



BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5620\_242Tone\_RU61



11AX20\_RU\_Ant1\_5700\_242Tone\_RU61



BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5700\_242Tone\_RU61




11AX20\_RU\_Ant1\_5720\_UNII-2C\_242Tone\_RU61



BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5720\_UNII-2C\_242Tone\_RU61




11AX20\_RU\_Ant1\_5720\_UNII-3\_242Tone\_RU61





BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5720\_UNII-3\_242Tone\_RU61



11AX20\_RU\_Ant1\_5745\_242Tone\_RU61






BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5745\_242Tone\_RU61



11AX20\_RU\_Ant1\_5785\_242Tone\_RU61



BUREAU VERITAS

Test Report No.: W7L-P23100014RF03



11AX20\_RU\_Ant2\_5785\_242Tone\_RU61



11AX20\_RU\_Ant1\_5825\_242Tone\_RU61