


EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch62
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5353.116667	70.28	---	74.00	3.72	100.0	H	234.0	13.3

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.000000	50.40	54.00	3.60	105.0	H	229.0	13.3

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch62
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.055556	---	44.71	54.00	9.30	100.0	V	279.0	13.3
5356.650000	58.43	---	74.00	15.57	100.0	V	84.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.500000	53.42	---	74.00	20.58	100.0	H	235.0	1.1
1195.000000	---	36.93	54.00	17.07	100.0	H	235.0	1.1
3231.000000	52.66	---	74.00	21.34	100.0	H	290.0	8.5
3258.500000	---	42.00	54.00	12.00	100.0	H	350.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.000000	49.98	---	74.00	24.02	100.0	V	54.0	1.1
1205.000000	---	35.63	54.00	18.37	100.0	V	118.0	1.2
3815.000000	---	43.11	54.00	10.89	100.0	V	286.0	9.8
3823.000000	54.22	---	74.00	19.78	100.0	V	159.0	9.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10582.225000	---	40.06	54.00	13.94	100.0	H	85.0	12.0
10597.466667	49.22	---	74.00	24.78	100.0	H	98.0	12.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10596.975000	53.35	---	74.00	20.65	100.0	V	178.0	12.1
10606.808333	---	47.24	54.00	6.76	100.0	V	68.0	12.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5379.616667	69.69	---	74.00	4.31	100.0	H	183.0	13.4

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5353.961112	50.83	54.00	3.17	100.0	H	221.0	13.3

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5355.177778	---	46.45	54.00	7.55	100.0	V	273.0	13.3
5379.616667	59.49	---	74.00	14.51	100.0	V	109.0	13.4


Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

U-NII-2C:

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch100
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5458.066667	---	45.57	54.00	8.43	100.0	H	249.0	13.6
5467.244445	57.51	---	68.20	10.69	100.0	H	228.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch100
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5447.905556	---	41.27	54.00	12.73	100.0	V	0.0	13.5
5462.327778	51.49	---	68.20	16.71	100.0	V	289.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch116
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1193.500000	46.77	---	74.00	27.23	100.0	H	29.0	1.1
1196.000000	---	34.84	54.00	19.16	100.0	H	235.0	1.1
3248.500000	---	41.83	54.00	12.17	100.0	H	263.0	8.5
3331.500000	52.54	---	74.00	21.46	100.0	H	178.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch116
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.000000	46.44	---	74.00	27.56	100.0	V	112.0	1.1
1206.500000	---	33.20	54.00	20.80	100.0	V	60.0	1.2
3201.000000	---	41.89	54.00	12.11	100.0	V	263.0	8.6
3266.500000	52.37	---	74.00	21.63	100.0	V	174.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch116
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11159.933333	---	40.49	54.00	13.51	100.0	H	286.0	12.5
11164.850000	48.35	---	74.00	25.65	100.0	H	286.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch116
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11160.916667	54.50	---	74.00	19.50	100.0	V	328.0	12.5
11160.916667	---	45.11	54.00	8.89	100.0	V	328.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch140
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5725.337500	62.05	68.20	6.15	100.0	H	143.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch140
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.105556	55.43	68.20	12.77	100.0	V	130.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch100
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5453.805556	---	47.67	54.00	6.33	100.0	H	148.0	13.5
5468.227778	63.58	---	68.20	4.62	100.0	H	128.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch100
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5456.100000	---	41.98	54.00	12.02	100.0	V	263.0	13.6
5467.900000	52.82	---	68.20	15.38	100.0	V	115.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch116
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.500000	49.74	---	74.00	24.26	100.0	H	88.0	1.1
1221.500000	---	35.77	54.00	18.23	100.0	H	236.0	1.4
3319.500000	53.21	---	74.00	20.79	100.0	H	294.0	8.6
3367.000000	---	41.93	54.00	12.07	100.0	H	12.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch116
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1394.500000	48.17	---	74.00	25.83	100.0	V	279.0	1.7
1394.500000	---	34.10	54.00	19.90	100.0	V	279.0	1.7
3377.500000	52.51	---	74.00	21.49	100.0	V	305.0	8.6
3388.500000	---	41.69	54.00	12.31	100.0	V	249.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch116
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11157.966667	50.41	---	74.00	23.59	100.0	H	290.0	12.5
11157.966667	---	43.46	54.00	10.54	100.0	H	290.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch116
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11157.475000	56.80	---	74.00	17.20	100.0	V	61.0	12.5
11160.425000	---	48.79	54.00	5.21	100.0	V	61.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch140
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5725.616667	62.65	68.20	5.55	100.0	H	240.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch140
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5751.113889	53.84	68.20	14.36	100.0	V	229.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch102
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5458.394445	---	47.31	54.00	6.69	100.0	H	168.0	13.6
5465.933333	63.01	---	68.20	5.19	100.0	H	146.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch102
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5425.288889	---	41.63	54.00	12.38	100.0	V	126.0	13.5
5468.555556	53.92	---	68.20	14.28	100.0	V	251.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch110
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.000000	50.58	---	74.00	23.42	100.0	H	18.0	1.1
1196.000000	---	35.04	54.00	18.96	100.0	H	18.0	1.1
3236.500000	---	41.51	54.00	12.49	100.0	H	211.0	8.5
3250.000000	52.97	---	74.00	21.03	100.0	H	99.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch110
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.000000	50.45	---	74.00	23.55	100.0	V	49.0	1.1
1203.000000	---	33.95	54.00	20.05	100.0	V	240.0	1.2
3183.000000	53.60	---	74.00	20.40	100.0	V	142.0	8.6
3245.500000	---	41.52	54.00	12.48	100.0	V	168.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch110
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11104.866667	47.64	---	74.00	26.36	100.0	H	13.0	12.4
11108.308333	---	39.69	54.00	14.31	100.0	H	313.0	12.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch110
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11095.525000	55.02	---	74.00	18.98	100.0	V	58.0	12.4
11095.525000	---	48.05	54.00	5.95	100.0	V	58.0	12.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch134
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5726.640278	64.32	68.20	3.88	100.0	H	209.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch134
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5726.919445	54.70	68.20	13.50	100.0	V	100.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch106
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5466.261111	65.17	---	68.20	3.03	100.0	H	151.0	13.6
5453.805556	---	50.69	54.00	3.31	100.0	H	234.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch106
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5458.722222	---	42.83	54.00	11.17	100.0	V	247.0	13.6
5468.883333	53.65	---	68.20	14.55	100.0	V	227.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch122
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.000000	---	35.45	54.00	18.55	100.0	H	243.0	1.1
1197.000000	49.42	---	74.00	24.58	100.0	H	243.0	1.1
3236.000000	51.93	---	74.00	22.07	100.0	H	56.0	8.5
3298.500000	---	42.29	54.00	11.71	100.0	H	208.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch122
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.500000	46.39	---	74.00	27.61	100.0	V	49.0	1.1
1230.000000	---	33.63	54.00	20.37	100.0	V	241.0	1.6
3785.000000	53.95	---	74.00	20.05	100.0	V	91.0	9.8
3800.000000	---	42.86	54.00	11.14	100.0	V	270.0	9.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch122
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11213.033333	47.53	---	74.00	26.47	100.0	H	283.0	12.6
11241.058333	---	40.07	54.00	13.93	100.0	H	310.0	12.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch122
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11239.091667	---	47.61	54.00	6.39	100.0	V	85.0	12.6
11243.516667	54.33	---	74.00	19.67	100.0	V	327.0	12.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch122
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5731.758333	62.23	68.20	5.97	100.0	H	226.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch122
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.477778	55.26	68.20	12.94	100.0	V	81.0	13.9


Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

U-NII-3:

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch149
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5650.661111	55.51	68.69	13.18	100.0	H	223.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch149
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5646.750000	53.20	68.20	15.00	100.0	V	151.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch157
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.000000	50.51	---	74.00	23.49	100.0	H	302.0	1.1
1196.500000	---	34.68	54.00	19.32	100.0	H	302.0	1.1
3266.500000	---	41.48	54.00	12.52	100.0	H	256.0	8.5
3301.500000	52.77	---	74.00	21.23	100.0	H	183.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch157
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.000000	48.45	---	74.00	25.55	100.0	V	219.0	1.1
1197.500000	---	33.55	54.00	20.45	100.0	V	125.0	1.1
3145.500000	51.84	---	74.00	22.16	100.0	V	274.0	8.6
3200.000000	---	41.57	54.00	12.43	100.0	V	86.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch157
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11577.850000	---	37.95	54.00	16.05	100.0	H	66.0	13.4
11632.916667	48.10	---	74.00	25.90	100.0	H	223.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch157
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11568.016667	---	39.69	54.00	14.31	100.0	V	87.0	13.4
11577.850000	48.29	---	74.00	25.71	100.0	V	175.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch165
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.027778	54.62	68.20	13.58	100.0	H	242.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11a_Ch165
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5968.451389	55.15	68.20	13.05	100.0	V	237.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch149
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5647.300000	56.72	68.20	11.48	100.0	H	219.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch149
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5629.700000	52.62	68.20	15.58	100.0	V	285.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch157
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.500000	50.38	---	74.00	23.62	100.0	H	245.0	1.1
1205.500000	---	35.45	54.00	18.55	100.0	H	309.0	1.2
3386.000000	---	41.86	54.00	12.14	100.0	H	119.0	8.7
3387.500000	52.30	---	74.00	21.70	100.0	H	72.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch157
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.500000	51.14	---	74.00	22.86	100.0	V	116.0	1.1
1200.500000	---	34.57	54.00	19.43	100.0	V	116.0	1.1
3321.500000	52.30	---	74.00	21.70	100.0	V	312.0	8.6
3373.000000	---	41.82	54.00	12.18	100.0	V	127.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch157
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11502.625000	47.15	---	74.00	26.85	100.0	H	173.0	13.7
11551.300000	---	38.11	54.00	15.89	100.0	H	0.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch157
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11570.475000	---	41.62	54.00	12.38	100.0	V	0.0	13.4
11572.933333	50.26	---	74.00	23.74	100.0	V	13.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch165
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5940.875000	55.77	68.20	12.43	100.0	H	157.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n20_Ch165
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5969.215278	54.38	68.20	13.82	100.0	V	100.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch151
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5647.544445	56.49	68.20	11.71	100.0	H	224.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch151
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5642.166667	53.17	68.20	15.03	100.0	V	120.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.500000	48.30	---	74.00	25.70	100.0	H	311.0	1.1
1204.500000	---	35.37	54.00	18.63	100.0	H	305.0	1.2
3188.500000	52.77	---	74.00	21.23	100.0	H	319.0	8.6
3214.000000	---	41.39	54.00	12.61	100.0	H	173.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.000000	49.81	---	74.00	24.19	100.0	V	240.0	1.1
1197.500000	---	34.82	54.00	19.18	100.0	V	259.0	1.1
3712.000000	54.39	---	74.00	19.61	100.0	V	296.0	9.6
3827.500000	---	42.93	54.00	11.07	100.0	V	289.0	9.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11534.583333	47.34	---	74.00	26.66	100.0	H	80.0	13.6
11569.491667	---	38.32	54.00	15.68	100.0	H	45.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11591.616667	50.11	---	74.00	23.89	100.0	V	17.0	13.3
11592.108333	---	42.26	54.00	11.74	100.0	V	17.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5944.541667	54.92	68.20	13.28	100.0	H	226.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5983.500000	54.63	68.20	13.57	100.0	V	329.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.000000	---	36.36	54.00	17.64	100.0	H	308.0	1.1
1199.500000	53.68	---	74.00	20.32	100.0	H	308.0	1.1
3375.000000	52.63	---	74.00	21.37	100.0	H	98.0	8.6
3404.500000	---	42.00	54.00	12.00	100.0	H	177.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.000000	52.08	---	74.00	21.92	100.0	V	242.0	1.1
1197.000000	---	36.08	54.00	17.92	100.0	V	234.0	1.1
3400.000000	53.49	---	74.00	20.51	100.0	V	53.0	8.7
3549.500000	---	42.88	54.00	11.12	100.0	V	196.0	9.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11409.700000	47.15	---	74.00	26.85	100.0	H	71.0	12.9
11519.833333	---	37.82	54.00	16.18	100.0	H	276.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11565.066667	47.98	---	74.00	26.02	100.0	V	21.0	13.4
11571.950000	---	39.70	54.00	14.30	100.0	V	8.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5651.333333	64.59	69.19	4.60	100.0	H	215.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.466667	54.67	68.20	13.53	100.0	V	91.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5926.361111	55.91	68.20	12.29	100.0	H	253.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5946.604167	54.43	68.20	13.77	100.0	V	163.0	14.8

Final_Result


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

Co-location Mode:

Only the worst-case listed as below:

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BLE 1M_High channel+WIFI 5G_11n20_Ch56
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
37.498846	30.53	40.00	9.47	100.0	V	162.0	-21.2
59.398462	31.22	40.00	8.78	100.0	V	303.0	-19.2
74.955769	30.07	40.00	9.93	100.0	V	1.0	-23.7
297.533462	31.18	46.00	14.82	100.0	V	38.0	-16.7
323.574231	31.40	46.00	14.60	100.0	V	201.0	-15.9
752.612692	28.06	46.00	17.94	100.0	V	295.0	-7.5

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BLE 1M_High channel+WIFI 5G_11n20_Ch56
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
73.426154	21.72	40.00	18.28	100.0	H	109.0	-23.2
154.682308	32.16	43.50	11.34	100.0	H	0.0	-22.3
326.484231	29.96	46.00	16.04	100.0	H	246.0	-15.8
394.458846	29.85	46.00	16.15	100.0	H	262.0	-14.2
751.568077	35.93	46.00	10.07	100.0	H	75.0	-7.6
822.975000	33.80	46.00	12.20	100.0	H	100.0	-6.3

Final_Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BLE 1M_High channel+WIFI 5G_11n20_Ch56
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.500000	53.12	---	74.00	20.88	100.0	V	236.0	1.1
1195.500000	---	42.18	54.00	11.82	100.0	V	236.0	1.1
2799.000000	50.32	---	74.00	23.68	100.0	V	272.0	8.0
2801.000000	---	41.43	54.00	12.57	100.0	V	251.0	8.0
4957.000000	---	39.56	54.00	14.44	100.0	V	12.0	11.8
4972.000000	50.94	---	74.00	23.06	100.0	V	5.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BLE 1M_High channel+WIFI 5G_11n20_Ch56
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.500000	53.45	---	74.00	20.55	100.0	H	236.0	1.1
1196.500000	---	35.86	54.00	18.14	100.0	H	236.0	1.1
2799.500000	66.62	---	74.00	7.38	100.0	H	140.0	8.0
4949.000000	---	39.75	54.00	14.25	100.0	H	14.0	11.8
4960.000000	50.84	---	74.00	23.16	100.0	H	206.0	11.8

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2799.072059	50.74	54.00	3.26	100.0	H	138.0	8.0

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BLE 1M_High channel+WIFI 5G_11n20_Ch56
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7440.966667	---	34.15	54.00	19.85	100.0	V	1.0	8.4
7483.741667	42.70	---	74.00	31.30	100.0	V	141.0	8.7
10558.625000	59.24	---	74.00	14.76	100.0	V	70.0	12.0

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10561.492500	47.72	54.00	6.28	100.0	V	41.0	12.0

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BLE 1M_High channel+WIFI 5G_11n20_Ch56
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7299.366667	44.32	---	74.00	29.68	100.0	H	32.0	8.3
7409.500000	---	34.32	54.00	19.68	100.0	H	341.0	8.3
10561.575000	56.65	---	74.00	17.35	100.0	H	93.0	12.0
10562.066667	---	47.48	54.00	6.52	100.0	H	93.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---


5. Dynamic Frequency Selection (DFS)

5.1 Appendix A: DFS Detection Thresholds


Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AC80SISO	5290	Type0	-57.18	-56.70	PASS
	5530	Type0	-57.10	-56.70	PASS

11AC80SISO 5290 Type0



11AC80SISO 5530 Type0




5.2 Appendix B: Channel Move Time and Channel Closing Transmission Time


Test Result

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80SISO	5290	200+0	200+60	0	10000	PASS
	5530	200+0	200+60	0	10000	PASS

11AC80SISO_5290



11AC80SISO_5530




5.3 Appendix C: Non-Occupancy Period


Test Result

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC80SISO	5290	see test graph	≥1800	PASS
	5530	see test graph	≥1800	PASS

11AC80SISO 5290



11AC80SISO 5530





6. Test Results of AC Conducted Emissions

Prüfbericht - Produkte
 Test Report - Products

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	Bluetooth & Wi-Fi connecting
Order No/Sample No:	168444521
Test Voltage::	AC 120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.207
Tested By:	Jim chen
Reviewed By:	Jacky chen



Appendix B
CN23L27E 003



Prüfbericht - Produkte
Test Report - Products

Page 223 of 223

Average (12)

Frequency (MHz)	SR	Meas.Avg (dBuV)	Limit (dBuV)	Meas.-Lim (dB)	Line	RBW	Meas.Time (ms)	Comments	Correction (dB)
0.182	1	36.02	54.39	-18.37	Neutral	9k	1000	Pass	9.53
0.6095	1	21.80	46.00	-24.20	Neutral	9k	1000	Pass	9.55
2.05	1	16.83	46.00	-29.17	Neutral	9k	1000	Pass	9.62
4.5815	1	29.58	46.00	-16.42	Neutral	9k	1000	Pass	9.67
5.49625	1	32.18	50.00	-17.82	Neutral	9k	1000	Pass	9.70
14.19	1	26.68	50.00	-23.32	Neutral	9k	1000	Pass	10.14
0.19975	2	30.36	53.69	-23.33	Phase 1	9k	1000	Pass	9.53
0.61225	2	19.39	46.00	-26.61	Phase 1	9k	1000	Pass	9.53
1.9335	2	17.02	46.00	-28.98	Phase 1	9k	1000	Pass	9.56
4.0145	2	28.70	46.00	-17.30	Phase 1	9k	1000	Pass	9.60
11.25625	2	27.20	50.00	-22.80	Phase 1	9k	1000	Pass	9.81
13.72375	2	29.52	50.00	-20.48	Phase 1	9k	1000	Pass	10.01

QuasiPeak (12)

Frequency (MHz)	SR	Meas.Q-Peak (dBuV)	Limit (dBuV)	Meas.-Lim (dB)	Line	RBW	Meas.Time (ms)	Comments	Correction (dB)
0.182	1	49.68	64.39	-14.71	Neutral	9k	1000	Pass	9.53
0.6095	1	33.43	56.00	-22.57	Neutral	9k	1000	Pass	9.55
2.05	1	26.10	56.00	-29.90	Neutral	9k	1000	Pass	9.62
4.5815	1	40.05	56.00	-15.95	Neutral	9k	1000	Pass	9.67
5.49625	1	41.54	60.00	-18.46	Neutral	9k	1000	Pass	9.70
14.19	1	37.86	60.00	-22.14	Neutral	9k	1000	Pass	10.14
0.19975	2	51.70	63.69	-11.99	Phase 1	9k	1000	Pass	9.53
0.61225	2	33.72	56.00	-22.28	Phase 1	9k	1000	Pass	9.53
1.9335	2	26.78	56.00	-29.22	Phase 1	9k	1000	Pass	9.56
4.0145	2	37.17	56.00	-18.83	Phase 1	9k	1000	Pass	9.60
11.25625	2	36.96	60.00	-23.04	Phase 1	9k	1000	Pass	9.81
13.72375	2	39.64	60.00	-20.36	Phase 1	9k	1000	Pass	10.01