


## G45WP 手表款充电宝说明书


尺寸: 222\*105mm

材质: 128克铜版纸,双面印刷











Due to the foldable design of the charging connector, we recommend holding both the phone and the power bank while charging.

### How to Use the Folding Stand





Open the back stand and adjust the angle of the stand according to your usage needs.

(Note: To ensure the stability of device support, use the product in an upright position).

# **Recharging Your Power Bank**

Portable Dual-Port Power Bank	
Model	G45WP
Capacity	4500mAh 3.6Vdc
USB-C Input	5V2.1A
Lightning / USB-C Output	5V==2.4A (Max)
Watch Output	2.5W

#### **FCC Warning**

This device complies with part 15 of the FCC Rules. Operation is Ihis device complies with part 15 of the FCC Rules, Operation is subject to the following two conditions:(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or relative sequipment does cause rainfind interference to raid on television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the deplayment into a ducted on a clicuit different from that to which the receiver is connected.
   Consult the dealer or an experienced radio/TV technician for help. The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

