




Band12_10MHz_QPSK_RB1_0_CH23060




Band13_10MHz_QPSK_RB1_0_CH23230



Band12_10MHz_QPSK_RB1_0_CH23095



Band12_10MHz_QPSK_RB1_0_CH23130



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band2
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1860 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.135	-69.31	-66.83	-1.07	-1.41	-13.00	-56.31
326.306	-67.92	-69.96	4.00	-1.97	-13.00	-54.92
452.436	-68.44	-70.10	3.99	-2.32	-13.00	-55.44
567.554	-64.89	-66.40	4.11	-2.60	-13.00	-51.89
630.619	-63.02	-63.87	3.58	-2.73	-13.00	-50.02
744.737	-60.77	-61.23	3.42	-2.96	-13.00	-47.77
3720.000	-36.89	-42.77	12.56	-6.68	-13.00	-23.89
5580.000	-43.96	-49.03	13.32	-8.25	-13.00	-30.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
Operation Mode :CAT-M1 Band2
Test Mode :Tx
EUT Pol :E1 Plane
Test Frequency :1860 MHz

Test Site :SAC 2
Test Date :2024-06-05
Temp./Humi. :24.5°C/58%
Antenna Pol. :Horizontal
Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.135	-72.15	-69.67	-1.07	-1.41	-13.00	-59.15
264.242	-73.19	-75.55	4.15	-1.79	-13.00	-60.19
381.362	-68.65	-70.71	4.18	-2.13	-13.00	-55.65
458.442	-68.36	-70.06	4.04	-2.34	-13.00	-55.36
599.587	-66.16	-67.24	3.74	-2.66	-13.00	-53.16
745.738	-60.55	-61.02	3.43	-2.96	-13.00	-47.55
3720.000	-35.44	-41.32	12.56	-6.68	-13.00	-22.44
5580.000	-42.98	-48.04	13.32	-8.25	-13.00	-29.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band2
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1880 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
64.035	-68.06	-59.09	-8.09	-0.88	-13.00	-55.06
165.139	-68.77	-66.57	-0.78	-1.42	-13.00	-55.77
248.225	-67.72	-69.99	4.01	-1.74	-13.00	-54.72
515.501	-66.03	-67.59	4.03	-2.47	-13.00	-53.03
617.606	-62.90	-63.79	3.60	-2.71	-13.00	-49.90
745.738	-56.09	-56.56	3.43	-2.96	-13.00	-43.09
3760.000	-39.96	-45.71	12.46	-6.71	-13.00	-26.96
5640.000	-45.03	-50.20	13.48	-8.31	-13.00	-32.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band2
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1880 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
140.114	-72.03	-69.00	-1.72	-1.31	-13.00	-59.03
238.215	-73.45	-75.85	4.09	-1.70	-13.00	-60.45
377.358	-68.83	-70.93	4.22	-2.12	-13.00	-55.83
473.457	-67.86	-69.56	4.08	-2.38	-13.00	-54.86
583.571	-66.37	-67.67	3.93	-2.63	-13.00	-53.37
744.737	-56.21	-56.66	3.42	-2.96	-13.00	-43.21
3760.000	-36.56	-42.31	12.46	-6.71	-13.00	-23.56
5640.000	-43.14	-48.31	13.48	-8.31	-13.00	-30.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band2
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1900 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
120.093	-69.54	-66.99	-1.31	-1.23	-13.00	-56.54
256.233	-68.06	-70.51	4.20	-1.75	-13.00	-55.06
383.364	-68.37	-70.43	4.19	-2.13	-13.00	-55.37
476.460	-66.71	-68.44	4.11	-2.39	-13.00	-53.71
550.537	-63.61	-65.34	4.29	-2.56	-13.00	-50.61
745.738	-55.91	-56.38	3.43	-2.96	-13.00	-42.91
3800.000	-35.74	-41.30	12.30	-6.74	-13.00	-22.74
5700.000	-47.51	-52.43	13.30	-8.38	-13.00	-34.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band2
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1900 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
145.119	-72.35	-69.21	-1.81	-1.33	-13.00	-59.35
274.252	-73.20	-75.38	3.99	-1.82	-13.00	-60.20
378.359	-67.96	-70.04	4.21	-2.13	-13.00	-54.96
507.492	-67.76	-69.45	4.14	-2.45	-13.00	-54.76
638.627	-66.50	-67.36	3.61	-2.75	-13.00	-53.50
745.738	-59.55	-60.02	3.43	-2.96	-13.00	-46.55
3800.000	-38.99	-44.55	12.30	-6.74	-13.00	-25.99
5700.000	-46.00	-50.92	13.30	-8.38	-13.00	-33.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band4
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1720 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
119.092	-70.02	-67.58	-1.22	-1.23	-13.00	-57.02
250.227	-67.84	-70.14	4.05	-1.74	-13.00	-54.84
368.349	-68.21	-70.50	4.40	-2.11	-13.00	-55.21
464.448	-67.39	-68.98	3.94	-2.35	-13.00	-54.39
598.586	-63.39	-64.48	3.75	-2.66	-13.00	-50.39
744.737	-59.31	-59.77	3.42	-2.96	-13.00	-46.31
3440.000	-20.39	-26.50	12.52	-6.41	-13.00	-7.39
5160.000	-25.34	-29.83	12.46	-7.96	-13.00	-12.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
Operation Mode :CAT-M1 Band4
Test Mode :Tx
EUT Pol :E1 Plane
Test Frequency :1720 MHz

Test Site :SAC 2
Test Date :2024-06-05
Temp./Humi. :24.5°C/58%
Antenna Pol. :Horizontal
Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
99.071	-73.10	-71.17	-0.80	-1.13	-13.00	-60.10
168.142	-71.68	-69.56	-0.67	-1.44	-13.00	-58.68
325.304	-70.42	-72.48	4.02	-1.96	-13.00	-57.42
404.386	-68.62	-70.66	4.23	-2.19	-13.00	-55.62
544.531	-66.80	-68.47	4.21	-2.54	-13.00	-53.80
741.734	-61.78	-62.20	3.38	-2.95	-13.00	-48.78
3440.000	-24.88	-30.99	12.52	-6.41	-13.00	-11.88
5160.000	-20.89	-25.39	12.46	-7.96	-13.00	-7.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band4
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.014	-66.30	-53.48	-12.06	-0.76	-13.00	-53.30
167.141	-68.98	-66.95	-0.59	-1.43	-13.00	-55.98
249.226	-68.38	-70.67	4.03	-1.74	-13.00	-55.38
420.403	-68.28	-69.98	3.94	-2.24	-13.00	-55.28
557.544	-65.32	-67.00	4.25	-2.58	-13.00	-52.32
730.722	-61.28	-61.72	3.36	-2.92	-13.00	-48.28
3465.000	-19.96	-25.96	12.44	-6.44	-13.00	-6.96
5197.500	-24.86	-29.57	12.69	-7.98	-13.00	-11.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band4
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
167.141	-72.01	-69.99	-0.59	-1.43	-13.00	-59.01
266.244	-73.29	-75.62	4.13	-1.79	-13.00	-60.29
384.365	-69.18	-71.24	4.19	-2.13	-13.00	-56.18
558.545	-67.03	-68.71	4.25	-2.58	-13.00	-54.03
745.738	-61.30	-61.76	3.43	-2.96	-13.00	-48.30
967.967	-60.77	-60.91	3.50	-3.36	-13.00	-47.77
3465.000	-25.14	-31.14	12.44	-6.44	-13.00	-12.14
5197.500	-19.80	-24.50	12.69	-7.98	-13.00	-6.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band4
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1745 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
64.035	-67.70	-58.73	-8.09	-0.88	-13.00	-54.70
168.142	-69.40	-67.29	-0.67	-1.44	-13.00	-56.40
241.218	-67.91	-70.17	3.98	-1.71	-13.00	-54.91
419.402	-68.45	-70.16	3.95	-2.24	-13.00	-55.45
579.567	-62.83	-64.15	3.94	-2.63	-13.00	-49.83
739.732	-60.09	-60.50	3.36	-2.95	-13.00	-47.09
3490.000	-17.04	-22.92	12.34	-6.46	-13.00	-4.04
5235.000	-24.96	-29.94	12.98	-7.99	-13.00	-11.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band4
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :1745 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
161.135	-71.73	-69.24	-1.07	-1.41	-13.00	-58.73
249.226	-73.69	-75.98	4.03	-1.74	-13.00	-60.69
379.360	-67.16	-69.22	4.19	-2.13	-13.00	-54.16
543.529	-66.41	-68.09	4.22	-2.54	-13.00	-53.41
574.561	-66.08	-67.35	3.88	-2.61	-13.00	-53.08
686.677	-64.81	-65.91	3.95	-2.84	-13.00	-51.81
897.895	-61.86	-62.44	3.83	-3.25	-13.00	-48.86
3490.000	-24.24	-30.12	12.34	-6.46	-13.00	-11.24
5235.000	-21.14	-26.13	12.98	-7.99	-13.00	-8.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :704 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
64.035	-68.19	-59.22	-8.09	-0.88	-13.00	-55.19
196.171	-69.78	-71.99	3.75	-1.54	-13.00	-56.78
354.334	-63.41	-65.82	4.48	-2.06	-13.00	-50.41
392.374	-61.78	-63.72	4.10	-2.16	-13.00	-48.78
431.414	-62.30	-63.98	3.95	-2.27	-13.00	-49.30
551.538	-64.20	-65.92	4.28	-2.56	-13.00	-51.20
1408.000	-50.29	-54.00	7.70	-3.99	-13.00	-37.29
2112.000	-54.25	-59.11	9.80	-4.95	-13.00	-41.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :704 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
169.143	-49.59	-47.70	-0.44	-1.44	-13.00	-36.59
277.255	-71.40	-73.57	3.99	-1.82	-13.00	-58.40
354.334	-58.87	-61.29	4.48	-2.06	-13.00	-45.87
392.374	-58.45	-60.39	4.10	-2.16	-13.00	-45.45
470.454	-63.24	-64.90	4.03	-2.37	-13.00	-50.24
531.517	-55.91	-57.59	4.19	-2.51	-13.00	-42.91
1408.000	-41.00	-44.71	7.70	-3.99	-13.00	-28.00
2112.000	-52.10	-56.95	9.80	-4.95	-13.00	-39.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
165.139	-56.04	-53.85	-0.78	-1.42	-13.00	-43.04
242.219	-67.99	-70.25	3.97	-1.71	-13.00	-54.99
358.339	-59.34	-61.84	4.57	-2.07	-13.00	-46.34
396.378	-62.02	-63.98	4.14	-2.17	-13.00	-49.02
434.417	-61.35	-63.03	3.95	-2.27	-13.00	-48.35
538.524	-55.88	-57.59	4.24	-2.53	-13.00	-42.88
1415.000	-50.42	-54.12	7.70	-4.00	-13.00	-37.42
2122.500	-55.57	-60.43	9.83	-4.96	-13.00	-42.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
169.143	-71.45	-69.56	-0.44	-1.44	-13.00	-58.45
242.219	-71.62	-73.88	3.97	-1.71	-13.00	-58.62
358.339	-56.19	-58.69	4.57	-2.07	-13.00	-43.19
396.378	-59.90	-61.87	4.14	-2.17	-13.00	-46.90
434.417	-59.65	-61.33	3.95	-2.27	-13.00	-46.65
473.457	-63.57	-65.28	4.08	-2.38	-13.00	-50.57
1415.000	-43.96	-47.66	7.70	-4.00	-13.00	-30.96
2122.500	-55.73	-60.59	9.83	-4.96	-13.00	-42.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
Operation Mode :CAT-M1 Band12
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :711 MHz

Test Site :SAC 2
Test Date :2024-06-05
Temp./Humi. :24.5°C/58%
Antenna Pol. :Vertical
Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
153.127	-57.58	-54.76	-1.45	-1.37	-13.00	-44.58
293.271	-67.71	-69.89	4.06	-1.88	-13.00	-54.71
370.351	-57.23	-59.45	4.33	-2.11	-13.00	-44.23
408.390	-63.15	-65.11	4.17	-2.20	-13.00	-50.15
446.429	-60.50	-62.14	3.95	-2.30	-13.00	-47.50
485.470	-65.10	-66.79	4.09	-2.40	-13.00	-52.10
1422.000	-50.76	-54.47	7.72	-4.01	-13.00	-37.76
2133.000	-54.96	-59.86	9.87	-4.98	-13.00	-41.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :711 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
153.127	-47.68	-44.87	-1.45	-1.37	-13.00	-34.68
242.219	-74.19	-76.44	3.97	-1.71	-13.00	-61.19
370.351	-52.58	-54.81	4.33	-2.11	-13.00	-39.58
408.390	-62.38	-64.35	4.17	-2.20	-13.00	-49.38
446.429	-57.59	-59.23	3.95	-2.30	-13.00	-44.59
547.534	-66.84	-68.54	4.25	-2.55	-13.00	-53.84
1422.000	-48.67	-52.38	7.72	-4.01	-13.00	-35.67
2133.000	-54.97	-59.87	9.87	-4.98	-13.00	-41.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
91.063	-55.80	-54.11	-0.63	-1.06	-13.00	-42.80
243.220	-67.37	-69.62	3.97	-1.72	-13.00	-54.37
355.335	-62.55	-64.98	4.49	-2.06	-13.00	-49.55
432.415	-63.10	-64.78	3.95	-2.27	-13.00	-50.10
470.454	-61.56	-63.22	4.03	-2.37	-13.00	-48.56
554.541	-63.95	-65.65	4.27	-2.57	-13.00	-50.95
1564.000	-49.68	-54.56	9.10	-4.22	-40.00	-9.68
2346.000	-53.23	-57.79	9.80	-5.24	-13.00	-40.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 Band13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
91.063	-65.77	-64.07	-0.63	-1.06	-13.00	-52.77
181.156	-69.31	-69.27	1.45	-1.49	-13.00	-56.31
356.336	-60.27	-62.72	4.51	-2.06	-13.00	-47.27
432.415	-61.83	-63.51	3.95	-2.27	-13.00	-48.83
470.454	-60.33	-61.99	4.03	-2.37	-13.00	-47.33
573.560	-67.68	-68.98	3.91	-2.61	-13.00	-54.68
1564.000	-44.37	-49.25	9.10	-4.22	-40.00	-4.37
2346.000	-46.55	-51.11	9.80	-5.24	-13.00	-33.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
 Operation Mode :CAT-M1 B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC 2
 Test Date :2024-06-05
 Temp./Humi. :24.5°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
764.148	-83.79	-84.16	3.36	-2.99	-35.00	-48.79
765.955	-84.46	-84.81	3.34	-2.99	-35.00	-49.46
767.155	-85.01	-85.34	3.33	-3.00	-35.00	-50.01
768.373	-84.57	-84.89	3.32	-3.00	-35.00	-49.57
770.615	-83.69	-84.00	3.32	-3.01	-35.00	-48.69
774.777	-78.11	-78.46	3.37	-3.02	-35.00	-43.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
Operation Mode :CAT-M1 B13
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz

Test Site :SAC 2
Test Date :2024-06-05
Temp./Humi. :24.5°C/58%
Antenna Pol. :Horizontal
Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
763.160	-84.91	-85.29	3.37	-2.99	-35.00	-49.91
766.362	-85.13	-85.47	3.34	-3.00	-35.00	-50.13
768.582	-83.77	-84.08	3.32	-3.00	-35.00	-48.77
771.119	-82.31	-82.62	3.32	-3.01	-35.00	-47.31
773.245	-77.22	-77.55	3.35	-3.02	-35.00	-42.22
774.785	-74.13	-74.47	3.37	-3.02	-35.00	-39.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
Operation Mode :CAT-M1 B13
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz

Test Site :SAC 2
Test Date :2024-06-05
Temp./Humi. :24.5°C/58%
Antenna Pol. :Vertical
Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
794.333	-85.65	-86.07	3.48	-3.06	-35.00	-50.65
796.466	-85.04	-85.52	3.53	-3.06	-35.00	-50.04
798.546	-84.39	-84.93	3.60	-3.06	-35.00	-49.39
800.243	-84.52	-85.10	3.64	-3.06	-35.00	-49.52
802.734	-83.49	-84.04	3.62	-3.07	-35.00	-48.49
804.806	-84.68	-85.21	3.60	-3.07	-35.00	-49.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001191ER
Operation Mode :CAT-M1 B13
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz

Test Site :SAC 2
Test Date :2024-06-05
Temp./Humi. :24.5°C/58%
Antenna Pol. :Horizontal
Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
794.085	-83.99	-84.42	3.48	-3.06	-35.00	-48.99
796.614	-82.94	-83.42	3.54	-3.06	-35.00	-47.94
797.420	-81.77	-82.28	3.56	-3.06	-35.00	-46.77
800.670	-84.41	-84.98	3.63	-3.06	-35.00	-49.41
802.346	-84.41	-84.97	3.62	-3.06	-35.00	-49.41
804.783	-83.69	-84.22	3.60	-3.07	-35.00	-48.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 FREQUENCY STABILITY MEASUREMENT

Reference Freq.:		CAT-M1 B2 Mid Channel		1880.0000	MHz 10M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.2	20	1880.000011	0.0061	+/- 2.5 ppm	
3.7	20	1880.000000	0.0000		
3.6	20	1880.000005	0.0027		
3.6 (End Point)	20	1880.000009	0.0049		
Freq. ERROR vs. Temp.					
3.7	-20	1879.999991	-0.0048	+/- 2.5 ppm	
3.7	-10	1880.000006	0.0034		
3.7	0	1880.000003	0.0014		
3.7	10	1879.999999	-0.0006		
3.7	20	1879.999998	-0.0009		
3.7	30	1880.000000	-0.0002		
3.7	40	1880.000005	0.0028		
3.7	50	1880.000002	0.0009		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		CAT-M1 B4 Mid Channel		1732.5000	MHz 10M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.2	20	1732.500001	0.0008	+/- 2.5 ppm	
3.7	20	1732.499999	-0.0006		
3.6	20	1732.500003	0.0015		
3.6 (End Point)	20	1732.500004	0.0023		
Freq. ERROR vs. Temp.					
3.7	-20	1732.500012	0.0070	+/- 2.5 ppm	
3.7	-10	1732.500004	0.0024		
3.7	0	1732.500004	0.0025		
3.7	10	1732.500007	0.0038		
3.7	20	1732.500005	0.0030		
3.7	30	1732.500004	0.0022		
3.7	40	1732.500003	0.0017		
3.7	50	1732.500004	0.0021		

Reference Freq.:		CAT-M1 B12 Mid Channel		707.5000	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.2	20	707.499991	-0.0123	+/- 2.5 ppm	
3.7	20	707.500001	0.0007		
3.6	20	707.500007	0.0095		
3.6 (End Point)	20	707.500004	0.0059		
Freq. ERROR vs. Temp.					
3.7	-20	707.500011	0.0153	+/- 2.5 ppm	
3.7	-10	707.500005	0.0067		
3.7	0	707.500006	0.0089		
3.7	10	707.500000	0.0005		
3.7	20	707.500000	0.0004		
3.7	30	707.500012	0.0163		
3.7	40	707.500003	0.0048		
3.7	50	707.500000	0.0002		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		CAT-M1 B13 Mid Channel		782.0000	MHz 10M QPSK CH 23230
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.2	20	782.000002	0.0032	+/- 2.5 ppm	
3.7	20	782.000002	0.0027		
3.6	20	782.000007	0.0085		
3.6 (End Point)	20	782.000001	0.0008		
Freq. ERROR vs. Temp.					
3.7	-20	782.000009	0.0109	+/- 2.5 ppm	
3.7	-10	782.000002	0.0030		
3.7	0	782.000004	0.0055		
3.7	10	782.000002	0.0021		
3.7	20	782.000004	0.0048		
3.7	30	781.999996	-0.0047		
3.7	40	782.000005	0.0069		
3.7	50	782.000006	0.0082		

Note: The battery is rated 3.7Vdc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7 PEAK TO AVERAGE RATIO

CAT-M1 BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1850.7	18607	5.88	13	1851.5	18615	5.49	13
1880.0	18900	5.64	13	1880.0	18900	5.41	13
1909.3	19193	5.91	13	1908.5	19185	5.47	13

CAT-M1 BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1852.5	18625	5.26	13	1855.0	18650	4.74	13
1880.0	18900	5.16	13	1880.0	18900	4.65	13
1907.5	19175	5.23	13	1905.0	19150	4.71	13

CAT-M1 BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1857.5	18675	4.72	13	1860.0	18700	4.74	13
1880.0	18900	4.59	13	1880.0	18900	4.48	13
1902.5	19125	4.76	13	1900.0	19100	4.81	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CAT-M1 BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1710.7	19957	5.40	13	1711.5	19965	5.34	13
1732.5	20175	5.58	13	1732.5	20175	5.46	13
1754.3	20393	5.59	13	1753.5	20385	5.47	13

CAT-M1 BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1712.5	19975	5.17	13	1715.0	20000	4.62	13
1732.5	20175	5.36	13	1732.5	20175	4.69	13
1752.5	20375	5.30	13	1750.0	20350	4.80	13

CAT-M1 BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1717.5	20025	4.68	13	1720.0	20050	4.67	13
1732.5	20175	4.76	13	1732.5	20175	4.81	13
1747.5	20325	4.79	13	1745.0	20300	4.83	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CAT-M1 BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
699.7	23017	5.36	13	700.5	23025	5.44	13
707.5	23095	5.41	13	707.5	23095	5.44	13
715.3	23173	5.40	13	714.5	23165	5.37	13

CAT-M1 BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
701.5	23035	5.12	13	704.0	23060	4.55	13
707.5	23095	5.17	13	707.5	23095	4.61	13
713.5	23155	5.14	13	711.0	23130	4.66	13


CAT-M1 BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
779.5	23205	5.40	13	782.0	23230	4.93	13
782.0	23230	5.45	13				
784.5	23255	5.35	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_1.4MHz_16QAM_RB5_0_CH18607




Band2_3MHz_16QAM_RB5_0_CH18615




Band2_1.4MHz_16QAM_RB5_0_CH18900




Band2_3MHz_16QAM_RB5_0_CH18900



Band2_1.4MHz_16QAM_RB5_0_CH19193



Band2_3MHz_16QAM_RB5_0_CH19185




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_5MHz_16QAM_RB5_0_CH18625




Band2_10MHz_16QAM_RB5_0_CH18650




Band2_5MHz_16QAM_RB5_0_CH18900




Band2_10MHz_16QAM_RB5_0_CH18900



Band2_5MHz_16QAM_RB5_0_CH19175



Band2_10MHz_16QAM_RB5_0_CH19150




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_15MHz_16QAM_RB5_0_CH18675




Band2_20MHz_16QAM_RB5_0_CH18700




Band2_15MHz_16QAM_RB5_0_CH18900




Band2_20MHz_16QAM_RB5_0_CH18900



Band2_15MHz_16QAM_RB5_0_CH19125



Band2_20MHz_16QAM_RB5_0_CH19100




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_1.4MHz_16QAM_RB5_0_CH19957




Band4_3MHz_16QAM_RB5_0_CH19965




Band4_1.4MHz_16QAM_RB5_0_CH20175




Band4_3MHz_16QAM_RB5_0_CH20175



Band4_1.4MHz_16QAM_RB5_0_CH20393



Band4_3MHz_16QAM_RB5_0_CH20385




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_5MHz_16QAM_RB5_0_CH19975




Band4_10MHz_16QAM_RB5_0_CH20000




Band4_5MHz_16QAM_RB5_0_CH20175




Band4_10MHz_16QAM_RB5_0_CH20175



Band4_5MHz_16QAM_RB5_0_CH20375



Band4_10MHz_16QAM_RB5_0_CH20350




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_15MHz_16QAM_RB5_0_CH20025




Band4_20MHz_16QAM_RB5_0_CH20050




Band4_15MHz_16QAM_RB5_0_CH20175




Band4_20MHz_16QAM_RB5_0_CH20175



Band4_15MHz_16QAM_RB5_0_CH20325



Band4_20MHz_16QAM_RB5_0_CH20300




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_1.4MHz_16QAM_RB5_0_CH23017




Band12_3MHz_16QAM_RB5_0_CH23025




Band12_1.4MHz_16QAM_RB5_0_CH23095




Band12_3MHz_16QAM_RB5_0_CH23095



Band12_1.4MHz_16QAM_RB5_0_CH23173



Band12_3MHz_16QAM_RB5_0_CH23165




Unless otherwise stated the results shown in this test report refer only to the test sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_5MHz_16QAM_RB5_0_CH23035




Band12_10MHz_16QAM_RB5_0_CH23060




Band12_5MHz_16QAM_RB5_0_CH23095




Band12_10MHz_16QAM_RB5_0_CH23095



Band12_5MHz_16QAM_RB5_0_CH23155



Band12_10MHz_16QAM_RB5_0_CH23130




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band13_5MHz_16QAM_RB5_0_CH23205




Band13_10MHz_16QAM_RB5_0_CH23230



Band13_5MHz_16QAM_RB5_0_CH23230



Band13_5MHz_16QAM_RB5_0_CH23255



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group