

Page 1 of 117

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

OF

Rombit NV **Applicant:**

Meir 30, 2000 Antwerpen, Belgium

Product Name: Integrated personal safety and site security device

Brand Name: Romware

Model No.: Romware One

Model Difference: N/A

E2/2020/30003 Report Number:

FCC ID 2AVTBRW01U1

FCC Rule Part: 2,24E & 27C

Issue Date: Jun. 24, 2020

Date of Test: Mar. 20, 2020 ~ May 04, 2020

Date of EUT Received: Mar. 03, 2020

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26-2015 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated

The test results of this report relate only to the tested sample identified in this report.

Approved By: CHUN, CHIEH, CHEN

Chun Chieh Chen / Supervisor





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some and stated on the sample(s) tested and such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on some and s prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 t (886-2) 2299-3279 www.sas.com.tw



Page 2 of 117

Revision History					
Report Number	Revision	Description	Issue Date	Remark	
E2/2020/30003	Rev.00	Original.	Jun. 24, 2020	Revised By: Karen Huang	

Note:

1 · Disclaimer

Antenna information is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 3 of 117

Table of Contents

1	GENERAL PRODUCT INFORMATION	4
2	SYSTEM TEST CONFIGURATION	8
3	SUMMARY OF TEST RESULTS	11
4	DESCRIPTION OF TEST MODES	12
5	MEASUREMENT UNCERTAINTY	16
6	MAXMUM OUTPUT POWER	17
7	OCCUPIED BANDWIDTH MEASUREMENT	35
8	OUT OF BAND EMISSION AT ANTENNA TERMINALS	54
9	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	83
10	FREQUENCY STABILITY MEASUREMENT	104
11	PEAK TO AVERAGE RATIO	107

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page 4 of 117

GENERAL PRODUCT INFORMATION

Product Description

Product Description			
Product Name:	Integrated	I personal safety and site security device	
Brand Name:	Romware		
Model No.:	Romware	One	
Model difference:	N/A		
Hardware Version:	N/A		
Software Version:	N/A		
USB Cable:	Model No.: 2P-2.54PH-2, Supplier: Feng King Co. Ltd.		
Dower Supply	3.7Vdc from Rechargeable Li-polymer Battery or 5Vdc from USB Port		
Power Supply:	Battery:	Model No.: A-037-000550SAD, Supplier: Axiss Technology Corp.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 5 of 117

Frequency Range 1.2

1.2.1 Cat. M1

Cat M1	BW	Operatio	Operation Frequency			
Band	(MHz)	(MHz)				
	1.4	1850.7	-	1909.3		
	3	1851.5	-	1908.5		
2	5	1852.5	-	1907.5		
	10	1855.0	-	1905.0		
	15	1857.5	-	1902.5		
	20	1860.0	-	1900.0		
	1.4	1710.7	-	1754.3		
	3	1711.5	-	1753.5		
4	5	1712.5	-	1752.5		
4	10	1715.0	-	1750.0		
	15	1717.5	-	1747.5		
	20	1720.0	-	1745.0		
	1.4	699.7	-	715.3		
12	3	700.5	-	714.5		
12	5	701.5	-	713.5		
	10	704.0	-	711.0		

1.3 **Antenna Designation**

Vendor	Туре	Main / Aux	Antenna Part No.	Modulation	Fred (f	quer MHz	,	Peak Antenna Gain (dBi)
Aristotle				Cat M1 Band 2	1850	~	1910	-1.56
Enterprises Inc.	PIFA	Main	RFA-LTE-AP901-4-G-30	Cat M1 Band 4	1710	~	1755	-1.56
Enterprises inc.				Cat M1 Band 12	699	۲	716	-0.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 6 of 117

Type of Emission & Max ERP/EIRP Power Measurement Result:

Cat. M1 1.4.1

1.4.1	U	at. IVI1				
M1 Band	BW	Modulation	ERP / EIR	P (dBm)	(W)	Type of Emission
2	1.4	QPSK	19.06	EIRP	0.081	1M10G7D
2	1.4	16QAM	18.10	EIRP	0.065	923KD7W
2	3	QPSK	19.08	EIRP	0.081	1M15G7D
	٠	16QAM	18.04	EIRP	0.064	979KD7W
2	5	QPSK	19.07	EIRP	0.081	1M18G7D
2	3	16QAM	19.10	EIRP	0.081	1M05D7W
2	10	QPSK	19.08	EIRP	0.081	1M33G7D
2	10	16QAM	19.09	EIRP	0.081	1M20D7W
2	15	QPSK	19.10	EIRP	0.081	1M58G7D
2	13	16QAM	19.09	EIRP	0.081	1M37D7W
2	20	QPSK	19.20	EIRP	0.083	1M72G7D
2	20	16QAM	19.08	EIRP	0.081	1M64D7W
M1 Band	BW	Modulation	ERP / EIR	ERP / EIRP (dBm)		Type of Emission
4	1 /	QPSK	19.02	EIRP	0.080	1M10G7D
4	1.4	16QAM	18.09	EIRP	0.064	932KD7W
4	3	QPSK	19.05	EIRP	0.080	1M15G7D
4	3	16QAM	18.05	EIRP	0.064	980KD7W
4	5	QPSK	19.04	EIRP	0.080	1M18G7D
4	3	16QAM	19.06	EIRP	0.081	1M04D7W
4	10	QPSK	19.08	EIRP	0.081	1M34G7D
4	10	16QAM	19.09	EIRP	0.081	1M19D7W
4	15	QPSK	19.08	EIRP	0.081	1M51G7D
7	10	16QAM	19.07	EIRP	0.081	1M38D7W
4	20	QPSK	19.25	EIRP	0.084	1M72G7D
	20	16QAM	19.09	EIRP	0.081	1M56D7W

M1	BW	Modulation	ERP / EIRP		Modulation ERP / EIRP (W)		Modulation ERP / EIRP (M) Ty	Type of
Band	DVV	iviodulation	(dBr	n)	(۷۷)	Emission		
12	1.4	QPSK	17.78	ERP	0.060	1M10G7D		
12	1.4	16QAM	16.79	ERP	0.048	929KD7W		
12	3	QPSK	17.80	ERP	0.060	1M16G7D		
12	,	16QAM	16.77	ERP	0.048	988KD7W		
12	5	QPSK	17.78	ERP	0.060	1M18G7D		
12	5	16QAM	16.80	ERP	0.048	1M04D7W		
12	10	QPSK	18.25	ERP	0.067	1M34G7D		
12	10	16QAM	17.77	ERP	0.060	1M19D7W		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 7 of 117

Test Methodology of Applied Standards

FCC 47 CFR Part 2, 24E, 27C

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03r01

TS 151 010-1 is used to set, and measure the output power.

1.6 **Test Facility**

SGS Taiwan Ltd. Central RF Lab (TAF code 3702) No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 FCC Designation number: TW0028

1.7 **Special Accessories**

No special accessories were used during testing.

Equipment Modifications

There was no modifications incorporated into the EUT.

Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz 1.9

Radiated emission below 30MHz is measured in a 9m*9m*6m semi-anechoic chamber. the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some and stated on the sample(s) tested and such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on some and s prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page 8 of 117

SYSTEM TEST CONFIGURATION

EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

Test Procedure 2.3

2.3.1 **Conducted Measurement at Antenna Port**

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

Radiated Emissions (ERP/EIRP) 2.3.2

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

Measurement Results Explanation Example 2.4

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation in physical test.

	1 2		
	RF cable loss (dB)	Attenuation factor(dB)	offset(dB)
Low Band (Below 1GHz)	3.6	10	13.6
High Band (Above 1 GHz)	3.8	10	13.8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some and stated on the sample(s) tested and such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on some and s prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

_I No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page 9 of 117

2.5 **Final Amplifier Voltage and Current Information:**

2.5.1 Cat M1

M1 Band 2

Test mode DC current (mA) DC voltage (V) M1 Band 2_1.4M QPSK 3.7 153 M1 Band 2_1.4M 16QAM 3.7 118 M1 Band 2_3M QPSK 3.7 109 M1 Band 2_3M 16QAM 3.7 112 M1 Band 2 5M QPSK 107 3.7 M1 Band 2_5M 16QAM 3.7 120 M1 Band 2_10M QPSK 3.7 127 M1 Band 2_10M 16QAM 3.7 154 M1 Band 2_15M QPSK 117 3.7 M1 Band 2_15M 16QAM 3.7 146 M1 Band 2_20M QPSK 3.7 138 3.7 125 M1 Band 2_20M 16QAM

M1 Rand /

IVIT Band 4						
Test mode	DC voltage (V)	DC current (mA)				
M1 Band 4_1.4M QPSK	3.7	121				
M1 Band 4_1.4M 16QAM	3.7	135				
M1 Band 4_3M QPSK	3.7	150				
M1 Band 4_3M 16QAM	3.7	130				
M1 Band 4_5M QPSK	3.7	145				
M1 Band 4_5M 16QAM	3.7	127				
M1 Band 4_10M QPSK	3.7	144				
M1 Band 4_10M 16QAM	3.7	123				
M1 Band 4_15M QPSK	3.7	142				
M1 Band 4_15M 16QAM	3.7	139				
M1 Band 4_20M QPSK	3.7	153				
M1 Band 4_20M 16QAM	3.7	152				

M1 Band 12

Test mode	DC voltage (V)	DC current (mA)
M1 Band 5_1.4M QPSK	3.7	153
M1 Band 5_1.4M 16QAM	3.7	138
M1 Band 5_3M QPSK	3.7	118
M1 Band 5_3M 16QAM	3.7	124
M1 Band 5_5M QPSK	3.7	117
M1 Band 5_5M 16QAM	3.7	121
M1 Band 5_10M QPSK	3.7	135
M1 Band 5_10M 16QAM	3.7	114

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some and stated on the sample(s) tested and such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on some and s prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page 10 of 117

2.6 **Configuration of Tested System**

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model / Type No.	Series No.	Data Cable	Power Cord
1.	Radio Communication Analyzer	Anritsu	MT8821C	6261786084	N/A	N/A
2.	DC Power Supply	Agilent	E3640A	MY53140006	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents at https://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, with prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page 11 of 117

SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§24.232(c) §27.50(c)(10) §27.50(d)(4)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §24.238(a) §27.53(g) §27.53(h)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §24.238(a) §27.53(g) §27.53(h)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.50((B)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §24.235 §27.54	Frequency Stability	Compliant

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 12 of 117

DESCRIPTION OF TEST MODES

The Worst Test Modes and Configuration

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some and stated on the sample(s) tested and such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on some and s prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page 13 of 117

4.2 Cat M1 M1 Band 2

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
LIDD	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
EIRP	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STA- BILITY	18650 to 19150	18900	10MHz	QPSK	Full RB
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	Full RB
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	Full RB
WIDTH	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	Full RB
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	Full RB
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK	Full RB
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK	Full RB
PEAK TO AVERAGE	18625 to 19175	18625, 18900, 19175	5MHz	QPSK	Full RB
RATIO	18650 to 19150	18650, 18900, 19150	10MHz	QPSK	Full RB
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK	Full RB
	18607 to 19193	18607, 19193	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	18615 to 19185	18615, 19185	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
	18625 to 19175	18625, 19175	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	18650 to 19150	18650, 19150	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	18675 to 19125	18675, 19125	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
	18700 to 19100	18700, 19100	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK	1 RB, 0 RB Offest
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION	18650 to 19150	18650, 18900, 19150	10MHz	QPSK	1 RB, 0 RB Offest
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK	1 RB, 0 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	18625 to 19175	18625, 18900, 19175	5MHz	QPSK	3 RB, 3 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 14 of 117

M1 Band 4

TEST ITEM	AVAILABLE	TESTED	CHANNEL	MODULATION	MODE
1201112	CHANNEL	CHANNEL	BANDWIDTH		052
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
EIRP	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
LIKE	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STA- BILITY	20000 to 20350	20175	10MHz	QPSK	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	Full RB
WIDTH	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK	Full RB
PEAK TO AVERAGE	19975 to 20375	19975, 20175, 20375	5MHz	QPSK	Full RB
RATIO	20000 to 20350	20000, 20175, 20350	10MHz	QPSK	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK	Full RB
	19957 to 19393	19957, 19393	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	19965 to 22385	19965, 22385	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
	19975 to 20375	19975, 20375	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	20000 to 20350	20000, 20350	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	20025 to 20325	20025, 20325	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
	20050 to 20300	20050, 20300	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK	1 RB, 0 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED	19975 to 20375	19975, 20175, 20375	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION	20000 to 20350	20000, 20175, 20350	10MHz	QPSK	1 RB, 0 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK	1 RB, 0 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMIS- SION	19975 to 20375	19975, 20175, 20375	5MHz	16QAM	1 RB, 5 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 15 of 117

M1 Band 12

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
ERP	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
ERP	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23060 to 23130	23095	10MHz	QPSK	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	Full RB
PEAK TO AV-	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	Full RB
ERAGE RATIO	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCU-	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB, 0 RB Offest
DETED EMIS-	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	1 RB, 0 RB Offest
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB, 0 RB Offest
SION	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	1 RB, 2 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page 16 of 117

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB				
Macaurament upportainty	30MHz - 180MHz: +/- 3.37dB				
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB 0.417GHz-1GHz: +/- 3.19dB				
(i sianzation : voltical)					
	1GHz - 18GHz: +/- 4.04dB				
	18GHz - 40GHz: +/- 4.04dB				

	9kHz – 30MHz: +/- 2.87 dB					
NA	30MHz - 167MHz: +/- 4.22dB					
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB					
(1 olanzadori : Horizontar)	0.5GHz-1GHz: +/- 3.39dB					
	1GHz - 18GHz: +/- 4.08dB					
	18GHz - 40GHz: +/- 4.08dB					

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page 17 of 117

MAXMUM OUTPUT POWER

6.1 Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

FCC ERP/EIRP LIMIT 6.2

According to FCC §2.1046

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.


FCC 27.50(c)

- (9) Control and mobile stations in the 698-746 MHz band are limited to 30 watts ERP.
- (10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)

- (4) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz, 1695-1710 MHz and 1755-1780 MHz bands are limited to 1W EIRP.
- (7) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band are limited to 2 watts EIRP.

Test Set-up 6.3



Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated in the results shown in this less report tere only to the sample(s) tested and such as a relation of 90 days only. We ## Asta prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page 18 of 117

6.4 **Output Power Measurement Applicable Guideance**

the simulator telecommunication test set.

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the measurement of output power. The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results. WAll bands conducted average power is obtained from

Determining ERP and/or EIRP from conducted RF output power measurements 6.5 ERP/EIRP = PMeas + GT-LC

Where:

= effective or equivalent radiated power, respectively (expressed in the ERP/EIRP

same units as PMeas, typically dBW or dBm);

= measured transmitter output power or PSD, in dBm or dBW; **PMeas** = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP) GT

LC = signal attenuation in the connecting cable between the transmitter and

antenna, in dB.2

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

Measurement Equipment Used 6.6

mode and more and an analysis of the second										
Conducted Emission (measured at antenna port) Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
DC Block	PASTERNACK	PE8210	RF32	11/20/2019	11/19/2020					
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	07/15/2019	07/14/2020					
DC Power Supply	Agilent	E3640A	MY53140006	05/31/2019	05/30/2020					
Splitter	Woken	DOM35LW1A2	RF36	11/20/2019	11/19/2020					
Attenuator	Marvelous	MVE2213-10	RF31	11/20/2019	11/19/2020					
Radio Communication Analyzer	Anritsu	MT8821C	6261786084	01/18/2020	01/17/2021					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some and stated on the sample(s) tested and such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on some and s prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. _I No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page 19 of 117

Measurement Result 6.7

6.7.1 Cat M1

Antenna ga	ain (dBi)	-1.56							
			M1 Band 2_	Uplink	freque	ncy band : 1850) to 1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.50	18.94	33	-14.06
	18607	1850.7	QPSK	1	5	20.56	19.00	33	-14
	18007	1630.7	UPSK	3	2	19.59	18.03	33	-14.97
				6	0	18.59	17.03	33	-15.97
				1	0	20.59	19.03	33	-13.97
	18900	1880	QPSK	1	5	20.54	18.98	33	-14.02
	10700	1000	QI SIK	3	2	19.59	18.03	33	-14.97
				6	0	18.64	17.08	33	-15.92
		1909.3		1	0	20.62	19.06	33	-13.94
	19193		QPSK	1	5	20.48	18.92	33	-14.08
	17175			3	2	19.62	18.06	33	-14.94
1.4				6	0	18.66	17.10	33	-15.9
''				1	0	19.52	17.96	33	-15.04
	18607	1850.7	16QAM	1	5	19.55	17.99	33	-15.01
	10007	1000.7	10071111	3	2	18.54	16.98	33	-16.02
				5	0	18.54	16.98	33	-16.02
				1	0	19.56	18.00	33	-15
	18900	1880	16QAM	1	5	19.66	18.10	33	-14.9
	10700	1000	10071111	3	2	18.58	17.02	33	-15.98
				5	0	18.57	17.01	33	-15.99
				1	0	19.59	18.03	33	-14.97
	19193	1909.3	16QAM	1	5	19.65	18.09	33	-14.91
				3	2	18.61	17.05	33	-15.95
				5	0	18.52	16.96	33	-16.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page 20 of 117

1 54 Antenna gain (dRi)

Antenna g	airi (ubi)	-1.56	M1 Band 2	Uplink	freque	ncy band : 1850) to 1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.62	19.06	33	-13.94
	18615	1851.5	QPSK	1	5	20.51	18.95	33	-14.05
	10013	1001.0	QF 3K	3	2	19.53	17.97	33	-15.03
				6	0	18.66	17.10	33	-15.9
				1	0	20.54	18.98	33	-14.02
	18900	1880	QPSK	1	5	20.55	18.99	33	-14.01
	10700	1000		3	2	19.58	18.02	33	-14.98
				6	0	18.66	17.10	33	-15.9
		1908.5	QPSK	1	0	20.54	18.98	33	-14.02
	19185			1	5	20.64	19.08	33	-13.92
	17103	1700.5		3	2	19.54	17.98	33	-15.02
3				6	0	18.51	16.95	33	-16.05
				1	0	19.52	17.96	33	-15.04
	18615	1851.5	16QAM	1	5	19.54	17.98	33	-15.02
	10013	1031.3	TOQAIVI	3	2	18.50	16.94	33	-16.06
				5	0	18.54	16.98	33	-16.02
				1	0	19.60	18.04	33	-14.96
	18900	1880	16QAM	1	5	19.49	17.93	33	-15.07
	10700	1000	100/1111	3	2	18.65	17.09	33	-15.91
				5	0	18.52	16.96	33	-16.04
				1	0	19.52	17.96	33	-15.04
	19185	1908.5	16QAM	1	5	19.53	17.97	33	-15.03
	17100	1700.0	100/1111	3	2	18.53	16.97	33	-16.03
				5	0	18.48	16.92	33	-16.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page 21 of 117

1 54 Antenna gain (dRi)

Antenna ga	aiii (uDi)	-1.56	M1 Rand 2	Unlink	frenue	ncy band : 1850) to 1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.61	19.05	33	-13.95
	18625	1852.5	QPSK	1	5	20.62	19.06	33	-13.94
	10023	1002.0	UPSK	3	2	19.49	17.93	33	-15.07
				6	0	19.54	17.98	33	-15.02
				1	0	20.48	18.92	33	-14.08
	18900	1880	QPSK	1	5	20.63	19.07	33	-13.93
	10900	1000	QPSK	3	2	19.51	17.95	33	-15.05
				6	0	19.59	18.03	33	-14.97
		1907.5		1	0	20.56	19.00	33	-14
	19175		QPSK	1	5	20.59	19.03	33	-13.97
	17173			3	2	19.53	17.97	33	-15.03
5				6	0	19.59	18.03	33	-14.97
3				1	0	20.66	19.10	33	-13.9
	18625	1852.5	16QAM	1	5	20.60	19.04	33	-13.96
	10023	1032.3	100/1111	3	2	19.53	17.97	33	-15.03
				5	0	18.53	16.97	33	-16.03
				1	0	20.50	18.94	33	-14.06
	18900	1880	16QAM	1	5	20.54	18.98	33	-14.02
	10700	1000	100/1111	3	2	19.57	18.01	33	-14.99
				5	0	18.54	16.98	33	-16.02
				1	0	20.47	18.91	33	-14.09
	19175	1907.5	16QAM	1	5	20.51	18.95	33	-14.05
	17170	1707.0	100/1111	3	2	19.65	18.09	33	-14.91
				5	0	18.54	16.98	33	-16.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page 22 of 117

1 54 Antenna gain (dRi)

Antenna g	alli (UDI)	-1.56	M1 Rand 2	Halial	frogue	ncy band : 1850) to 1010 MU-		
			IVI I DAIIU Z_	OPIIIIK	reque	ncy Danu: 1850	10 1710 WITZ		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.60	19.04	33	-13.96
	18650	1855	QPSK	1	5	20.48	18.92	33	-14.08
	10030	1000	QI SIX	3	2	20.53	18.97	33	-14.03
				6	0	19.61	18.05	33	Margin (dB) -13.96 -14.08 -14.03 -14.95 -13.95 -14.06 -13.95 -15 -13.92 -13.94 -13.93 -15.02 -13.94 -14.06 -13.95 -15.07 -14.03 -14.04 -14 -14.95 -13.91 -13.94
				1	0	20.61	19.05	33	-13.95
	18900	1880	QPSK	1	5	20.50	18.94	33	
	10700	1000	Q1 310	3	2	20.61	19.05	33	-13.95
				6	0	19.56	18.00	33	
		1905	QPSK	1	0	20.64	19.08	33	-13.92
	19150			1	5	20.62	19.06	33	-13.94
	17100			3	2	20.63	19.07	33	
10				6	0	19.54	17.98	33	
10				1	0	20.62	19.06	33	
	18650	1855	16QAM	1	5	20.50	18.94	33	
	10000	1000	10 €7 1111	3	2	20.61	19.05	33	
				5	0	19.49	17.93	33	
				1	0	20.53	18.97	33	
	18900	1880	16QAM	1	5	20.52	18.96	33	
				3	2	20.56	19.00	33	
				5	0	19.61	18.05	33	
				1	0	20.65	19.09	33	
	19150	1905	16QAM	1	5	20.62	19.06	33	
				3	2	20.59	19.03	33	-13.97
				5	0	19.59	18.03	33	-14.97

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page 23 of 117

Antenna gain (dBi) -1.56

Antenna ya	(0.2.)	-1.00	M1 Band 2_	Uplink	freque	ncy band : 1850) to 1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.66	19.10	33	-13.9
	18675	1857.5	QPSK	1	5	20.66	19.10	33	-13.9
	10075	1007.0	UFSK	3	2	20.65	19.09	33	-13.91
				6	0	20.55	18.99	33	-14.01
				1	0	20.57	19.01	33	-13.99
	18900	1880	QPSK	1	5	20.49	18.93	33	-14.07
	10900	1000	QPSK	3	2	20.66	19.10	33	-13.9
				6	0	20.48	18.92	33	-14.08
		1902.5		1	0	20.51	18.95	33	-14.05
	19125		QPSK	1	5	20.55	18.99	33	-14.01
	17123	1702.5		3	2	20.51	18.95	33	-14.05
15				6	0	20.53	18.97	33	-14.03
13				1	0	20.65	19.09	33	-13.91
	18675	1857.5	16QAM	1	5	20.55	18.99	33	-14.01
	10073	1037.3	TOCAIVI	3	2	20.47	18.91	33	-14.09
				5	0	20.50	18.94	33	-14.06
				1	0	20.53	18.97	33	-14.03
	18900	1880	16QAM	1	5	20.63	19.07	33	-13.93
	10700	1000	TOQAW	3	2	20.59	19.03	33	-13.97
				5	0	20.52	18.96	33	-14.04
				1	0	20.56	19.00	33	-14
	19125	1902.5	16QAM	1	5	20.53	18.97	33	-14.03
	17123	1702.3	TOUAIVI	3	2	20.53	18.97	33	-14.03
				5	0	20.50	18.94	33	-14.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 24 of 117

1 54 Antenna gain (dRi)

Antenna g	airi (ubi)	-1.56	M1 Rand 2	Unlink	freque	ncy band : 1850) to 1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.67	19.11	33	-13.89
	18700	1860	QPSK	1	5	20.66	19.10	33	-13.9
	10700	1000	QF 3K	3	2	20.52	18.96	33	-14.04
				6	0	20.50	18.94	33	-14.06
				1	0	20.71	19.15	33	-13.85
	18900	1880	QPSK	1	5	20.62	19.06	33	-13.94
	10700	1000	QF 3K	3	2	20.63	19.07	33	-13.93
				6	0	20.64	19.08	33	-13.92
				1	0	20.76	19.20	33	-13.8
	19100	1900	QPSK	1	5	20.52	18.96	33	-14.04
	17100	1700	QI SIX	3	2	20.52	18.96	33	-14.04
20				6	0	20.64	19.08	33	-13.92
20				1	0	20.52	18.96	33	-14.04
	18700	1860	16QAM	1	5	20.62	19.06	33	-13.94
	10700	1000	TOQAW	3	2	20.62	19.06	33	-13.94
				5	0	20.58	19.02	33	-13.98
				1	0	20.57	19.01	33	-13.99
	18900	1880	16QAM	1	5	20.49	18.93	33	-14.07
	10700	1000	100/1111	3	2	20.64	19.08	33	-13.92
				5	0	20.62	19.06	33	-13.94
				1	0	20.49	18.93	33	-14.07
	19100	1900	16QAM	1	5	20.56	19.00	33	-14
	17100	1,700	100/1111	3	2	20.47	18.91	33	-14.09
				5	0	20.49	18.93	33	-14.07

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page 25 of 117

Antenna gain (dBi) -1 56

Antenna ga	airi (dbi)	-1.56 M1 Ban	d 4_Uplink f	reguer	ncy ban	d : 1710 to	1755 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducte d Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.57	19.01	30	-10.99
	19957	1710.7	QPSK	1	5	20.50	18.94	30	-11.06
	19937	1710.7	UFSK	3	2	19.52	17.96	30	-12.04
				6	0	18.46	16.90	30	-13.1
				1	0	20.54	18.98	30	-11.02
	20175	1732.5	QPSK	1	5	20.51	18.95	30	-11.05
	20173	1732.3	UFSK	3	2	19.52	17.96	30	-12.04
				6	0	18.64	17.08	30	-12.92
				1	0	20.58	19.02	30	-10.98
	20393	1754.3	QPSK	1	5	20.51	18.95	30	-11.05
	20373	1754.5	QF 3K	3	2	19.64	18.08	30	-11.92
1.4				6	0	18.49	16.93	30	-13.07
1.4				1	0	19.61	18.05	30	-11.95
	19957	1710.7	16QAM	1	5	19.64	18.08	30	-11.92
	17737	1710.7	TOQAIVI	3	2	18.52	16.96	30	-13.04
				5	0	18.47	16.91	30	-13.09
				1	0	19.57	18.01	30	-11.99
	20175	1732.5	16QAM	1	5	19.65	18.09	30	-11.91
	20173	1732.3	TOQAIVI	3	2	18.56	17.00	30	-13
				5	0	18.54	16.98	30	-13.02
				1	0	19.49	17.93	30	-12.07
	20393	1754 3	16∩ΔM	1	5	19.57	18.01	30	-11.99
		1754.3	16QAM —	3	2	18.52	16.96	30	-13.04
				5	0	18.50	16.94	30	-13.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 26 of 117

Antenna gain (dBi) -1.56

Antenna ya	a (a.b.)	-1.50 M1 Ban	d 4_Uplink f	requer	ncy ban	d : 1710 to	1755 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducte d Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.59	19.03	30	-10.97
	19965	1711.5	QPSK	1	5	20.61	19.05	30	-10.95
	17703	1711.5	QF 3K	3	2	19.48	17.92	30	-12.08
				6	0	18.64	17.08	30	-12.92
				1	0	20.49	18.93	30	-11.07
	20175	1732.5	QPSK	1	5	20.61	19.05	30	-10.95
	20173	1732.3	UFSK	3	2	19.64	18.08	30	-11.92
				6	0	18.52	16.96	30	-13.04
				1	0	20.47	18.91	30	-11.09
	20385	1753.5	QPSK	1	5	20.47	18.91	30	-11.09
	20303	1700.0	QF 3K	3	2	19.48	17.92	30	-12.08
3				6	0	18.53	16.97	30	-13.03
J				1	0	19.53	17.97	30	-12.03
	19965	1711.5	16QAM	1	5	19.57	18.01	30	-11.99
	17703	1711.5	TOQAIVI	3	2	18.47	16.91	30	-13.09
				5	0	18.63	17.07	30	-12.93
				1	0	19.58	18.02	30	-11.98
	20175	1732.5	16QAM	1	5	19.50	17.94	30	-12.06
	20173	1732.0	IOQAIVI	3	2	18.63	17.07	30	-12.93
				5	0	18.65	17.09	30	-12.91
				1	0	19.61	18.05	30	-11.95
	20385	1752 5	16∩AM	1	5	19.58	18.02	30	-11.98
		1753.5	16QAM —	3	2	18.58	17.02	30	-12.98
				5	0	18.61	17.05	30	-12.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page 27 of 117

Antenna gain (dBi) -1 56

Antenna ga	airi (dDi)	-1.56 M1 Ban	d 4_Uplink f	requer	ncy ban	d : 1710 to	1755 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducte d Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.46	18.90	30	-11.1
	19975	1712.5	QPSK	1	5	20.60	19.04	30	-10.96
	17773	1712.5	QF 3K	3	2	19.61	18.05	30	-11.95
				6	0	19.51	17.95	30	-12.05
				1	0	20.58	19.02	30	-10.98
	20175	1732.5	QPSK	1	5	20.47	18.91	30	-11.09
	20173	1732.3	QF 3K	3	2	19.59	18.03	30	-11.97
		-		6	0	19.53	17.97	30	-12.03
				1	0	20.57	19.01	30	-10.99
	20375	1752.5	QPSK	1	5	20.50	18.94	30	-11.06
	20373	1732.3	QF 3K	3	2	19.56	18.00	30	-12
5				6	0	19.47	17.91	30	-12.09
3				1	0	20.58	19.02	30	-10.98
	19975	1712.5	16QAM	1	5	20.53	18.97	30	-11.03
	17773	1712.5	TOQAIVI	3	2	19.46	17.90	30	-12.1
				5	0	18.53	16.97	30	-13.03
				1	0	20.62	19.06	30	-10.94
	20175	1732.5	16QAM	1	5	20.50	18.94	30	-11.06
	20173	1732.3	TOQAIVI	3	2	19.49	17.93	30	-12.07
				5	0	18.58	17.02	30	-12.98
				1	0	20.62	19.06	30	-10.94
	20375	1752 5	16∩ΔM	1	5	20.60	19.04	30	-10.96
		1752.5	16QAM —	3	2	19.49	17.93	30	-12.07
				5	0	18.60	17.04	30	-12.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page 28 of 117

1 56 Antenna gain (dRi)

Antenna ga	alii (ubi)	-1.56 M1 Ban	d 4_Uplink f	requer	ncy ban	d : 1710 to	1755 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducte d Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.50	18.94	30	-11.06
	20000	1715	QPSK	1	5	20.47	18.91	30	-11.09
	20000	1713	QI SIX	3	2	20.57	19.01	30	-10.99
				6	0	19.54	17.98	30	-12.02
				1	0	20.47	18.91	30	-11.09
	20175	1732.5	QPSK	1	5	20.59	19.03	30	-10.97
	20173	1732.3	QI SIX	3	2	20.64	19.08	30	-10.92
				6	0	19.65	18.09	30	-11.91
				1	0	20.51	18.95	30	-11.05
	20375	1750	QPSK	1	5	20.55	18.99	30	-11.01
	20373	1730	QI SIX	3	2	20.51	18.95	30	-11.05
10				6	0	19.47	17.91	30	-12.09
10				1	0	20.60	19.04	30	-10.96
	20000	1715	16QAM	1	5	20.65	19.09	30	-10.91
	20000	1713	TOQAIVI	3	2	20.61	19.05	30	-10.95
				5	0	19.65	18.09	30	-11.91
				1	0	20.65	19.09	30	-10.91
	20175	1732.5	16QAM	1	5	20.58	19.02	30	-10.98
	20173	1732.3	IOQAW	3	2	20.59	19.03	30	-10.97
				5	0	19.58	18.02	30	-11.98
				1	0	20.52	18.96	30	-11.04
	20375	1750	16∩ΔM	1	5	20.65	19.09	30	-10.91
	20375	1750	16QAM —	3	2	20.47	18.91	30	-11.09
				5	0	19.51	17.95	30	-12.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page 29 of 117

Antenna gain (dBi) -1 56

Ainterina ge	M1 Band 4_Uplink frequency band : 1710 to 1755 MHz													
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducte d Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)					
				1	0	20.61	19.05	30	-10.95					
	20025	1717.5	QPSK	1	5	20.60	19.04	30	-10.96					
	20023	1717.5	UFSK	3	2	20.60	19.04	30	-10.96					
				6	0	20.56	19.00	30	-11					
				1	0	20.55	18.99	30	-11.01					
	20175	1732.5	QPSK	1	5	20.53	18.97	30	-11.03					
	20173	1732.3	UFSK	3	2	20.64	19.08	30	-10.92					
				6	0	20.52	18.96	30	-11.04					
				1	0	20.62	19.06	30	-10.94					
	20325	1747.5	QPSK	1	5	20.54	18.98	30	-11.02					
	20323	1747.5	UFSK	3	2	20.58	19.02	30	-10.98					
15				6	0	20.47	18.91	30	-11.09					
10				1	0	20.48	18.92	30	-11.08					
	20025	1717.5	16QAM	1	5	20.58	19.02	30	-10.98					
	20023	1717.5	TOQAW	3	2	20.56	19.00	30	-11					
				5	0	20.59	19.03	30	-10.97					
				1	0	20.57	19.01	30	-10.99					
	20175	1732.5	16QAM	1	5	20.63	19.07	30	-10.93					
	20173	1732.3	TOQAIVI	3	2	20.47	18.91	30	-11.09					
				5	0	20.61	19.05	30	-10.95					
			_	1	0	20.61	19.05	30	-10.95					
	20325	1747 5	16∩ΔM	1	5	20.55	18.99	30	-11.01					
		1747.5	16QAM —	3	2	20.52	18.96	30	-11.04					
				5	0	20.58	19.02	30	-10.98					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 30 of 117

Antenna gain (dBi) -1 56

Antenna ga	ulii (ubi)	-1.56 M1 Ban	d 4_Uplink f	requer	ncy ban	d : 1710 to	1755 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducte d Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.66	19.10	30	-10.9
	20050	1720	QPSK	1	5	20.62	19.06	30	-10.94
	20030	1720	QF 3K	3	2	20.59	19.03	30	-10.97
				6	0	20.57	19.01	30	-10.99
				1	0	20.81	19.25	30	-10.75
	20175	1732.5	QPSK	1	5	20.56	19.00	30	-11
	20175	1732.3	QFSK	3	2	20.48	18.92	30	-11.08
	20300			6	0	20.47	18.91	30	-11.09
		1745	QPSK	1	0	20.56	19.00	30	-11
				1	5	20.50	18.94	30	-11.06
	20300	1745	QF 3K	3	2	20.49	18.93	30	-11.07
20				6	0	20.64	19.08	30	-10.92
20				1	0	20.56	19.00	30	-11
	20050	1720	16QAM	1	5	20.65	19.09	30	-10.91
	20030	1720	TOQAIVI	3	2	20.54	18.98	30	-11.02
				5	0	20.60	19.04	30	-10.96
				1	0	20.51	18.95	30	-11.05
	20175	1732.5	16QAM	1	5	20.51	18.95	30	-11.05
	20173	1732.3	TOQAIVI	3	2	20.51	18.95	30	-11.05
				5	0	20.55	18.99	30	-11.01
				1	0	20.59	19.03	30	-10.97
	20300	1745	16∩ΔM	1	5	20.56	19.00	30	-11
	20300	1745	16QAM —	3	2	20.62	19.06	30	-10.94
				5	0	20.58	19.02	30	-10.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page 31 of 117

Antenna gain (dBi)

-0.33

Antenna ya	a (a.z.,	-0.33	M1 Bar	nd 12_	Uplink f	requency band	: 699 to 716 MH	Z								
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)						
				1	0	20.26	17.78	19.93	34.77	-14.84						
	23017	699.7	QPSK	1	5	20.10	17.62	19.77	34.77	-15						
	23017	077.7	QF3K	3	2	19.17	16.69	18.84	34.77	-15.93						
				6	0	18.12	15.64	17.79	34.77	-16.98						
				1	0	20.15	17.67	19.82	34.77	-14.95						
	23095	707.5	QPSK	1	5	20.25	17.77	19.92	34.77	-14.85						
	23073	707.5	QI SIX	3	2	19.11	16.63	18.78	34.77	-15.99						
				6	0	18.19	15.71	17.86	34.77	-16.91						
				1	0	20.12	17.64	19.79	34.77	-14.98						
	23173	715.5	QPSK	1	5	20.23	17.75	19.90	34.77	-14.87						
	23173	713.3	QI SIX	3	2	19.24	16.76	18.91	34.77	-15.86						
1.4				6	0	18.20	15.72	17.87	34.77	-16.9						
1.4				1	0	19.22	16.74	18.89	34.77	-15.88						
	23017	699.7	16OAM	16OAM	16QAM	16QAM	1	5	19.17	16.69	18.84	34.77	-15.93			
	23017	077.1	100/1111	3	2	18.28	15.80	17.95	34.77	-16.82						
				5	0	18.25	15.77	17.92	34.77	-16.85						
				1	0	19.22	16.74	18.89	34.77	-15.88						
	23095	707.5	16QAM	16QAM	1	5	19.12	16.64	18.79	34.77	-15.98					
	23073	707.5			16QAW	16QAM	TOQAIVI	16QAM	16QAIVI	TOQAIVI	16QAM	3	2	18.28	15.80	17.95
				5	0	18.12	15.64	17.79	34.77	-16.98						
				1	0	19.27	16.79	18.94	34.77	-15.83						
	23173	715.5	16QAM	1	5	19.11	16.63	18.78	34.77	-15.99						
	23173 715.5	16QAM —	3	2	18.21	15.73	17.88	34.77	-16.89							
				5	0	18.20	15.72	17.87	34.77	-16.9						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Member of SGS Group



Page 32 of 117

Antenna gain (dBi)

-0.33

Antenna ga	airi (dDi)	-0.33	M1 Bar	nd 12_	Uplink f	requency band	: 699 to 716 MF	lz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.25	17.77	19.92	34.77	-14.85
	23025	700.5	QPSK	1	5	20.16	17.68	19.83	34.77	-14.94
	23023	700.5	UPSK	3	2	19.14	16.66	18.81	34.77	-15.96
				6	0	18.28	15.80	17.95	34.77	-16.82
				1	0	20.12	17.64	19.79	34.77	-14.98
	23095	707.5	QPSK	1	5	20.17	17.69	19.84	34.77	-14.93
	23073	707.3	QF3K	3	2	19.10	16.62	18.77	34.77	-16
				6	0	18.23	15.75	17.90	34.77	-16.87
	23165 714.5		QPSK	1	0	20.28	17.80	19.95	34.77	-14.82
		714.5		1	5	20.22	17.74	19.89	34.77	-14.88
	23103	7 14.5	QF3K	3	2	19.19	16.71	18.86	34.77	-15.91
3				6	0	18.10	15.62	17.77	34.77	-17
3				1	0	19.25	16.77	18.92	34.77	-15.85
	23025	700.5	16QAM	1	5	19.12	16.64	18.79	34.77	-15.98
	23023	700.5	TOQAIVI	3	2	18.09	15.61	17.76	34.77	-17.01
				5	0	18.10	15.62	17.77	34.77	-17
				1	0	19.12	16.64	18.79	34.77	-15.98
	23095	707.5	16QAM	1	5	19.10	16.62	18.77	34.77	-16
	23073	707.3	TOQAIVI	3	2	18.18	15.70	17.85	34.77	-16.92
			5	0	18.28	15.80	17.95	34.77	-16.82	
				1	0	19.09	16.61	18.76	34.77	-16.01
	23165	71/15	16 Ω Μ	1	5	19.25	16.77	18.92	34.77	-15.85
	23165 714.5	16QAM —	3	2	18.14	15.66	17.81	34.77	-16.96	
				5	0	18.12	15.64	17.79	34.77	-16.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page 33 of 117

Antenna gain (dBi)

-0.33

J	airi (ubi)	-0.55	M1 Bar	nd 12_	Uplink f	requency band	: 699 to 716 MH	Z		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.25	17.77	19.92	34.77	-14.85
	23035	701.5	QPSK	1	5	20.18	17.70	19.85	34.77	-14.92
	23033	701.5	QI 3K	3	2	19.19	16.71	18.86	34.77	-15.91
				6	0	19.19	16.71	18.86	34.77	-15.91
				1	0	20.26	17.78	19.93	34.77	-14.84
	23095	707.5	QPSK	1	5	20.16	17.68	19.83	34.77	-14.94
	23073	707.5	QI SIX	3	2	19.21	16.73	18.88	34.77	-15.89
				6	0	19.22	16.74	18.89	34.77	-15.88
				1	0	20.22	17.74	19.89	34.77	-14.88
	23155	713.5	QPSK	1	5	20.17	17.69	19.84	34.77	-14.93
	23133	713.3	QI 3K	3	2	19.10	16.62	18.77	34.77	-16
5				6	0	19.18	16.70	18.85	34.77	-15.92
J				1	0	19.28	16.80	18.95	34.77	-15.82
	23035	701.5	16QAM	1	5	19.18	16.70	18.85	34.77	-15.92
	23033	701.5	TOCAIVI	3	2	19.17	16.69	18.84	34.77	-15.93
				5	0	18.12	15.64	17.79	34.77	-16.98
				1	0	19.25	16.77	18.92	34.77	-15.85
	23095	707.5	16QAM	1	5	19.09	16.61	18.76	34.77	-16.01
	23073	707.3	TOCAIVI	3	2	19.11	16.63	18.78	34.77	-15.99
				5	0	18.13	15.65	17.80	34.77	-16.97
				1	0	19.18	16.70	18.85	34.77	-15.92
	23155	713.5	16QAM	1	5	19.17	16.69	18.84	34.77	-15.93
	20100	7 13.3	TOQAIVI	3	2	19.16	16.68	18.83	34.77	-15.94
				5	0	18.10	15.62	17.77	34.77	-17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page 34 of 117

Antenna gain (dBi)

-0.33

Antenna g	uiii (ubi)	-0.33	M1 Bar	nd 12_	Uplink f	requency band	: 699 to 716 MH	lz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.73	18.25	20.40	34.77	-14.37
	23060	704	QPSK	1	5	20.17	17.69	19.84	34.77	-14.93
	23000	704	UPSK	3	2	20.16	17.68	19.83	34.77	-14.94
				6	0	19.20	16.72	18.87	34.77	-15.9
				1	0	20.49	18.01	20.16	34.77	-14.61
	23095	707.5	QPSK	1	5	20.24	17.76	19.91	34.77	-14.86
	23073	101.5	QF3K	3	2	20.11	17.63	19.78	34.77	-14.99
			6	0	19.20	16.72	18.87	34.77	-15.9	
	23130 711		QPSK	1	0	20.29	17.81	19.96	34.77	-14.81
		711		1	5	20.19	17.71	19.86	34.77	-14.91
	23130	/ 11	QF3K	3	2	20.26	17.78	19.93	34.77	-14.84
10				6	0	19.12	16.64	18.79	34.77	-15.98
10				1	0	20.18	17.70	19.85	34.77	-14.92
	23060	704	16QAM	1	5	20.11	17.63	19.78	34.77	-14.99
	23000	704	TOQAW	3	2	20.24	17.76	19.91	34.77	-14.86
				5	0	19.28	16.80	18.95	34.77	-15.82
				1	0	20.25	17.77	19.92	34.77	-14.85
	23005	707.5	16QAM	1	5	20.24	17.76	19.91	34.77	-14.86
	23095 707.5	TOQAW	3	2	20.13	17.65	19.80	34.77	-14.97	
			5	0	19.20	16.72	18.87	34.77	-15.9	
				1	0	20.16	17.68	19.83	34.77	-14.94
	23130	711	16∩ΔM	1	5	20.10	17.62	19.77	34.77	-15
	23130 711	/ 1 1	711 16QAM	3	2	20.09	17.61	19.76	34.77	-15.01
				5	0	19.20	16.72	18.87	34.77	-15.9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司




Page 35 of 117

OCCUPIED BANDWIDTH MEASUREMENT

7.1 Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

Test Set-up 7.2



7.3 **Measurement Procedure**

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= 1% ~ 5%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Measurement Equipment Used 7.4

Conducted Emission (measured at antenna port) Test Site											
Cor	nducted Emission	on (measured at	antenna port)	lest Site							
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.						
TYPE		NUMBER	NUMBER	CAL.							
DC Block	PASTERNACK	PE8210	RF32	11/20/2019	11/19/2020						
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	07/15/2019	07/14/2020						
DC Power Supply	Agilent	E3640A	MY53140006	05/31/2019	05/30/2020						
Splitter	Woken	DOM35LW1A2	RF36	11/20/2019	11/19/2020						
Attenuator	Marvelous	MVE2213-10	RF31	11/20/2019	11/19/2020						
Radio Communication Analyzer	Anritsu	MT8821C	6261786084	01/18/2020	01/17/2021						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some and stated on the sample(s) tested and such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on so days only. We are stated on such as a relation of some and stated on some and s prosecuted to the fullest extent of the law.



Page 36 of 117

7.5 **Measurement Result**

7.5.1 Cat M1

M1 BAND 2 Channel bandwidth: 1.4MHz						
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM	
1850.7	18607	1.0999	0.9323	1.262	1.114	
1880.0	18900	1.1026	0.9254	1.255	1.119	
1909.3	19193	1.0986	0.9291	1.281	1.128	

M1 BAND 2 Channel bandwidth: 3MHz						
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM	
1851.5	18615	1.1447	0.9770	1.365	1.215	
1880.0	18900	1.1513	0.9748	1.367	1.196	
1908.5	19185	1.1355	0.9791	1.348	1.218	

M1 BAND 2 Channel bandwidth: 5MHz						
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM	
1852.5	18625	1.1743	1.0408	1.509	1.299	
1880.0	18900	1.1781	1.0458	1.421	1.277	
1907.5	19175	1.1745	1.0484	1.536	1.331	

M1 BAND 2 Channel bandwidth: 10MHz						
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM	
1855.0	18650	1.3152	1.1984	1.694	1.718	
1880.0	18900	1.3179	1.1928	1.595	1.551	
1905.0	19150	1.3265	1.1944	1.763	1.678	

M1 BAND 2 Channel bandwidth: 15MHz						
Freq.	СН			26 dB BW (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM	
1857.5	18675	1.541	1.368	2.772	1.990	
1880.0	18900	1.517	1.373	2.329	2.317	
1902.5	19125	1.585	1.371	2.499	2.042	

M1 BAND 2 Channel bandwidth: 20MHz						
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM	
1860.0	18700	1.684	1.639	2.818	3.125	
1880.0	18900	1.717	1.576	2.550	3.014	
1900.0	19100	1.688	1.538	2.473	2.642	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

www.sgs.com.tw



Page 37 of 117

M1 BAND 4 Channel bandwidth: 1.4MHz								
Freq.			99% BW (MHz)		26 dB BW (MHz)			
(MHz)	CH	QPSK	16QAM	QPSK	16QAM			
1710.7	19957	1.1007	0.9218	1.298	1.121			
1732.5	20175	1.0966	0.9298	1.283	1.126			
1754.3	20393	1.0916	0.9325	1.276	1.129			

M1 BAND 4 Channel bandwidth: 3MHz							
Freq.			99% BW (MHz)		26 dB BW (MHz)		
(MHz)	CH	QPSK	16QAM	QPSK	16QAM		
1711.5	19965	1.1385	0.9754	1.359	1.230		
1732.5	20175	1.1474	0.9803	1.332	1.186		
1753.5	20385	1.1541	0.971.48	1.364	1.166		

	M1 BAND 4 Channel bandwidth: 5MHz								
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)					
(MHz)	CH	QPSK	16QAM	QPSK	16QAM				
1712.5	19957	1.1827	1.0435	1.468	1.305				
1732.5	20175	1.1780	1.0440	1.444	1.294				
1752.5	20375	1.1739	1.0408	1.460	1.301				

M1 BAND 4 Channel bandwidth: 10MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	CH	QPSK	16QAM	QPSK	16QAM		
1715.0	20000	1.3073	1.1938	1.879	1.542		
1732.5	20175	1.3393	1.1661	1.957	1.515		
1750.0	20350	1.3241	1.1917	1.904	1.622		

1 DANIC	1 Ol						
M1 BAND 4 Channel bandwidth: 15MHz							
СП	99% BV	V (MHz)	26 dB BW (MHz)				
СП	QPSK	16QAM	QPSK	16QAM			
20025	1.509	1.362	2.558	2.122			
20175	1.502	1.372	1.979	2.194			
20325	1.511	1.376	2.560	2.137			
BAND	12 Chann	el bandwid	dth: 1.4M	Hz			
СП	99% BV	V (MHz)	26 dB B	SW (MHz)			
СП	QPSK	16QAM	QPSK	16QAM			
23017	1.0976	0.9292	1.288	1.179			
23095	1.0995	0.9258	1.287	1.122			
23173	1.0944	0.9284	1.319	1.111			
	20175 20325 BAND CH 23017 23095	CH QPSK 20025 1.509 20175 1.502 20325 1.511 BAND 12 Chann CH QPSK QPSK 23017 1.0976 23095 1.0995	QPSK 16QAM 20025 1.509 1.362 20175 1.502 1.372 20325 1.511 1.376 BAND 12 Channel bandwid CH	CH QPSK 16QAM QPSK 20025 1.509 1.362 2.558 20175 1.502 1.372 1.979 20325 1.511 1.376 2.560 BAND 12 Channel bandwidth: 1.4M CH QPSK 16QAM QPSK 23017 1.0976 0.9292 1.288 23095 1.0995 0.9258 1.287			

M1 BAND 4 Channel bandwidth: 20MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM		
1720.0	20050	1.719	1.542	2.709	2.823		
1732.5	20175	1.666	1.540	2.746	3.241		
1745.0	20300	1.692 1.563		2.423	2.753		
1	M1 BANI	O 12 Char	nel bandw	vidth: 3MH	Z		
Freq.	СН	99% B\	N (MHz)	26 dB BW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM		
700.5	23025	1.1470	0.9883	1.362	1.244		
707.5	23095	1.1560	0.9809	1.368	1.233		

	M1 BAND 12 Channel bandwidth: 5MHz							
Ī	Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
	(MHz)	CH	QPSK	16QAM	QPSK	16QAM		
	701.5	23035	1.1763	1.0431	1.448	1.290		
	707.5	23095	1.1800	1.0343	1.430	1.354		
	713.5	23155	1.1715	1.0166	1.503	1.269		

M1 BAND 12 Channel bandwidth: 10MHz							
Freq. CH		99% BW (MHz)		26 dB BW (MHz)			
(MHz)	CH	QPSK	16QAM	QPSK	16QAM		
704.0	23060	1.3366	1.1899	1.966	1.645		
707.5	23095	1.3228	1.1680	1.982	1.475		
711.0	23130	1.3313	1.1754	1.923	1.505		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 38 of 117

Cat M1 Band2 1 4MHz QPSK 6 0 Main LowCH18607-1850.7




Cat_M1_Band2_1_4MHz_QPSK_6_0_Main_MidCH18900-1880




Cat_M1_Band2_1_4MHz_QPSK_6_0_Main_HighCH19193-1909.3




Cat_M1_Band2_1_4MHz_16QAM_5_0_Main_LowCH18607-1850.7



Cat_M1_Band2_1_4MHz_16QAM_5_0_Main_MidCH18900-1880



Cat_M1_Band2_1_4MHz_16QAM_5_0_Main_HighCH19193-1909.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.



Page 39 of 117

Cat M1 Band2 3MHz QPSK 6 0 Main LowCH18615-1851.5



Cat_M1_Band2_3MHz_QPSK_6_0_Main_MidCH18900-1880




Cat_M1_Band2_3MHz_QPSK_6_0_Main_HighCH19185-1908.5




Cat_M1_Band2_3MHz_16QAM_5_0_Main_LowCH18615-1851.5



Cat_M1_Band2_3MHz_16QAM_5_0_Main_MidCH18900-1880



Cat_M1_Band2_3MHz_16QAM_5_0_Main_HighCH19185-1908.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.



Page 40 of 117


Cat M1 Band2 5MHz QPSK 6 0 Main LowCH18625-1852.5




Cat_M1_Band2_5MHz_QPSK_6_0_Main_MidCH18900-1880




Cat_M1_Band2_5MHz_QPSK_6_0_Main_HighCH19175-1907.5




Cat_M1_Band2_5MHz_16QAM_5_0_Main_LowCH18625-1852.5



Cat_M1_Band2_5MHz_16QAM_5_0_Main_MidCH18900-1880



Cat_M1_Band2_5MHz_16QAM_5_0_Main_HighCH19175-1907.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.




Page 41 of 117


Cat_M1_Band2_10MHz_QPSK_6_0_Main_LowCH18650-1855




Cat_M1_Band2_10MHz_QPSK_6_0_Main_MidCH18900-1880




Cat_M1_Band2_10MHz_QPSK_6_0_Main_HighCH19150-1905




Cat_M1_Band2_10MHz_16QAM_5_0_Main_LowCH18650-1855



Cat_M1_Band2_10MHz_16QAM_5_0_Main_MidCH18900-1880



Cat_M1_Band2_10MHz_16QAM_5_0_Main_HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.

t (886-2) 2299-3279




Page 42 of 117


Cat_M1_Band2_15MHz_QPSK_6_0_Main_LowCH18675-1857.5




Cat_M1_Band2_15MHz_QPSK_6_0_Main_MidCH18900-1880




Cat_M1_Band2_15MHz_QPSK_6_0_Main_HighCH19125-1902.5




Cat_M1_Band2_15MHz_16QAM_5_0_Main_LowCH18675-1857.5



Cat_M1_Band2_15MHz_16QAM_5_0_Main_MidCH18900-1880



Cat_M1_Band2_15MHz_16QAM_5_0_Main_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.


台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page 43 of 117


Cat_M1_Band2_20MHz_QPSK_6_0_Main_LowCH18700-1860



Cat_M1_Band2_20MHz_QPSK_6_0_Main_MidCH18900-1880




Cat_M1_Band2_20MHz_QPSK_6_0_Main_HighCH19100-1900




Cat_M1_Band2_20MHz_16QAM_5_0_Main_LowCH18700-1860



Cat_M1_Band2_20MHz_16QAM_5_0_Main_MidCH18900-1880



Cat_M1_Band2_20MHz_16QAM_5_0_Main_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page 44 of 117

Cat M1 Band4 1 4MHz QPSK 6 0 Main LowCH19957-1710.7




Cat_M1_Band4_1_4MHz_QPSK_6_0_Main_MidCH20175-1732.5




Cat_M1_Band4_1_4MHz_QPSK_6_0_Main_HighCH20393-1754.3




Cat_M1_Band4_1_4MHz_16QAM_5_0_Main_LowCH19957-1710.7



Cat_M1_Band4_1_4MHz_16QAM_5_0_Main_MidCH20175-1732.5



Cat_M1_Band4_1_4MHz_16QAM_5_0_Main_HighCH20393-1754.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page 45 of 117


Cat M1 Band4 3MHz QPSK 6 0 Main LowCH19965-1711.5




Cat_M1_Band4_3MHz_QPSK_6_0_Main_MidCH20175-1732.5




Cat_M1_Band4_3MHz_QPSK_6_0_Main_HighCH20385-1753.5




Cat_M1_Band4_3MHz_16QAM_5_0_Main_LowCH19965-1711.5



Cat_M1_Band4_3MHz_16QAM_5_0_Main_MidCH20175-1732.5



Cat_M1_Band4_3MHz_16QAM_5_0_Main_HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.




Page 46 of 117


Cat M1 Band4 5MHz QPSK 6 0 Main LowCH19975-1712.5



Cat_M1_Band4_5MHz_QPSK_6_0_Main_MidCH20175-1732.5




Cat_M1_Band4_5MHz_QPSK_6_0_Main_HighCH20375-1752.5




Cat_M1_Band4_5MHz_16QAM_5_0_Main_LowCH19975-1712.5



Cat_M1_Band4_5MHz_16QAM_5_0_Main_MidCH20175-1732.5



Cat_M1_Band4_5MHz_16QAM_5_0_Main_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page 47 of 117


Cat_M1_Band4_10MHz_QPSK_6_0_Main_LowCH20000-1715




Cat_M1_Band4_10MHz_QPSK_6_0_Main_MidCH20175-1732.5




Cat_M1_Band4_10MHz_QPSK_6_0_Main_HighCH20350-1750




Cat_M1_Band4_10MHz_16QAM_5_0_Main_LowCH20000-1715



Cat_M1_Band4_10MHz_16QAM_5_0_Main_MidCH20175-1732.5



Cat_M1_Band4_10MHz_16QAM_5_0_Main_HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


t (886-2) 2299-3279

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.




Page 48 of 117


Cat_M1_Band4_15MHz_QPSK_6_0_Main_LowCH20025-1717.5




Cat_M1_Band4_15MHz_QPSK_6_0_Main_MidCH20175-1732.5




Cat_M1_Band4_15MHz_QPSK_6_0_Main_HighCH20325-1747.5




Cat_M1_Band4_15MHz_16QAM_5_0_Main_LowCH20025-1717.5



Cat_M1_Band4_15MHz_16QAM_5_0_Main_MidCH20175-1732.5



Cat_M1_Band4_15MHz_16QAM_5_0_Main_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279


Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司




Page 49 of 117


Cat_M1_Band4_20MHz_QPSK_6_0_Main_LowCH20050-1720




Cat_M1_Band4_20MHz_QPSK_6_0_Main_MidCH20175-1732.5




Cat_M1_Band4_20MHz_QPSK_6_0_Main_HighCH20300-1745




Cat_M1_Band4_20MHz_16QAM_5_0_Main_LowCH20050-1720



Cat_M1_Band4_20MHz_16QAM_5_0_Main_MidCH20175-1732.5



Cat_M1_Band4_20MHz_16QAM_5_0_Main_HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.




Page 50 of 117

Cat M1 Band12 1 4MHz QPSK 6 0 Main LowCH23017-699.7




Cat_M1_Band12_1_4MHz_QPSK_6_0_Main_MidCH23095-707.5




Cat_M1_Band12_1_4MHz_QPSK_6_0_Main_HighCH23173-715.3




Cat_M1_Band12_1_4MHz_16QAM_5_0_Main_LowCH23017-699.7



Cat_M1_Band12_1_4MHz_16QAM_5_0_Main_MidCH23095-707.5



Cat_M1_Band12_1_4MHz_16QAM_5_0_Main_HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page 51 of 117


Cat M1 Band12 3MHz QPSK 6 0 Main LowCH23025-700.5




Cat_M1_Band12_3MHz_QPSK_6_0_Main_MidCH23095-707.5




Cat_M1_Band12_3MHz_QPSK_6_0_Main_HighCH23165-714.5



Cat_M1_Band12_3MHz_16QAM_5_0_Main_LowCH23025-700.5



Cat_M1_Band12_3MHz_16QAM_5_0_Main_MidCH23095-707.5



Cat_M1_Band12_3MHz_16QAM_5_0_Main_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Page 52 of 117


Cat M1 Band12 5MHz QPSK 6 0 Main LowCH23035-701.5



Cat_M1_Band12_5MHz_QPSK_6_0_Main_MidCH23095-707.5




Cat_M1_Band12_5MHz_QPSK_6_0_Main_HighCH23155-713.5




Cat_M1_Band12_5MHz_16QAM_5_0_Main_LowCH23035-701.5



Cat_M1_Band12_5MHz_16QAM_5_0_Main_MidCH23095-707.5



Cat_M1_Band12_5MHz_16QAM_5_0_Main_HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.




Page 53 of 117


Cat_M1_Band12_10MHz_QPSK_6_0_Main_LowCH23060-704




Cat_M1_Band12_10MHz_QPSK_6_0_Main_MidCH23095-707.5




Cat_M1_Band12_10MHz_QPSK_6_0_Main_HighCH23130-711




Cat_M1_Band12_10MHz_16QAM_5_0_Main_LowCH23060-704



Cat_M1_Band12_10MHz_16QAM_5_0_Main_MidCH23095-707.5



Cat_M1_Band12_10MHz_16QAM_5_0_Main_HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page 54 of 117

OUT OF BAND EMISSION AT ANTENNA TERMINALS

Standard Applicable

FCC §22.917(a), §24.238(a), §27.53(h)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.


FCC §27.53(g) for B12

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h)(3) for B4

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

8.2 **Test SET-UP**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page 55 of 117

Measurement Procedure 8.3

8.3.1 **Conducted Emission**

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

8.3.2 Band Edge

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Measurement Equipment Used 8.4

	model official Education Code								
Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT	EQUIPMENT MFR MODEL				CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
DC Block	PASTERNACK	PE8210	RF32	11/20/2019	11/19/2020				
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	07/15/2019	07/14/2020				
DC Power Supply	Agilent	E3640A	MY53140006	05/31/2019	05/30/2020				
Splitter	Woken	DOM35LW1A2	RF36	11/20/2019	11/19/2020				
Attenuator	Marvelous	MVE2213-10	RF31	11/20/2019	11/19/2020				
Radio Communication Analyzer	Anritsu	MT8821C	6261786084	01/18/2020	01/17/2021				

8.5 **Measurement Result:**

Refer to next pages.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.

│ No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw


SGS Taiwan Ltd.




Page 56 of 117

8.5.1 Bandedge


Cat_M1_Band2_1_4MHz_QPSK_1_0_LowCH18607-1850.7




Cat_M1_Band2_1_4MHz_QPSK_1_0_HighCH19193-1909.3




Cat_M1_Band2_1_4MHz_QPSK_6_0_LowCH18607-1850.7




Cat_M1_Band2_1_4MHz_QPSK_6_0_HighCH19193-1909.3



Cat_M1_Band2_3MHz_QPSK_1_0_LowCH18615-1851.5



Cat_M1_Band2_3MHz_QPSK_1_0_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


t (886-2) 2299-3279

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.




Page 57 of 117


Cat_M1_Band2_3MHz_QPSK_6_0_LowCH18615-1851.5




Cat_M1_Band2_3MHz_QPSK_6_0_HighCH19185-1908.5




Cat M1 Band2 5MHz QPSK 1 0 LowCH18625-1852.5




Cat_M1_Band2_5MHz_QPSK_1_0_HighCH19175-1907.5



Cat_M1_Band2_5MHz_QPSK_6_0_LowCH18625-1852.5



Cat_M1_Band2_5MHz_QPSK_6_0_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this start report refer only to the sample(s) tested and such as an pieck) are retained for 90 days only.
Fix 月 記明 上報告結果僅對測試之樣品負責;同時此樣品僅保留の天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488




Page 58 of 117


Cat_M1_Band2_10MHz_QPSK_1_0_LowCH18650-1855




Cat_M1_Band2_10MHz_QPSK_1_0_HighCH19150-1905




Cat M1 Band2 10MHz QPSK 6 0 LowCH18650-1855




Cat_M1_Band2_10MHz_QPSK_6_0_HighCH19150-1905



Cat_M1_Band2_15MHz_QPSK_1_0_LowCH18675-1857.5



Cat M1 Band2 15MHz QPSK 1 0 HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this start report refer only to the sample(s) tested and such as an pieck) are retained for 90 days only.
Fix 月 記明 上報告結果僅對測試之樣品負責;同時此樣品僅保留の天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488




Page 59 of 117

Cat_M1_Band2_15MHz_QPSK_6_0_LowCH18675-1857.5




Cat_M1_Band2_15MHz_QPSK_6_0_HighCH19125-1902.5




Cat M1 Band2 20MHz QPSK 1 0 LowCH18700-1860




Cat_M1_Band2_20MHz_QPSK_1_0_HighCH19100-1900



Cat_M1_Band2_20MHz_QPSK_6_0_LowCH18700-1860



Cat M1 Band2 20MHz QPSK 6 0 HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this start report refer only to the sample(s) tested and such as an pieck) are retained for 90 days only.
Fix 月 記明 上報告結果僅對測試之樣品負責;同時此樣品僅保留の天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488




Page 60 of 117


Cat_M1_Band4_1_4MHz_QPSK_1_0_LowCH19957-1710.7




Cat_M1_Band4_1_4MHz_QPSK_1_0_HighCH20393-1754.3




Cat M1 Band4 1 4MHz QPSK 6 0 LowCH19957-1710.7




Cat_M1_Band4_1_4MHz_QPSK_6_0_HighCH20393-1754.3



Cat_M1_Band4_3MHz_QPSK_1_0_LowCH19965-1711.5



Cat M1 Band4 3MHz QPSK 1 0 HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this start report refer only to the sample(s) tested and such as an pieck) are retained for 90 days only.
Fix 月 記明 上報告結果僅對測試之樣品負責;同時此樣品僅保留の天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488



Page 61 of 117


Cat_M1_Band4_3MHz_QPSK_6_0_LowCH19965-1711.5




Cat_M1_Band4_3MHz_QPSK_6_0_HighCH20385-1753.5




Cat M1 Band4 5MHz QPSK 1 0 LowCH19975-1712.5




Cat_M1_Band4_5MHz_QPSK_1_0_HighCH20375-1752.5



Cat_M1_Band4_5MHz_QPSK_6_0_LowCH19975-1712.5



Cat M1 Band4 5MHz QPSK 6 0 HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this start report refer only to the sample(s) tested and such as an pieck) are retained for 90 days only.
Fix 月 記明 上報告結果僅對測試之樣品負責;同時此樣品僅保留の天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488




Report No.: E2/2020/30003 Page 62 of 117


Cat_M1_Band4_10MHz_QPSK_1_0_LowCH20000-1715




Cat_M1_Band4_10MHz_QPSK_1_0_HighCH20350-1750



Cat M1 Band4 10MHz QPSK 6 0 LowCH20000-1715




Cat_M1_Band4_10MHz_QPSK_6_0_HighCH20350-1750



Cat_M1_Band4_15MHz_QPSK_1_0_LowCH20025-1717.5



Cat M1 Band4 15MHz QPSK 1 0 HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this start report refer only to the sample(s) tested and such as an pieck) are retained for 90 days only.
Fix 月 記明 上報告結果僅對測試之樣品負責;同時此樣品僅保留の天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2020/30003 Page 63 of 117


Cat_M1_Band4_15MHz_QPSK_6_0_LowCH20025-1717.5




Cat_M1_Band4_15MHz_QPSK_6_0_HighCH20325-1747.5




Cat M1 Band4 20MHz QPSK 1 0 LowCH20050-1720




Cat_M1_Band4_20MHz_QPSK_1_0_HighCH20300-1745



Cat_M1_Band4_20MHz_QPSK_6_0_LowCH20050-1720



Cat M1 Band4 20MHz QPSK 6 0 HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this start report refer only to the sample(s) tested and such as an pieck) are retained for 90 days only.
Fix 月 記明 上報告結果僅對測試之樣品負責;同時此樣品僅保留の天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page 64 of 117

Cat_M1_Band12_1_4MHz_QPSK_1_0_LowCH23017-699.7




Cat_M1_Band12_1_4MHz_QPSK_1_0_HighCH23173-715.3




Cat M1 Band12 1 4MHz QPSK 6 0 LowCH23017-699.7



Cat_M1_Band12_1_4MHz_QPSK_6_0_HighCH23173-715.3



Cat_M1_Band12_3MHz_QPSK_1_0_LowCH23025-700.5



Cat M1 Band12 3MHz QPSK 1 0 HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this start report refer only to the sample(s) tested and such as an pieck) are retained for 90 days only.
Fix 月 記明 上報告結果僅對測試之樣品負責;同時此樣品僅保留の天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488




Page 65 of 117


Cat_M1_Band12_3MHz_QPSK_6_0_LowCH23025-700.5




Cat_M1_Band12_3MHz_QPSK_6_0_HighCH23165-714.5




Cat M1 Band12 5MHz QPSK 1 0 LowCH23035-701.5




Cat_M1_Band12_5MHz_QPSK_1_0_HighCH23155-713.5



Cat_M1_Band12_5MHz_QPSK_6_0_LowCH23035-701.5




Cat M1 Band12 5MHz QPSK 6 0 HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this start report refer only to the sample(s) tested and such as an pieck) are retained for 90 days only.
Fix 月 記明 上報告結果僅對測試之樣品負責;同時此樣品僅保留の天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.







Cat_M1_Band12_10MHz_QPSK_1_0_LowCH23060-704



Cat_M1_Band12_10MHz_QPSK_6_0_LowCH23060-704



Cat M1 Band12 10MHz QPSK 6 0 HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction, issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and the present of the lower than the first leave. and offenders may be prosecuted to the fullest extent of the law.




Page 67 of 117

8.5.2 **Spurious Emission**


Cat_M1_30MHz~3GHz_Band2_1_4MHz_QPSK_1_0_LowCH18607-1850.7




Cat_M1_30MHz~3GHz_Band2_1_4MHz_QPSK_1_0_MidCH18900-1880




Cat_M1_30MHz~3GHz_Band2_1_4MHz_QPSK_1_0_HighCH19193-1909.3




Cat_M1_30MHz~3GHz_Band2_3MHz_QPSK_1_0_LowCH18615-1851.5



Cat_M1_30MHz~3GHz_Band2_3MHz_QPSK_1_0_MidCH18900-1880



Cat_M1_30MHz~3GHz_Band2_3MHz_QPSK_1_0_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated title results shown in this test report tere only to the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that the sample(s) tested and such as a relation of so days only. We a state that state are stated on such as a relation of so days only. We are stated on such as a relation of some stated and such as a relation of some stated on such as a relation of some stated of such as a relation prosecuted to the fullest extent of the law.