



Appendix D

RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: Tablet

Test Model: 10LA2

Environmental Conditions

| | |
|--------------------|-----------|
| Temperature: | 23.8° C |
| Relative Humidity: | 52.1% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Nick Peng |
| Supervised by: | Ling Zhu |





D.1 Emission Bandwidth


Test Result


| TestMode | Antenna | Frequency[MHz] | 26db EBW [MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|------------|---------|----------------|----------------------|----------|----------|------------|---------|
| 11A | Ant1 | 5180 | 25.840 | 5166.640 | 5192.480 | --- | --- |
| | | 5220 | 28.120 | 5205.400 | 5233.520 | --- | --- |
| | | 5240 | 27.800 | 5225.160 | 5252.960 | --- | --- |
| 11N20SISO | Ant1 | 5180 | 31.640 | 5164.120 | 5195.760 | --- | --- |
| | | 5220 | 29.280 | 5205.840 | 5235.120 | --- | --- |
| | | 5240 | 28.760 | 5225.560 | 5254.320 | --- | --- |
| 11N40SISO | Ant1 | 5190 | 46.400 | 5167.280 | 5213.680 | --- | --- |
| | | 5230 | 47.440 | 5206.800 | 5254.240 | --- | --- |
| 11AC20SISO | Ant1 | 5180 | 31.440 | 5164.240 | 5195.680 | --- | --- |
| | | 5220 | 30.200 | 5205.160 | 5235.360 | --- | --- |
| | | 5240 | 29.560 | 5225.360 | 5254.920 | --- | --- |
| 11AC40SISO | Ant1 | 5190 | 50.000 | 5164.640 | 5214.640 | --- | --- |
| | | 5230 | 47.120 | 5206.960 | 5254.080 | --- | --- |
| 11AC80SISO | Ant1 | 5210 | 84.800 | 5168.560 | 5253.360 | --- | --- |






Test Graphs






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220






11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210





D.2 Maximum conducted output power

Test Result Channel Power

| Test Mode | Antenna | Frequency[MHz] | Channel Power [dBm] | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|------------|---------|----------------|---------------------|----------------|-----------------|--------------|-------------|---------|
| 11A | Ant1 | 5180 | 12.74 | 96.55 | 0.15 | 12.89 | ≤23.98 | PASS |
| | | 5220 | 12.36 | 95.89 | 0.18 | 12.54 | ≤23.98 | PASS |
| | | 5240 | 12.08 | 96.53 | 0.15 | 12.23 | ≤23.98 | PASS |
| 11N20SISO | Ant1 | 5180 | 12.23 | 95.93 | 0.18 | 12.41 | ≤23.98 | PASS |
| | | 5220 | 11.76 | 95.16 | 0.22 | 11.98 | ≤23.98 | PASS |
| | | 5240 | 11.03 | 95.93 | 0.18 | 11.21 | ≤23.98 | PASS |
| 11N40SISO | Ant1 | 5190 | 11.03 | 92.19 | 0.35 | 11.38 | ≤23.98 | PASS |
| | | 5230 | 10.95 | 92.19 | 0.35 | 11.30 | ≤23.98 | PASS |
| 11AC20SISO | Ant1 | 5180 | 11.88 | 95.97 | 0.18 | 12.06 | ≤23.98 | PASS |
| | | 5220 | 11.01 | 95.97 | 0.18 | 11.19 | ≤23.98 | PASS |
| | | 5240 | 10.72 | 95.97 | 0.18 | 10.90 | ≤23.98 | PASS |
| 11AC40SISO | Ant1 | 5190 | 11.17 | 92.19 | 0.35 | 11.52 | ≤23.98 | PASS |
| | | 5230 | 10.64 | 92.19 | 0.35 | 10.99 | ≤23.98 | PASS |
| 11AC80SISO | Ant1 | 5210 | 9.62 | 85.71 | 0.67 | 10.29 | ≤23.98 | PASS |

Note: The Duty Cycle Factor is compensated in the graph.





D.3 Maximum power spectral density

Test Result

| TestMode | Antenna | Frequency[MHz] | Result [dBm/MHz] | Limit[dBm/MHz] | Verdict |
|------------|---------|----------------|------------------|----------------|---------|
| 11A | Ant1 | 5180 | 1.7 | ≤11.00 | PASS |
| | | 5220 | 1.09 | ≤11.00 | PASS |
| | | 5240 | 0.81 | ≤11.00 | PASS |
| 11N20SISO | Ant1 | 5180 | 0.66 | ≤11.00 | PASS |
| | | 5220 | 0.69 | ≤11.00 | PASS |
| | | 5240 | -0.37 | ≤11.00 | PASS |
| 11N40SISO | Ant1 | 5190 | -3.13 | ≤11.00 | PASS |
| | | 5230 | -3.16 | ≤11.00 | PASS |
| 11AC20SISO | Ant1 | 5180 | 0.32 | ≤11.00 | PASS |
| | | 5220 | -0.48 | ≤11.00 | PASS |
| | | 5240 | -0.68 | ≤11.00 | PASS |
| 11AC40SISO | Ant1 | 5190 | -2.9 | ≤11.00 | PASS |
| | | 5230 | -3.54 | ≤11.00 | PASS |
| 11AC80SISO | Ant1 | 5210 | -6.67 | ≤11.00 | PASS |


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.






Test Graphs






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220






11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210





D.4 Emissions in Restricted Bands

Test Result

| TestMode | Antenna | ChName | Frequenc y [MHz] | Detector | Freq [MHz] | Result [dBm] | Limit [dBm] | Verdict |
|---------------|---------|--------|------------------|----------|------------|--------------|-------------|---------|
| 11A | Ant1 | Low | 5180 | AV | 4500.000 | -57.55 | ≤-41.20 | PASS |
| | | | | AV | 5149.600 | -44.89 | ≤-41.20 | PASS |
| | | | | AV | 5150.000 | -44.41 | ≤-41.20 | PASS |
| | | | | Peak | 4500.000 | -53.3 | ≤-21.20 | PASS |
| | | | | Peak | 5148.900 | -37.07 | ≤-21.20 | PASS |
| | | | | Peak | 5150.000 | -34.66 | ≤-21.20 | PASS |
| | | High | 5240 | AV | 5350.000 | -55.81 | ≤-41.20 | PASS |
| | | | | AV | 5361.120 | -55.66 | ≤-41.20 | PASS |
| | | | | AV | 5460.000 | -56.43 | ≤-41.20 | PASS |
| | | | | Peak | 5350.000 | -49.83 | ≤-21.20 | PASS |
| | | | | Peak | 5411.520 | -46.8 | ≤-21.20 | PASS |
| | | | | Peak | 5460.000 | -52.12 | ≤-21.20 | PASS |
| | | | | Peak | 5700.000 | -45.84 | ≤10.00 | PASS |
| | | | | Peak | 5720.000 | -32.39 | ≤15.60 | PASS |
| | | Peak | 5725.000 | -29.76 | ≤27.00 | PASS | | |
| 11N20SIS O | Ant1 | Low | 5180 | AV | 4500.000 | -56.99 | ≤-41.20 | PASS |
| | | | | AV | 5149.600 | -46.41 | ≤-41.20 | PASS |
| | | | | AV | 5150.000 | -46.74 | ≤-41.20 | PASS |
| | | | | Peak | 4500.000 | -49.52 | ≤-21.20 | PASS |
| | | | | Peak | 5149.600 | -31.63 | ≤-21.20 | PASS |
| | | | | Peak | 5150.000 | -40.39 | ≤-21.20 | PASS |
| | | High | 5240 | AV | 5350.000 | -55.84 | ≤-41.20 | PASS |
| | | | | AV | 5351.760 | -55.75 | ≤-41.20 | PASS |
| | | | | AV | 5460.000 | -56.41 | ≤-41.20 | PASS |
| | | | | Peak | 5350.000 | -48.08 | ≤-21.20 | PASS |
| | | | | Peak | 5394.240 | -46.55 | ≤-21.20 | PASS |
| | | | | Peak | 5460.000 | -50.9 | ≤-21.20 | PASS |
| 11N40SIS O | Ant1 | Low | 5190 | AV | 4500.000 | -57.29 | ≤-41.20 | PASS |
| | | | | AV | 5148.900 | -47.76 | ≤-41.20 | PASS |
| | | | | AV | 5150.000 | -48.15 | ≤-41.20 | PASS |
| | | | | Peak | 4500.000 | -51.29 | ≤-21.20 | PASS |
| | | | | Peak | 5149.600 | -34.53 | ≤-21.20 | PASS |
| | | | | Peak | 5150.000 | -34.01 | ≤-21.20 | PASS |
| | | High | 5230 | AV | 5350.000 | -55.31 | ≤-41.20 | PASS |





| | | | | | | | | |
|----------------|------|----------|----------|----------|----------|---------|---------|------|
| | | | | AV | 5350.280 | -55.21 | ≤-41.20 | PASS |
| | | | | AV | 5460.000 | -56.07 | ≤-41.20 | PASS |
| | | | | Peak | 5350.000 | -49.45 | ≤-21.20 | PASS |
| | | | | Peak | 5396.040 | -46.48 | ≤-21.20 | PASS |
| | | | | Peak | 5460.000 | -49.27 | ≤-21.20 | PASS |
| 11AC20SI SO | Ant1 | Low | 5180 | AV | 4500.000 | -57.48 | ≤-41.20 | PASS |
| | | | | AV | 5149.600 | -43.7 | ≤-41.20 | PASS |
| | | | | AV | 5150.000 | -43.13 | ≤-41.20 | PASS |
| | | Peak | 4500.000 | -51.39 | ≤-21.20 | PASS | | |
| | | Peak | 5149.600 | -33.7 | ≤-21.20 | PASS | | |
| | | Peak | 5150.000 | -31.54 | ≤-21.20 | PASS | | |
| | High | 5240 | AV | 5350.000 | -55.83 | ≤-41.20 | PASS | |
| | | | AV | 5352.000 | -55.74 | ≤-41.20 | PASS | |
| | | | AV | 5460.000 | -56.52 | ≤-41.20 | PASS | |
| | | | Peak | 5350.000 | -49.64 | ≤-21.20 | PASS | |
| | | | Peak | 5402.160 | -46.65 | ≤-21.20 | PASS | |
| | | | Peak | 5460.000 | -49.83 | ≤-21.20 | PASS | |
| 11AC40SI SO | Ant1 | Low | 5190 | AV | 4500.000 | -57.04 | ≤-41.20 | PASS |
| | | | | AV | 5149.600 | -46.23 | ≤-41.20 | PASS |
| | | | | AV | 5150.000 | -46.17 | ≤-41.20 | PASS |
| | | Peak | 4500.000 | -51.03 | ≤-21.20 | PASS | | |
| | | Peak | 5149.600 | -36.55 | ≤-21.20 | PASS | | |
| | | Peak | 5150.000 | -37.38 | ≤-21.20 | PASS | | |
| | High | 5230 | AV | 5350.000 | -55.57 | ≤-41.20 | PASS | |
| | | | AV | 5433.740 | -55.05 | ≤-41.20 | PASS | |
| | | | AV | 5460.000 | -56 | ≤-41.20 | PASS | |
| | | | Peak | 5350.000 | -51.44 | ≤-21.20 | PASS | |
| | | | Peak | 5415.020 | -46.81 | ≤-21.20 | PASS | |
| | | | Peak | 5460.000 | -50.69 | ≤-21.20 | PASS | |
| 11AC80SI SO | Ant1 | Low | 5210 | AV | 4500.000 | -56.91 | ≤-41.20 | PASS |
| | | | | AV | 5148.750 | -44.49 | ≤-41.20 | PASS |
| | | | | AV | 5150.000 | -44.74 | ≤-41.20 | PASS |
| | | Peak | 4500.000 | -51.25 | ≤-21.20 | PASS | | |
| | | Peak | 5149.500 | -36.72 | ≤-21.20 | PASS | | |
| | Peak | 5150.000 | -37.11 | ≤-21.20 | PASS | | | |
| | High | 5210 | AV | 5350.000 | -54.01 | ≤-41.20 | PASS | |
| | | | AV | 5351.640 | -53.81 | ≤-41.20 | PASS | |
| | | | AV | 5460.000 | -55.62 | ≤-41.20 | PASS | |
| | | | Peak | 5350.000 | -48.47 | ≤-21.20 | PASS | |
| Peak | | | 5453.280 | -45.46 | ≤-21.20 | PASS | | |





| | | | | | | | |
|--|--|--|------|----------|-------|---------|------|
| | | | Peak | 5460.000 | -51.6 | ≤-21.20 | PASS |
|--|--|--|------|----------|-------|---------|------|


Note:


1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.






Test Graphs






11A_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5180_AV






11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5240_AV






11N20SISO_Ant1_High_5240_Peak




11N40SISO_Ant1_Low_5190_AV






11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5230_AV






11N40SISO_Ant1_High_5230_Peak




11AC20SISO_Ant1_Low_5180_AV








11AC20SISO_Ant1_Low_5180_Peak




11AC20SISO_Ant1_High_5240_AV








11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5230_AV






11AC40SISO_Ant1_High_5230_Peak




11AC80SISO_Ant1_Low_5210_AV






11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5210_AV





11AC80SISO_Ant1_High_5210_Peak





D.5 Frequency Stability

Test Result

| Voltage | | | | | | | | |
|----------------|---------|-----------------|---------------|------------------|----------------|-----------------|-------------|---------|
| TestMode | Antenna | Frequency [MHz] | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| 11A | Ant1 | 5180 | NV | NT | -20000.00 | -3.861004 | 20 | PASS |
| | | | LV | NT | 0.00 | 0.000000 | 20 | PASS |
| | | | HV | NT | -20000.00 | -3.861004 | 20 | PASS |
| | | 5220 | NV | NT | -20000.00 | -3.831418 | 20 | PASS |
| | | | LV | NT | -20000.00 | -3.831418 | 20 | PASS |
| | | | HV | NT | 0.00 | 0.000000 | 20 | PASS |
| | | 5240 | NV | NT | -20000.00 | -3.816794 | 20 | PASS |
| | | | LV | NT | 0.00 | 0.000000 | 20 | PASS |
| | | | HV | NT | 0.00 | 0.000000 | 20 | PASS |
| 11N40SI SO | Ant1 | 5190 | NV | NT | 0.00 | 0.000000 | 20 | PASS |
| | | | LV | NT | 0.00 | 0.000000 | 20 | PASS |
| | | | HV | NT | 0.00 | 0.000000 | 20 | PASS |
| | | 5230 | NV | NT | 0.00 | 0.000000 | 20 | PASS |
| | | | LV | NT | -40000.00 | -7.648184 | 20 | PASS |
| | | | HV | NT | -40000.00 | -7.648184 | 20 | PASS |
| 11AC80S ISO | Ant1 | 5210 | NV | NT | 0.00 | 0.000000 | 20 | PASS |
| | | | LV | NT | -80000.00 | -15.355086 | 20 | PASS |
| | | | HV | NT | -80000.00 | -15.355086 | 20 | PASS |

| Temperature | | | | | | | | |
|-------------|---------|-----------------|---------------|------------------|----------------|-----------------|-------------|---------|
| TestMode | Antenna | Frequency [MHz] | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| 11A | Ant1 | 5180 | NV | -30 | 0.00 | 0.000000 | 20 | PASS |
| | | | NV | -20 | 0.00 | 0.000000 | 20 | PASS |
| | | | NV | -10 | -40000.00 | -7.722008 | 20 | PASS |
| | | | NV | 0 | -20000.00 | -3.861004 | 20 | PASS |
| | | | NV | 10 | -20000.00 | -3.861004 | 20 | PASS |
| | | | NV | 20 | 0.00 | 0.000000 | 20 | PASS |
| | | | NV | 30 | -20000.00 | -3.861004 | 20 | PASS |
| | | | NV | 40 | -20000.00 | -3.861004 | 20 | PASS |
| | | | NV | 50 | -20000.00 | -3.861004 | 20 | PASS |
| | | 5220 | NV | -30 | 0.00 | 0.000000 | 20 | PASS |
| | | | NV | -20 | -20000.00 | -3.831418 | 20 | PASS |





| | | | | | | | | | | |
|----------------|------|---------------|------|------|-----------------|------------------|-----------|------------|----|------|
| | | | NV | -10 | -20000.00 | -3.831418 | 20 | PASS | | |
| | | | NV | 0 | -5360000.0 0 | -1026.8199 23 | 20 | FAIL | | |
| | | | NV | 10 | 0.00 | 0.000000 | 20 | PASS | | |
| | | | NV | 20 | 0.00 | 0.000000 | 20 | PASS | | |
| | | | NV | 30 | 0.00 | 0.000000 | 20 | PASS | | |
| | | | NV | 40 | 0.00 | 0.000000 | 20 | PASS | | |
| | | | NV | 50 | 0.00 | 0.000000 | 20 | PASS | | |
| | | 5240 | NV | -30 | -20000.00 | -3.816794 | 20 | PASS | | |
| | | | NV | -20 | -20000.00 | -3.816794 | 20 | PASS | | |
| | | | NV | -10 | 0.00 | 0.000000 | 20 | PASS | | |
| | | | NV | 0 | -20000.00 | -3.816794 | 20 | PASS | | |
| | | | NV | 10 | -20000.00 | -3.816794 | 20 | PASS | | |
| | | | NV | 20 | -20000.00 | -3.816794 | 20 | PASS | | |
| | | | NV | 30 | -20000.00 | -3.816794 | 20 | PASS | | |
| | | 11N40SI SO | Ant1 | 5190 | NV | -30 | 0.00 | 0.000000 | 20 | PASS |
| | | | | | NV | -20 | 0.00 | 0.000000 | 20 | PASS |
| | | | | | NV | -10 | -80000.00 | -15.414258 | 20 | PASS |
| | | | | | NV | 0 | 0.00 | 0.000000 | 20 | PASS |
| NV | 10 | | | | 0.00 | 0.000000 | 20 | PASS | | |
| NV | 20 | | | | 0.00 | 0.000000 | 20 | PASS | | |
| NV | 30 | | | | 0.00 | 0.000000 | 20 | PASS | | |
| NV | 40 | | | | -40000.00 | -7.707129 | 20 | PASS | | |
| NV | 50 | | | | 0.00 | 0.000000 | 20 | PASS | | |
| 5230 | NV | | | -30 | 0.00 | 0.000000 | 20 | PASS | | |
| | NV | | | -20 | 0.00 | 0.000000 | 20 | PASS | | |
| | NV | | | -10 | -40000.00 | -7.648184 | 20 | PASS | | |
| | NV | | | 0 | 0.00 | 0.000000 | 20 | PASS | | |
| | NV | | | 10 | 0.00 | 0.000000 | 20 | PASS | | |
| | NV | | | 20 | -40000.00 | -7.648184 | 20 | PASS | | |
| | NV | | | 30 | 0.00 | 0.000000 | 20 | PASS | | |
| | NV | | | 40 | 0.00 | 0.000000 | 20 | PASS | | |
| | NV | | | 50 | 0.00 | 0.000000 | 20 | PASS | | |
| 11AC80S ISO | Ant1 | 5210 | NV | -30 | -80000.00 | -15.355086 | 20 | PASS | | |
| | | | NV | -20 | 0.00 | 0.000000 | 20 | PASS | | |
| | | | NV | -10 | 0.00 | 0.000000 | 20 | PASS | | |
| | | | NV | 0 | 0.00 | 0.000000 | 20 | PASS | | |
| | | | NV | 10 | -80000.00 | -15.355086 | 20 | PASS | | |





| | | | | | | | |
|--|--|----|----|-----------|------------|----|------|
| | | NV | 20 | 0.00 | 0.000000 | 20 | PASS |
| | | NV | 30 | -80000.00 | -15.355086 | 20 | PASS |
| | | NV | 40 | 0.00 | 0.000000 | 20 | PASS |
| | | NV | 50 | 80000.00 | 15.355086 | 20 | PASS |





D.6 Duty Cycle


Test Result


| TestMode | Antenna | Frequency[MHz] | Transmission Duration [ms] | Transmission Period [ms] | Duty Cycle [%] |
|------------|---------|----------------|----------------------------|--------------------------|----------------|
| 11A | Ant1 | 5180 | 1.40 | 1.45 | 96.55 |
| | | 5220 | 1.40 | 1.46 | 95.89 |
| | | 5240 | 1.39 | 1.44 | 96.53 |
| 11N20SISO | Ant1 | 5180 | 1.18 | 1.23 | 95.93 |
| | | 5220 | 1.18 | 1.24 | 95.16 |
| | | 5240 | 1.18 | 1.23 | 95.93 |
| 11N40SISO | Ant1 | 5190 | 0.59 | 0.64 | 92.19 |
| | | 5230 | 0.59 | 0.64 | 92.19 |
| 11AC20SISO | Ant1 | 5180 | 1.19 | 1.24 | 95.97 |
| | | 5220 | 1.19 | 1.24 | 95.97 |
| | | 5240 | 1.19 | 1.24 | 95.97 |
| 11AC40SISO | Ant1 | 5190 | 0.59 | 0.64 | 92.19 |
| | | 5230 | 0.59 | 0.64 | 92.19 |
| 11AC80SISO | Ant1 | 5210 | 0.30 | 0.35 | 85.71 |






Test Graphs






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220






11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210

