

Appendix B

RF Test Data for BT LE V4.2(Conducted Measurement)


Product Name: Tablet
Trade Mark: N/A
Test Model: HyTab Pro 10LA2

Environmental Conditions

Temperature:	22.3° C
Relative Humidity:	54.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Diamond Lu
Supervised by:	Li Huan


B.1 Duty Cycle


Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS



B.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-11.266	30	PASS
BT LE	MCH	-11.25	30	PASS
BT LE	HCH	-12.589	30	PASS








B.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-30.439	8	PASS
BT LE	MCH	-30.288	8	PASS
BT LE	HCH	-31.516	8	PASS

Test Graphs



HCH




B.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.5021	≥0.5	PASS
BT LE	MCH	0.5033	≥0.5	PASS
BT LE	HCH	0.5028	≥0.5	PASS


Test Graphs

LCH		<p>Frequency</p> <p>Center Freq 2.40200000 GHz</p> <p>CF Step 300.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>
		<p>Frequency</p> <p>Center Freq 2.44000000 GHz</p> <p>CF Step 300.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>

HCH	Agilent Spectrum Analyzer - Occupied BW	RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 03:50:47 PM Oct 20, 2020	Frequency																
	Center Freq 2.480000000 GHz	Center Freq: 2.480000000 GHz Trig: Free Run AvgHold>1/1 #IFGain:Low #Atten: 30 dB	Radio Std: None Radio Device: BTS																
	<div style="display: flex; justify-content: space-between;"> 10 dB/div Ref Offset 8.05 dB Mkr1 2.479748 GHz </div> <div style="display: flex; justify-content: space-between;"> Log Ref 20.00 dBm -12.760 dBm </div> 	Center Freq 2.480000000 GHz																	
	Center 2.48 GHz	#Res BW 100 kHz	#VBW 300 kHz	Span 3 MHz Sweep 1.067 ms															
	<table style="width: 100%; border-collapse: collapse; font-size: 10px;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">-7.43 dBm</td> </tr> <tr> <td style="text-align: center;">1.0702 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-3.973 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>502.8 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td>99.00 %</td> </tr> <tr> <td></td> <td></td> <td>-6.00 dB</td> </tr> </table>	Occupied Bandwidth	Total Power	-7.43 dBm	1.0702 MHz			Transmit Freq Error	-3.973 kHz	OBW Power	x dB Bandwidth	502.8 kHz	x dB			99.00 %			-6.00 dB
Occupied Bandwidth	Total Power	-7.43 dBm																	
1.0702 MHz																			
Transmit Freq Error	-3.973 kHz	OBW Power																	
x dB Bandwidth	502.8 kHz	x dB																	
		99.00 %																	
		-6.00 dB																	
MSG	STATUS	Freq Offset 0 Hz																	


B.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-12.244	-37.506	-32.244	PASS
BT LE	MCH	-11.615	-36.845	-31.615	PASS
BT LE	HCH	-12.845	-37.035	-32.845	PASS




BT LE_MCH_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE_HCH_Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH



B.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-12.245	-49.755	-32.25	PASS
BT LE	HCH	-12.773	-49.449	-32.77	PASS


Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.35700000 GHz Ref Offset 8.05 dB, Ref 20.00 dBm Mkr4 2.376 270 GHz -49.755 dBm Start 2.31000 GHz, Stop 2.40400 GHz #Res BW 100 kHz, #VBW 300 kHz, Sweep 9.067 ms (8001 pts)</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.401 756 GHz</td><td>-12.245 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.400 000 GHz</td><td>-51.104 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.390 000 GHz</td><td>-54.102 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.376 270 GHz</td><td>-49.755 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.401 756 GHz	-12.245 dBm				2	N	f		2.400 000 GHz	-51.104 dBm				3	N	f		2.390 000 GHz	-54.102 dBm				4	N	f		2.376 270 GHz	-49.755 dBm				Frequency Auto Tune Center Freq 2.35700000 GHz Start Freq 2.310000000 GHz Stop Freq 2.404000000 GHz CF Step 9.400000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.401 756 GHz	-12.245 dBm																																										
2	N	f		2.400 000 GHz	-51.104 dBm																																										
3	N	f		2.390 000 GHz	-54.102 dBm																																										
4	N	f		2.376 270 GHz	-49.755 dBm																																										
HCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.489000000 GHz Ref Offset 8.05 dB, Ref 20.00 dBm Mkr4 2.498 702 00 GHz -49.449 dBm Start 2.47800 GHz, Stop 2.50000 GHz #Res BW 100 kHz, #VBW 300 kHz, Sweep 2.133 ms (8001 pts)</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.479 761 75 GHz</td><td>-12.773 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.483 500 00 GHz</td><td>-52.752 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.500 000 00 GHz</td><td>-51.406 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.498 702 00 GHz</td><td>-49.449 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.479 761 75 GHz	-12.773 dBm				2	N	f		2.483 500 00 GHz	-52.752 dBm				3	N	f		2.500 000 00 GHz	-51.406 dBm				4	N	f		2.498 702 00 GHz	-49.449 dBm				Frequency Auto Tune Center Freq 2.489000000 GHz Start Freq 2.478000000 GHz Stop Freq 2.500000000 GHz CF Step 2.200000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.479 761 75 GHz	-12.773 dBm																																										
2	N	f		2.483 500 00 GHz	-52.752 dBm																																										
3	N	f		2.500 000 00 GHz	-51.406 dBm																																										
4	N	f		2.498 702 00 GHz	-49.449 dBm																																										


B.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-42.41	2.0	0	54.82	PEAK	74	PASS
		Ant1	2310.0	-53.25	2.0	0	43.98	AV	54	PASS
		Ant1	2390.0	-42.57	2.0	0	54.66	PEAK	74	PASS
		Ant1	2390.0	-52.79	2.0	0	44.44	AV	54	PASS
	2480	Ant1	2483.5	-42.41	2.0	0	54.82	PEAK	74	PASS
		Ant1	2483.5	-52.47	2.0	0	44.76	AV	54	PASS
		Ant1	2500.0	-41.50	2.0	0	55.73	PEAK	74	PASS
		Ant1	2500.0	-52.24	2.0	0	44.99	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

