

Appendix E

RF Test Data for 5.8GWIFI (Conducted Measurement)

Product Name: Hyundai Notebook

Test Model: HT14CB10502BK



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab

Environmental Conditions

| | |
|--------------------|------------|
| Temperature: | 23.8° C |
| Relative Humidity: | 52.1% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Eason Zhou |
| Supervised by: | Nick Peng |



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab



立讯检测股份
LCS Testing Lab





E.1 -6dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT | a | 5745 | Ant1 | 15.11 | >=0.5 | Pass |
| NVNT | a | 5785 | Ant1 | 11.701 | >=0.5 | Pass |
| NVNT | a | 5825 | Ant1 | 13.506 | >=0.5 | Pass |
| NVNT | n20 | 5745 | Ant1 | 12.659 | >=0.5 | Pass |
| NVNT | n20 | 5785 | Ant1 | 14.373 | >=0.5 | Pass |
| NVNT | n20 | 5825 | Ant1 | 15.05 | >=0.5 | Pass |
| NVNT | n40 | 5755 | Ant1 | 35.054 | >=0.5 | Pass |
| NVNT | n40 | 5795 | Ant1 | 35.085 | >=0.5 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 15.033 | >=0.5 | Pass |
| NVNT | ac20 | 5785 | Ant1 | 15.032 | >=0.5 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 12.892 | >=0.5 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 33.847 | >=0.5 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 33.733 | >=0.5 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 74.958 | >=0.5 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

+6dB Bandwidth NVNT a 5745MHz Ant1




+6dB Bandwidth NVNT a 5785MHz Ant1






-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1






-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1






-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1






-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1





-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1






-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant1





E.2 Maximum Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT | a | 5745 | Ant1 | 13.83 | 0.19 | 14.02 | 30 | Pass |
| NVNT | a | 5785 | Ant1 | 13.46 | 0.19 | 13.65 | 30 | Pass |
| NVNT | a | 5825 | Ant1 | 13.85 | 0.19 | 14.04 | 30 | Pass |
| NVNT | n20 | 5745 | Ant1 | 13.31 | 0.19 | 13.5 | 30 | Pass |
| NVNT | n20 | 5785 | Ant1 | 13.29 | 0.19 | 13.48 | 30 | Pass |
| NVNT | n20 | 5825 | Ant1 | 13.65 | 0.19 | 13.84 | 30 | Pass |
| NVNT | n40 | 5755 | Ant1 | 12.43 | 0.2 | 12.63 | 30 | Pass |
| NVNT | n40 | 5795 | Ant1 | 12.6 | 0.2 | 12.8 | 30 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 13.28 | 0.19 | 13.47 | 30 | Pass |
| NVNT | ac20 | 5785 | Ant1 | 13.24 | 0.19 | 13.43 | 30 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 13.36 | 0.19 | 13.55 | 30 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 12.46 | 0.2 | 12.66 | 30 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 12.28 | 0.2 | 12.48 | 30 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 11.41 | 0.33 | 11.74 | 30 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



E.3 Maximum Power Spectral Density Level

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/500KHz) | Duty Factor (dB) | Total PSD (dBm/500KHz) | Limit (dBm/500KHz) | Verdict |
|-----------|------|-----------------|---------|----------------------------|------------------|------------------------|--------------------|---------|
| NVNT | a | 5745 | Ant1 | 1.12 | 0.19 | 1.31 | 30 | Pass |
| NVNT | a | 5785 | Ant1 | 0.6 | 0.19 | 0.79 | 30 | Pass |
| NVNT | a | 5825 | Ant1 | 1.11 | 0.19 | 1.3 | 30 | Pass |
| NVNT | n20 | 5745 | Ant1 | 0.49 | 0.19 | 0.68 | 30 | Pass |
| NVNT | n20 | 5785 | Ant1 | 0.34 | 0.19 | 0.53 | 30 | Pass |
| NVNT | n20 | 5825 | Ant1 | 0.7 | 0.19 | 0.89 | 30 | Pass |
| NVNT | n40 | 5755 | Ant1 | -3.68 | 0.2 | -3.48 | 30 | Pass |
| NVNT | n40 | 5795 | Ant1 | -3.57 | 0.2 | -3.37 | 30 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 0.29 | 0.19 | 0.48 | 30 | Pass |
| NVNT | ac20 | 5785 | Ant1 | 0.08 | 0.19 | 0.27 | 30 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 0.19 | 0.19 | 0.38 | 30 | Pass |
| NVNT | ac40 | 5755 | Ant1 | -3.87 | 0.2 | -3.67 | 30 | Pass |
| NVNT | ac40 | 5795 | Ant1 | -4.14 | 0.2 | -3.94 | 30 | Pass |
| NVNT | ac80 | 5775 | Ant1 | -7.65 | 0.33 | -7.32 | 30 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1






PSD NVNT a 5825MHz Ant1




PSD NVNT n20 5745MHz Ant1






PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1






PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1






PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1






PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1






PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac80 5775MHz Ant1





E.4 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | EIRP Power (dBm) | Detector | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------|-------------|------------|------------------|------------------|----------|-------------|---------|
| NVNT | a | 5745 | Ant1 | 5650 | -48.31 | 2 | - | -46.31 | Peak | -27 | Pass |
| NVNT | a | 5745 | Ant1 | 5650 | -57.38 | 2 | 0.19 | -55.19 | Average | -27 | Pass |
| NVNT | a | 5745 | Ant1 | 5700 | -48.96 | 2 | - | -46.96 | Peak | 10 | Pass |
| NVNT | a | 5745 | Ant1 | 5700 | -56.8 | 2 | 0.19 | -54.61 | Average | 10 | Pass |
| NVNT | a | 5745 | Ant1 | 5720 | -42.33 | 2 | - | -40.33 | Peak | 15.6 | Pass |
| NVNT | a | 5745 | Ant1 | 5720 | -53.39 | 2 | 0.19 | -51.2 | Average | 15.6 | Pass |
| NVNT | a | 5745 | Ant1 | 5725 | -42.97 | 2 | - | -40.97 | Peak | 27 | Pass |
| NVNT | a | 5745 | Ant1 | 5725 | -52.11 | 2 | 0.19 | -49.92 | Average | 27 | Pass |
| NVNT | a | 5825 | Ant1 | 5850 | -42.44 | 2 | - | -40.44 | Peak | 27 | Pass |
| NVNT | a | 5825 | Ant1 | 5850 | -51.36 | 2 | 0.19 | -49.17 | Average | 27 | Pass |
| NVNT | a | 5825 | Ant1 | 5855 | -43.83 | 2 | - | -41.83 | Peak | 15.6 | Pass |
| NVNT | a | 5825 | Ant1 | 5855 | -54.29 | 2 | 0.19 | -52.1 | Average | 15.6 | Pass |
| NVNT | a | 5825 | Ant1 | 5875 | -46.54 | 2 | - | -44.54 | Peak | 10 | Pass |
| NVNT | a | 5825 | Ant1 | 5875 | -57.85 | 2 | 0.19 | -55.66 | Average | 10 | Pass |
| NVNT | a | 5825 | Ant1 | 5925 | -49.63 | 2 | - | -47.63 | Peak | -27 | Pass |
| NVNT | a | 5825 | Ant1 | 5925 | -57.13 | 2 | 0.19 | -54.94 | Average | -27 | Pass |
| NVNT | n20 | 5745 | Ant1 | 5650 | -49.69 | 2 | - | -47.69 | Peak | -27 | Pass |
| NVNT | n20 | 5745 | Ant1 | 5650 | -56.84 | 2 | 0.19 | -54.65 | Average | -27 | Pass |
| NVNT | n20 | 5745 | Ant1 | 5700 | -48.77 | 2 | - | -46.77 | Peak | 10 | Pass |
| NVNT | n20 | 5745 | Ant1 | 5700 | -56.74 | 2 | 0.19 | -54.55 | Average | 10 | Pass |
| NVNT | n20 | 5745 | Ant1 | 5720 | -46.52 | 2 | - | -44.52 | Peak | 15.6 | Pass |
| NVNT | n20 | 5745 | Ant1 | 5720 | -54.85 | 2 | 0.19 | -52.66 | Average | 15.6 | Pass |
| NVNT | n20 | 5745 | Ant1 | 5725 | -45.05 | 2 | - | -43.05 | Peak | 27 | Pass |
| NVNT | n20 | 5745 | Ant1 | 5725 | -53.1 | 2 | 0.19 | -50.91 | Average | 27 | Pass |
| NVNT | n20 | 5825 | Ant1 | 5850 | -44.87 | 2 | - | -42.87 | Peak | 27 | Pass |
| NVNT | n20 | 5825 | Ant1 | 5850 | -53.96 | 2 | 0.19 | -51.77 | Average | 27 | Pass |
| NVNT | n20 | 5825 | Ant1 | 5855 | -48.06 | 2 | - | -46.06 | Peak | 15.6 | Pass |
| NVNT | n20 | 5825 | Ant1 | 5855 | -55.89 | 2 | 0.19 | -53.7 | Average | 15.6 | Pass |
| NVNT | n20 | 5825 | Ant1 | 5875 | -49.13 | 2 | - | -47.13 | Peak | 10 | Pass |
| NVNT | n20 | 5825 | Ant1 | 5875 | -56.95 | 2 | 0.19 | -54.76 | Average | 10 | Pass |
| NVNT | n20 | 5825 | Ant1 | 5925 | -47.96 | 2 | - | -45.96 | Peak | -27 | Pass |
| NVNT | n20 | 5825 | Ant1 | 5925 | -57.33 | 2 | 0.19 | -55.14 | Average | -27 | Pass |
| NVNT | n40 | 5755 | Ant1 | 5650 | -48.18 | 2 | - | -46.18 | Peak | -27 | Pass |
| NVNT | n40 | 5755 | Ant1 | 5650 | -57.12 | 2 | 0.2 | -54.92 | Average | -27 | Pass |
| NVNT | n40 | 5755 | Ant1 | 5700 | -45.85 | 2 | - | -43.85 | Peak | 10 | Pass |
| NVNT | n40 | 5755 | Ant1 | 5700 | -55.02 | 2 | 0.2 | -52.82 | Average | 10 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



| | | | | | | | | | | | |
|------|------|------|------|------|--------|---|------|--------|---------|------|------|
| NVNT | n40 | 5755 | Ant1 | 5720 | -46.25 | 2 | - | -44.25 | Peak | 15.6 | Pass |
| NVNT | n40 | 5755 | Ant1 | 5720 | -53.51 | 2 | 0.2 | -51.31 | Average | 15.6 | Pass |
| NVNT | n40 | 5755 | Ant1 | 5725 | -44.37 | 2 | - | -42.37 | Peak | 27 | Pass |
| NVNT | n40 | 5755 | Ant1 | 5725 | -52.25 | 2 | 0.2 | -50.05 | Average | 27 | Pass |
| NVNT | n40 | 5795 | Ant1 | 5850 | -47.97 | 2 | - | -45.97 | Peak | 27 | Pass |
| NVNT | n40 | 5795 | Ant1 | 5850 | -56.47 | 2 | 0.2 | -54.27 | Average | 27 | Pass |
| NVNT | n40 | 5795 | Ant1 | 5855 | -48.27 | 2 | - | -46.27 | Peak | 15.6 | Pass |
| NVNT | n40 | 5795 | Ant1 | 5855 | -56.99 | 2 | 0.2 | -54.79 | Average | 15.6 | Pass |
| NVNT | n40 | 5795 | Ant1 | 5875 | -48.76 | 2 | - | -46.76 | Peak | 10 | Pass |
| NVNT | n40 | 5795 | Ant1 | 5875 | -57.08 | 2 | 0.2 | -54.88 | Average | 10 | Pass |
| NVNT | n40 | 5795 | Ant1 | 5925 | -48.84 | 2 | - | -46.84 | Peak | -27 | Pass |
| NVNT | n40 | 5795 | Ant1 | 5925 | -56.9 | 2 | 0.2 | -54.7 | Average | -27 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5650 | -48.98 | 2 | - | -46.98 | Peak | -27 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5650 | -57.61 | 2 | 0.19 | -55.42 | Average | -27 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5700 | -46.71 | 2 | - | -44.71 | Peak | 10 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5700 | -56.71 | 2 | 0.19 | -54.52 | Average | 10 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5720 | -45.39 | 2 | - | -43.39 | Peak | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5720 | -54.71 | 2 | 0.19 | -52.52 | Average | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5725 | -43.3 | 2 | - | -41.3 | Peak | 27 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5725 | -52.98 | 2 | 0.19 | -50.79 | Average | 27 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5850 | -44.88 | 2 | - | -42.88 | Peak | 27 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5850 | -53.42 | 2 | 0.19 | -51.23 | Average | 27 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5855 | -48.79 | 2 | - | -46.79 | Peak | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5855 | -54.25 | 2 | 0.19 | -52.06 | Average | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5875 | -49.61 | 2 | - | -47.61 | Peak | 10 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5875 | -57.47 | 2 | 0.19 | -55.28 | Average | 10 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5925 | -48.5 | 2 | - | -46.5 | Peak | -27 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5925 | -57.29 | 2 | 0.19 | -55.1 | Average | -27 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5650 | -47.35 | 2 | - | -45.35 | Peak | -27 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5650 | -57.17 | 2 | 0.2 | -54.97 | Average | -27 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5700 | -45.38 | 2 | - | -43.38 | Peak | 10 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5700 | -54.13 | 2 | 0.2 | -51.93 | Average | 10 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5720 | -42.57 | 2 | - | -40.57 | Peak | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5720 | -52.24 | 2 | 0.2 | -50.04 | Average | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5725 | -43.77 | 2 | - | -41.77 | Peak | 27 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5725 | -52.33 | 2 | 0.2 | -50.13 | Average | 27 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5850 | -48.84 | 2 | - | -46.84 | Peak | 27 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5850 | -56.44 | 2 | 0.2 | -54.24 | Average | 27 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5855 | -47.75 | 2 | - | -45.75 | Peak | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5855 | -56.91 | 2 | 0.2 | -54.71 | Average | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5875 | -49.29 | 2 | - | -47.29 | Peak | 10 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



| | | | | | | | | | | | |
|------|------|------|------|------|--------|---|------|--------|---------|------|------|
| NVNT | ac40 | 5795 | Ant1 | 5875 | -57.31 | 2 | 0.2 | -55.11 | Average | 10 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5925 | -49.2 | 2 | | -47.2 | Peak | -27 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5925 | -57.31 | 2 | 0.2 | -55.11 | Average | -27 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5650 | -49.46 | 2 | - | -47.46 | Peak | -27 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5650 | -57.44 | 2 | 0.33 | -55.11 | Average | -27 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5700 | -46.14 | 2 | - | -44.14 | Peak | 10 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5700 | -54.44 | 2 | 0.33 | -52.11 | Average | 10 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5720 | -42.97 | 2 | - | -40.97 | Peak | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5720 | -51.74 | 2 | 0.33 | -49.41 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5725 | -36.98 | 2 | - | -34.98 | Peak | 27 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5725 | -45.71 | 2 | 0.33 | -43.38 | Average | 27 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5850 | -46.53 | 2 | - | -44.53 | Peak | 27 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5850 | -54.01 | 2 | 0.33 | -51.68 | Average | 27 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5855 | -43.34 | 2 | - | -41.34 | Peak | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5855 | -54.38 | 2 | 0.33 | -52.05 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5875 | -49.03 | 2 | - | -47.03 | Peak | 10 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5875 | -56.48 | 2 | 0.33 | -54.15 | Average | 10 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5925 | -48.64 | 2 | - | -46.64 | Peak | -27 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5925 | -56.74 | 2 | 0.33 | -54.41 | Average | -27 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5745MHz Ant1 Peak




Restrict Band NVNT a 5745MHz Ant1 Average






Restrict Band NVNT a 5825MHz Ant1 Peak




Restrict Band NVNT a 5825MHz Ant1 Average






Restrict Band NVNT n20 5745MHz Ant1 Peak




Restrict Band NVNT n20 5745MHz Ant1 Average






Restrict Band NVNT n20 5825MHz Ant1 Peak




Restrict Band NVNT n20 5825MHz Ant1 Average






Restrict Band NVNT n40 5755MHz Ant1 Peak




Restrict Band NVNT n40 5755MHz Ant1 Average






Restrict Band NVNT n40 5795MHz Ant1 Peak




Restrict Band NVNT n40 5795MHz Ant1 Average






Restrict Band NVNT ac20 5745MHz Ant1 Peak




Restrict Band NVNT ac20 5745MHz Ant1 Average






Restrict Band NVNT ac20 5825MHz Ant1 Peak




Restrict Band NVNT ac20 5825MHz Ant1 Average






Restrict Band NVNT ac40 5755MHz Ant1 Peak




Restrict Band NVNT ac40 5755MHz Ant1 Average






Restrict Band NVNT ac40 5795MHz Ant1 Peak




Restrict Band NVNT ac40 5795MHz Ant1 Average






Restrict Band NVNT ac80 5775MHz Ant1 Peak




Restrict Band NVNT ac80 5775MHz Ant1 Average






Restrict Band NVNT ac80 5775MHz Ant1 Peak



Restrict Band NVNT ac80 5775MHz Ant1 Average





E.5 Frequency Stability

| Condition | Mode | Frequency (MHz) | Antenna | Measured Frequency (MHz) | Frequency Error (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|-----------|------|-----------------|---------|--------------------------|----------------------|-----------------|-------------|---------|
| NVNT | ac20 | 5745 | Ant1 | 5744.98 | -20000 | -3.48 | 25 | Pass |
| NVNT | ac20 | 5785 | Ant1 | 5784.96 | -40000 | -6.91 | 25 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5824.96 | -40000 | -6.87 | 25 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5755 | 0 | 0 | 25 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5794.96 | -40000 | -6.9 | 25 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5774.92 | -80000 | -13.85 | 25 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT ac20 5745MHz Ant1




Freq. Stability NVNT ac20 5785MHz Ant1






Freq. Stability NVNT ac20 5825MHz Ant1




Freq. Stability NVNT ac40 5755MHz Ant1






Freq. Stability NVNT ac40 5795MHz Ant1



Freq. Stability NVNT ac80 5775MHz Ant1





E.6 Duty Cycle


| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| NVNT | a | 5745 | Ant1 | 95.79 | 0.19 | 0.49 |
| NVNT | a | 5785 | Ant1 | 95.75 | 0.19 | 0.49 |
| NVNT | a | 5825 | Ant1 | 95.79 | 0.19 | 0.49 |
| NVNT | n20 | 5745 | Ant1 | 95.69 | 0.19 | 0.52 |
| NVNT | n20 | 5785 | Ant1 | 95.74 | 0.19 | 0.52 |
| NVNT | n20 | 5825 | Ant1 | 95.74 | 0.19 | 0.52 |
| NVNT | n40 | 5755 | Ant1 | 95.41 | 0.2 | 1.07 |
| NVNT | n40 | 5795 | Ant1 | 95.51 | 0.2 | 1.07 |
| NVNT | ac20 | 5745 | Ant1 | 95.8 | 0.19 | 0.52 |
| NVNT | ac20 | 5785 | Ant1 | 95.75 | 0.19 | 0.52 |
| NVNT | ac20 | 5825 | Ant1 | 95.8 | 0.19 | 0.52 |
| NVNT | ac40 | 5755 | Ant1 | 95.55 | 0.2 | 1.06 |
| NVNT | ac40 | 5795 | Ant1 | 95.45 | 0.2 | 1.06 |
| NVNT | ac80 | 5775 | Ant1 | 92.76 | 0.33 | 2.17 |






Test Graphs

Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1






Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1






Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1






Duty Cycle NVNT n40 5755MHz Ant1




Duty Cycle NVNT n40 5795MHz Ant1






Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1






Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1





Duty Cycle NVNT ac40 5795MHz Ant1



Duty Cycle NVNT ac80 5775MHz Ant1

