



Appendix C

RF Test Data for 2.4GWIFI (Conducted Measurement)

Product Name: Smartphone

Test Model: Hyline Pro

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Ling Zhu





C.1 DTS Bandwidth


Test Result


TestMode	Antenna	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	8.600	2407.440	2416.040	0.5	PASS
		2437	9.960	2432.000	2441.960	0.5	PASS
		2462	9.560	2456.960	2466.520	0.5	PASS
11G	Ant1	2412	14.680	2403.840	2418.520	0.5	PASS
		2437	16.360	2428.840	2445.200	0.5	PASS
		2462	16.360	2453.800	2470.160	0.5	PASS
11N20SISO	Ant1	2412	17.280	2403.360	2420.640	0.5	PASS
		2437	16.720	2428.920	2445.640	0.5	PASS
		2462	16.880	2453.480	2470.360	0.5	PASS
11N40SISO	Ant1	2422	34.560	2405.680	2440.240	0.5	PASS
		2437	35.760	2419.400	2455.160	0.5	PASS
		2452	34.320	2434.000	2468.320	0.5	PASS






Test Graphs








11G_Ant1_2412




11G_Ant1_2437








11N20SISO_Ant1_2437




11N20SISO_Ant1_2462






11N40SISO_Ant1_2422




11N40SISO_Ant1_2437





11N40SISO_Ant1_2452





C.2 Maximum conducted output power

Test Result Peak

TestMode	Antenna	Freq(MHz)	Peak Power[dBm]	Conducted Limit[dBm]	Verdict
11B	Ant1	2412	14.38	≤30.00	PASS
		2437	14.40	≤30.00	PASS
		2462	16.53	≤30.00	PASS
11G	Ant1	2412	14.18	≤30.00	PASS
		2437	14.01	≤30.00	PASS
		2462	16.78	≤30.00	PASS
11N20SISO	Ant1	2412	14.33	≤30.00	PASS
		2437	13.21	≤30.00	PASS
		2462	13.93	≤30.00	PASS
11N40SISO	Ant1	2422	13.26	≤30.00	PASS
		2437	13.46	≤30.00	PASS
		2452	14.00	≤30.00	PASS





C.3 Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/3-100kHz]	Limit [dBm/3kHz]	Gain [dBi]	EIRP [dBm/3-100kHz]	Limit [dBm/3kHz]	Verdict
11B	Ant1	2412	-10.9	≤8.00	0.00	-10.90	---	PASS
		2437	-11.83	≤8.00	0.00	-11.83	---	PASS
		2462	-7.4	≤8.00	0.00	-7.40	---	PASS
11G	Ant1	2412	-18.48	≤8.00	0.00	-18.48	---	PASS
		2437	-17.87	≤8.00	0.00	-17.87	---	PASS
		2462	-16.03	≤8.00	0.00	-16.03	---	PASS
11N20SISO	Ant1	2412	-18.07	≤8.00	0.00	-18.07	---	PASS
		2437	-18.54	≤8.00	0.00	-18.54	---	PASS
		2462	-17.51	≤8.00	0.00	-17.51	---	PASS
11N40SISO	Ant1	2422	-20.33	≤8.00	0.00	-20.33	---	PASS
		2437	-21.41	≤8.00	0.00	-21.41	---	PASS
		2452	-20.28	≤8.00	0.00	-20.28	---	PASS






Test Graphs






11G_Ant1_2412




11G_Ant1_2437






11G_Ant1_2462




11N20SISO_Ant1_2412






11N20SISO_Ant1_2437




11N20SISO_Ant1_2462






11N40SISO_Ant1_2422




11N40SISO_Ant1_2437





11N40SISO_Ant1_2452





C.4 Band edge measurements


Test Result


TestMode	Antenna	Channel Name	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	2.12	-38.9	≤-17.88	PASS
		High	2462	4.52	-47.93	≤-15.48	PASS
11G	Ant1	Low	2412	-3.79	-32.97	≤-23.79	PASS
		High	2462	-0.86	-38.45	≤-20.86	PASS
11N20SIS O	Ant1	Low	2412	-4.05	-31.29	≤-24.05	PASS
		High	2462	-3.55	-47.89	≤-23.55	PASS
11N40SIS O	Ant1	Low	2422	-5.88	-37.92	≤-25.88	PASS
		High	2452	-6.23	-38.68	≤-26.23	PASS






Test Graphs






11G_Ant1_High_2462




11N20SISO_Ant1_Low_2412






11N20SISO_Ant1_High_2462




11N40SISO_Ant1_Low_2422





11N40SISO_Ant1_High_2452





C.5 Conducted Spurious Emission


Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	30~1000	2.12	-60.66	≤-17.88	PASS
			1000~26500	2.12	-46.32	≤-17.88	PASS
		2437	30~1000	2.51	-61.55	≤-17.49	PASS
			1000~26500	2.51	-46.4	≤-17.49	PASS
		2462	30~1000	4.52	-60.88	≤-15.48	PASS
			1000~26500	4.52	-46.63	≤-15.48	PASS
11G	Ant1	2412	30~1000	-3.79	-60.56	≤-23.79	PASS
			1000~26500	-3.79	-45.82	≤-23.79	PASS
		2437	30~1000	-3.25	-43.13	≤-23.25	PASS
			1000~26500	-3.25	-46.52	≤-23.25	PASS
		2462	30~1000	-0.86	-60.65	≤-20.86	PASS
			1000~26500	-0.86	-45.38	≤-20.86	PASS
11N20SISO	Ant1	2412	30~1000	-4.05	-61.09	≤-24.05	PASS
			1000~26500	-4.05	-46.27	≤-24.05	PASS
		2437	30~1000	-3.91	-61.12	≤-23.91	PASS
			1000~26500	-3.91	-46.32	≤-23.91	PASS
		2462	30~1000	-3.55	-60.72	≤-23.55	PASS
			1000~26500	-3.55	-46.84	≤-23.55	PASS
11N40SISO	Ant1	2422	30~1000	-5.88	-60.99	≤-25.88	PASS
			1000~26500	-5.88	-46.48	≤-25.88	PASS
		2437	30~1000	-5.98	-61.35	≤-25.98	PASS
			1000~26500	-5.98	-47.22	≤-25.98	PASS
		2452	30~1000	-6.23	-60.6	≤-26.23	PASS
			1000~26500	-6.23	-46.71	≤-26.23	PASS






Test Graphs






11B_Ant1_2437_1000~26500




11B_Ant1_2462_30~1000






11B_Ant1_2462_1000~26500




11G_Ant1_2412_30~1000






11G_Ant1_2412_1000~26500




11G_Ant1_2437_30~1000






11G_Ant1_2437_1000~26500




11G_Ant1_2462_30~1000






11G_Ant1_2462_1000~26500




11N20SISO_Ant1_2412_30~1000






11N20SISO_Ant1_2412_1000~26500




11N20SISO_Ant1_2437_30~1000






11N20SISO_Ant1_2437_1000~26500




11N20SISO_Ant1_2462_30~1000






11N20SISO_Ant1_2462_1000~26500




11N40SISO_Ant1_2422_30~1000






11N40SISO_Ant1_2422_1000~26500




11N40SISO_Ant1_2437_30~1000






11N40SISO_Ant1_2437_1000~26500




11N40SISO_Ant1_2452_30~1000





11N40SISO_Ant1_2452_1000~26500





C.6 Duty Cycle


Test Result


TestMode	Antenna	Freq(MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor	Verdict
11B	Ant1	2412	8.37	8.56	97.78	0.10	---
		2437	8.38	8.55	98.01	0.09	---
		2462	8.38	8.56	97.90	0.09	---
11G	Ant1	2412	1.39	1.56	89.10	0.50	---
		2437	1.39	1.64	84.76	0.72	---
		2462	1.39	1.56	89.10	0.50	---
11N20SISO	Ant1	2412	1.17	1.36	86.03	0.65	---
		2437	1.17	1.36	86.03	0.65	---
		2462	1.17	1.35	86.67	0.62	---
11N40SISO	Ant1	2422	0.59	0.83	71.08	1.48	---
		2437	0.59	0.79	74.68	1.27	---
		2452	0.59	0.83	71.08	1.48	---






Test Graphs






11G_Ant1_2412




11G_Ant1_2437








11G_Ant1_2462




11N20SISO_Ant1_2412








11N40SISO_Ant1_2422




11N40SISO_Ant1_2437





11N40SISO_Ant1_2452



**C.7 Emissions in Restricted Bands****Test Result**

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-48.19	≤-41.20	47.01	≤54	PASS
				AV	2389.310	-46.97	≤-41.20	48.23	≤54	PASS
				AV	2390.000	-47.1	≤-41.20	48.10	≤54	PASS
				Peak	2310.000	-43.28	≤-21.20	51.92	≤74	PASS
				Peak	2354.730	-37.37	≤-21.20	57.83	≤74	PASS
				Peak	2390.000	-41.29	≤-21.20	53.91	≤74	PASS
		High	2462	AV	2483.500	-46.21	≤-41.20	48.99	≤54	PASS
				AV	2483.560	-46.29	≤-41.20	48.91	≤54	PASS
				AV	2500.000	-47.07	≤-41.20	48.13	≤54	PASS
				Peak	2483.500	-40.3	≤-21.20	54.90	≤74	PASS
				Peak	2495.440	-37.99	≤-21.20	57.21	≤74	PASS
				Peak	2500.000	-40.6	≤-21.20	54.60	≤74	PASS
11G	Ant1	Low	2412	AV	2310.000	-47.84	≤-41.20	47.36	≤54	PASS
				AV	2389.960	-42.55	≤-41.20	52.65	≤54	PASS
				AV	2390.000	-42.55	≤-41.20	52.65	≤54	PASS
				Peak	2310.000	-42.81	≤-21.20	52.39	≤74	PASS
				Peak	2388.270	-27.73	≤-21.20	67.47	≤74	PASS
				Peak	2390.000	-35.47	≤-21.20	59.73	≤74	PASS
		High	2462	AV	2483.500	-46.51	≤-41.20	48.69	≤54	PASS
				AV	2483.560	-46.55	≤-41.20	48.65	≤54	PASS
				AV	2500.000	-46.86	≤-41.20	48.34	≤54	PASS
				Peak	2483.500	-41.03	≤-21.20	54.17	≤74	PASS
				Peak	2483.560	-37.07	≤-21.20	58.13	≤74	PASS
				Peak	2500.000	-41.23	≤-21.20	53.97	≤74	PASS
11N20SI SO	Ant1	Low	2412	AV	2310.000	-47.75	≤-41.20	47.45	≤54	PASS
				AV	2389.570	-42.32	≤-41.20	52.88	≤54	PASS
				AV	2390.000	-42.4	≤-41.20	52.80	≤54	PASS
				Peak	2310.000	-41.83	≤-21.20	53.37	≤74	PASS
				Peak	2386.840	-28.26	≤-21.20	66.94	≤74	PASS
				Peak	2390.000	-31.71	≤-21.20	63.49	≤74	PASS
		High	2462	AV	2483.500	-44.6	≤-41.20	50.60	≤54	PASS
				AV	2483.890	-44.65	≤-41.20	50.55	≤54	PASS
				AV	2500.000	-46.91	≤-41.20	48.29	≤54	PASS
				Peak	2483.500	-38.94	≤-21.20	56.26	≤74	PASS
				Peak	2483.670	-30.66	≤-21.20	64.54	≤74	PASS





11N40SI SO	Ant1	Low	2422	Peak	2500.000	-41.71	≤-21.20	53.49	≤74	PASS
				AV	2310.000	-47.51	≤-41.20	47.69	≤54	PASS
				AV	2389.570	-41.93	≤-41.20	53.27	≤54	PASS
				AV	2390.000	-42.53	≤-41.20	52.67	≤54	PASS
				Peak	2310.000	-43.7	≤-21.20	51.50	≤74	PASS
				Peak	2389.960	-26.25	≤-21.20	68.95	≤74	PASS
		High	2452	AV	2483.500	-44.07	≤-41.20	51.13	≤54	PASS
				AV	2484.660	-43.95	≤-41.20	51.25	≤54	PASS
				AV	2500.000	-46.56	≤-41.20	48.64	≤54	PASS
				Peak	2483.500	-40.35	≤-21.20	54.85	≤74	PASS
				Peak	2486.310	-30.8	≤-21.20	64.40	≤74	PASS
				Peak	2500.000	-40.97	≤-21.20	54.23	≤74	PASS


Note:


1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.






Test Graphs






11B_Ant1_High_2462_Peak




11G_Ant1_Low_2412_AV






11G_Ant1_Low_2412_Peak




11G_Ant1_High_2462_AV






11G_Ant1_High_2462_Peak




11N20SISO_Ant1_Low_2412_AV








11N20SISO_Ant1_Low_2412_Peak




11N20SISO_Ant1_High_2462_AV








11N40SISO_Ant1_Low_2422_Peak



11N40SISO_Ant1_High_2452_AV





11N40SISO_Ant1_High_2452_Peak

