



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Tablet

Test Model: 8WB3

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.032	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.949	N/A	Pass
NVNT	1-DH5	2480	Ant1	1	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.287	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.284	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.291	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.287	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.287	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.296	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1





-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.33	21	Pass
NVNT	1-DH5	2441	Ant1	-0.44	21	Pass
NVNT	1-DH5	2480	Ant1	0.89	21	Pass
NVNT	2-DH5	2402	Ant1	0.78	21	Pass
NVNT	2-DH5	2441	Ant1	0.98	21	Pass
NVNT	2-DH5	2480	Ant1	-0.18	21	Pass
NVNT	3-DH5	2402	Ant1	-0.52	21	Pass
NVNT	3-DH5	2441	Ant1	-0.31	21	Pass
NVNT	3-DH5	2480	Ant1	0.81	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.838	2402.838	1	0.688	Pass
NVNT	2-DH5	Ant1	2402.014	2403.024	1.01	0.861	Pass
NVNT	3-DH5	Ant1	2402.028	2403.002	0.974	0.864	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	317.19	109	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	284.004	98	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	341.846	118	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Dwell-NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-54.01	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.25	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.23	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-52.76	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-49.51	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-52.85	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-52.16	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-53.09	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-51.49	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.06	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-51.95	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-50.48	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-53.46	-20	Pass
NVNT	1-DH5	2441	Ant1	-53.43	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.86	-20	Pass
NVNT	2-DH5	2402	Ant1	-52.1	-20	Pass
NVNT	2-DH5	2441	Ant1	-52.99	-20	Pass
NVNT	2-DH5	2480	Ant1	-51.61	-20	Pass
NVNT	3-DH5	2402	Ant1	-50.29	-20	Pass
NVNT	3-DH5	2441	Ant1	-50.46	-20	Pass
NVNT	3-DH5	2480	Ant1	-51.89	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	76.41	1.17	0.36
NVNT	2-DH5	2441	Ant1	76.41	1.17	0.36
NVNT	2-DH5	2480	Ant1	76.41	1.17	0.36
NVNT	3-DH5	2402	Ant1	76.38	1.17	0.36
NVNT	3-DH5	2441	Ant1	76.35	1.17	0.36
NVNT	3-DH5	2480	Ant1	76.35	1.17	0.36




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1




Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-48.96	2	-	48.3	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-57.05	2	1.1	41.31	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2313.072	-45.92	2	-	51.34	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2381.712	-56.38	2	1.1	41.98	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.51	2	-	47.75	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-57.14	2	1.1	41.22	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-48.85	2	-	48.41	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-56.6	2	1.1	41.76	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2488.024	-44.15	2	-	53.11	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2499.136	-56.05	2	1.1	42.31	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.65	2	-	47.61	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-56.3	2	1.1	42.06	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.32	2	-	47.94	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-57.15	2	1.17	41.28	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2360.304	-46.4	2	-	50.86	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2385.36	-56.46	2	1.17	41.97	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-48.78	2	-	48.48	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-57.2	2	1.17	41.23	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.17	2	-	48.09	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-56.47	2	1.17	41.96	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2489.272	-44.25	2	-	53.01	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2494.312	-55.86	2	1.17	42.57	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.22	2	-	49.04	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.31	2	1.17	41.12	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-49.45	2	-	47.81	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-57.47	2	1.17	40.96	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2388.24	-45.94	2	-	51.32	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2383.92	-56.06	2	1.17	42.37	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-49.52	2	-	47.74	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-56.87	2	1.17	41.56	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-44.05	2	-	53.21	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-56.27	2	1.17	42.16	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.512	-44.05	2	-	53.21	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.728	-55.68	2	1.17	42.75	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-48.77	2	-	48.49	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-56.8	2	1.17	41.63	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

