

APPENDIX REPORT

Project No.	SHT2007123701EW	Radio Specification	Bluetooth EDR
Test sample No.	YPHT20071237002	Model No.	8WC1
Start test date	2020/8/6	Finish date	2020/8/6
Temperature	25°C	Humidity	50%
Test Engineer	Jiongsheng.Feng	Auditor	Xiaodong Zheo


Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	20 dB Bandwidth	PASS
C	99% Occupied Bandwidth	PASS
D	Carrier Frequencies Separation	PASS
E	Hopping Channel Number	PASS
F	Dwell Time	PASS
G	Duty Cycle Correction Factor (DCCF)	PASS
H	Band edge and Spurious Emissions(coducted)	PASS

Appendix A: Peak Output Power


Modulation type	Channel	Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
GFSK	00	9.46	9.44	≤ 30.00	Pass
	39	9.25	9.23		
	78	8.78	8.77		
π/4DQPSK	00	7.78	6.57	≤ 21.00	Pass
	39	7.65	6.51		
	78	7.25	6.32		
8DPSK	00	7.99	6.63	≤ 21.00	Pass
	39	5.51	3.52		
	78	5.03	3.40		

Modulation Type: GFSK


CH00



CH39




CH78




Modulation Type: $\pi/4$ DQPSK	
CH00	<p>CF 2.402 GHz 691 pts Span 5.0 MHz</p> <p>Date: 6 AUG 2010 14:03:23</p>
CH39	<p>CF 2.441 GHz 691 pts Span 5.0 MHz</p> <p>Date: 6 AUG 2010 14:07:13</p>
CH78	<p>CF 2.48 GHz 691 pts Span 5.0 MHz</p> <p>Date: 6 AUG 2010 14:09:13</p>

Modulation Type: 8DPSK


CH00



CH39



CH78




Appendix B : 20 dB Bandwidth


Modulation type	Channel	20 dB Bandwidth (kHz)	Limit (kHz)	Result
GFSK	00	925.00	-	Pass
	39	925.00		
	78	925.00		
$\pi/4$ DQPSK	00	1322.50	-	Pass
	39	1320.00		
	78	1322.50		
8DPSK	00	1297.50	-	Pass
	39	1295.00		
	78	1295.00		

Modulation Type: GFSK


CH00



CH39




CH78




Modulation Type: **$\pi/4$ DQPSK**


CH00



CH39




CH78




Modulation Type: 8DPSK


CH00



CH39



CH78



Appendix C: 99% Occupied Bandwidth

Modulation type	Channel	99% Occupied Bandwidth (MHz)	Limit (MHz)	Result
GFSK	00	0.89	-	Pass
	39	0.89		
	78	0.89		
$\pi/4$ DQPSK	00	1.19	-	Pass
	39	1.19		
	78	1.19		
8DPSK	00	1.18	-	Pass
	39	1.18		
	78	1.18		

Modulation Type: GFSK	
CH00	<p>CF 2.402 GHz 1001 pts Span 2.5 MHz</p> <p>Date: 6 AUG 2020 13:51:46</p>
CH39	<p>CF 2.441 GHz 1001 pts Span 2.5 MHz</p> <p>Date: 6 AUG 2020 13:54:59</p>
CH78	<p>CF 2.48 GHz 1001 pts Span 2.5 MHz</p> <p>Date: 6 AUG 2020 13:57:31</p>

Modulation Type:		$\pi/4$ DQPSK
CH00		
CH39		
CH78		

Modulation Type: 8DPSK	
CH00	<p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 500/500</p> <p>1Pk View</p> <p>M1[1] 3.87 dBm 2.40182270 GHz 1.181318681 MHz</p> <p>CF 2.402 GHz 1001 pts Span 2.5 MHz</p> <p>Date: 6 AUG 2010 14:10:51</p>
CH39	<p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 500/500</p> <p>1Pk View</p> <p>M1[1] 0.91 dBm 2.44082270 GHz 1.176323676 MHz</p> <p>CF 2.441 GHz 1001 pts Span 2.5 MHz</p> <p>Date: 6 AUG 2010 14:44:28</p>
CH78	<p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 500/500</p> <p>1Pk View</p> <p>M1[1] 0.42 dBm 2.47982270 GHz 1.176323676 MHz</p> <p>CF 2.48 GHz 1001 pts Span 2.5 MHz</p> <p>Date: 6 AUG 2010 14:48:33</p>

Appendix D: Carrier Frequencies Separation

Modulation type	Channel	Carrier Frequencies Separation (MHz)	Limit (kHz) *	Result
GFSK	39	1.00	≥925	Pass
$\pi/4$ DQPSK	39	1.00	≥881.67	Pass
8DPSK	39	1.00	≥865	Pass

Note:

*: GFSK limit = The maximum 20 dB Bandwidth for GFSK modulation on the appendix B.




$\pi/4$ DQPSK limit = $2/3$ * The maximum 20 dB Bandwidth for $\pi/4$ DQPSK modulation on the appendix B.

8DPSK limit = $2/3$ * The maximum 20 dB Bandwidth for 8DPSK modulation on the appendix B

<p style="text-align: center;">GFSK</p>	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 100/100 1Pk View 7.19 dBm 2.44082174 GHz 0.09 dB 1.00000 MHz Start 2.44 GHz 691 pts Stop 2.443 GHz Date: 6 AUG 2020 13:54:05</p>
<p style="text-align: center;">$\pi/4$DQPSK</p>	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 100/100 1Pk View 3.01 dBm 2.44098696 GHz 0.06 dB 1.00435 MHz Start 2.44 GHz 691 pts Stop 2.443 GHz Date: 6 AUG 2020 14:05:12</p>
<p style="text-align: center;">8DPSK</p>	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 100/100 1Pk View 0.91 dBm 2.44082174 GHz 0.01 dB 1.00000 MHz Start 2.44 GHz 691 pts Stop 2.443 GHz Date: 6 AUG 2020 14:42:38</p>

Appendix E: Hopping Channel Number

Modulation type	Channel number	Limit	Result
GFSK	79	≥15.00	Pass
π/4DQPSK	79		
8DPSK	79		

<p>GFSK</p>	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Auto Sweep</p> <p>1Pk View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.4 GHz 691 pts Stop 2.4835 GHz</p> <p>Date: 6 AUG 2010 14:54:21</p>
<p>$\pi/4$DQPSK</p>	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Auto Sweep</p> <p>1Pk View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.4 GHz 691 pts Stop 2.4835 GHz</p> <p>Date: 6 AUG 2010 14:57:18</p>
<p>8DPSK</p>	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Auto Sweep</p> <p>1Pk View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.4 GHz 691 pts Stop 2.4835 GHz</p> <p>Date: 6 AUG 2010 15:00:57</p>

Appendix F: Dwell Time


Modulation type	Packet	Burst Width [ms]	Total Hops[hop*ch]	Dwell time (Second)	Limit (Second)	Result
GFSK	DH1	0.37	320	0.12	≤ 0.40	Pass
	DH3	1.62	162	0.26		
	DH5	2.87	102	0.29		
π/4DQPSK	2DH1	0.38	320	0.12	≤ 0.40	Pass
	2DH3	1.63	164	0.27		
	2DH5	2.88	111	0.32		
8DPSK	3DH1	0.38	320	0.12	≤ 0.40	Pass
	3DH3	1.63	161	0.26		
	3DH5	2.88	113	0.33		

Modulation Type: GFSK	
DH1 Burst width	<p> Spectrum Ref Level 20.00 dBm RBW 1 MHz Att 30 dB SWT 10 ms VSW 3 MHz SGL TRG:VID 1AP Cirw M1[1] -3.32 dBm D1[1] -1.25 μs TRG -0.900 dBm 5.14 dB 367.50 μs CF 2.441 GHz 8001 pts 1.0 ms/ </p> <p>Date: 6 AUG 200 15:03:28</p>
DH1 Burst number	<p> Spectrum Ref Level 20.00 dBm RBW 500 kHz Att 30 dB SWT 31.6 s VSW 3 MHz SGL TRG:VID 1AP Cirw TRG -0.900 dBm CF 2.441 GHz 30001 pts 3.16 s/ </p> <p>Date: 6 AUG 200 15:04:02</p>
DH3 Burst width	<p> Spectrum Ref Level 20.00 dBm RBW 1 MHz Att 30 dB SWT 10 ms VSW 3 MHz SGL TRG:VID 1AP Cirw M1[1] -3.98 dBm D1[1] -1.25 μs TRG -1.000 dBm 5.52 dB 1.62375 ms CF 2.441 GHz 8001 pts 1.0 ms/ </p> <p>Date: 6 AUG 200 15:03:05</p>


<p>DH3 Burst number</p>	
<p>DH5 Burst width</p>	
<p>DH5 Burst number</p>	

Modulation Type: $\pi/4$ DQPSK	
2DH1 Burst width	
2DH1 Burst number	
2DH3 Burst width	


2DH3
Burst number



2DH5
Burst width




2DH5
Burst number




Modulation Type: 8DPSK


3DH1
Burst width




3DH1
Burst number




3DH3
Burst width




3DH3
Burst number



3DH5
Burst width




3DH5
Burst number




Appendix G: Duty Cycle Correction Factor (DCCF)

DCCF Calculate Formula					
DCCF=20 * Log(duty cycle) = 20 * Log($T_{on\ time} / T_{period}$)					
Modulation type	Test Frequency (MHz)	$T_{on\ time}$ for single burst [ms]	T_{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.85	100	2.00	-24.88
$\pi/4$ DQPSK	2441	2.86	100	3.00	-21.33
8DPSK	2441	2.86	100	2.00	-24.85




T_{on} time for single burst

Burst Quantity



T_{on} time for single burst




Burst Quantity




T_{on} time for single burst

Burst Quantity




Appendix H: Band edge and Spurious Emissions (conducted)

Test Item:	Band edge	Modulation type:	GFSK																																										
<p>CH00 No hopping mode</p>	 <table border="1" data-bbox="687 719 1334 840"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40177 GHz</td> <td>9.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4 GHz</td> <td>-44.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.39 GHz</td> <td>-55.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.31 GHz</td> <td>-54.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td></td> <td>1</td> <td>2.399906 GHz</td> <td>-45.86 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6AUG200 13:49:51</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40177 GHz	9.94 dBm			M2		1	2.4 GHz	-44.36 dBm			M3		1	2.39 GHz	-55.73 dBm			M4		1	2.31 GHz	-54.74 dBm			M5		1	2.399906 GHz	-45.86 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40177 GHz	9.94 dBm																																									
M2		1	2.4 GHz	-44.36 dBm																																									
M3		1	2.39 GHz	-55.73 dBm																																									
M4		1	2.31 GHz	-54.74 dBm																																									
M5		1	2.399906 GHz	-45.86 dBm																																									
<p>CH00 Hopping mode</p>	 <table border="1" data-bbox="687 1267 1334 1388"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40493 GHz</td> <td>2.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4 GHz</td> <td>-54.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.39 GHz</td> <td>-55.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.31 GHz</td> <td>-54.40 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td></td> <td>1</td> <td>2.358051 GHz</td> <td>-51.71 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6AUG200 14:54:36</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40493 GHz	2.16 dBm			M2		1	2.4 GHz	-54.65 dBm			M3		1	2.39 GHz	-55.18 dBm			M4		1	2.31 GHz	-54.40 dBm			M5		1	2.358051 GHz	-51.71 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40493 GHz	2.16 dBm																																									
M2		1	2.4 GHz	-54.65 dBm																																									
M3		1	2.39 GHz	-55.18 dBm																																									
M4		1	2.31 GHz	-54.40 dBm																																									
M5		1	2.358051 GHz	-51.71 dBm																																									
<p>CH78 No hopping mode</p>	 <table border="1" data-bbox="687 1832 1334 1937"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.479831 GHz</td> <td>8.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4835 GHz</td> <td>-51.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.5 GHz</td> <td>-58.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.4842812 GHz</td> <td>-47.69 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6AUG200 13:57:54</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.479831 GHz	8.50 dBm			M2		1	2.4835 GHz	-51.03 dBm			M3		1	2.5 GHz	-58.53 dBm			M4		1	2.4842812 GHz	-47.69 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.479831 GHz	8.50 dBm																																									
M2		1	2.4835 GHz	-51.03 dBm																																									
M3		1	2.5 GHz	-58.53 dBm																																									
M4		1	2.4842812 GHz	-47.69 dBm																																									


CH78
Hopping mode






Date: 6.AUG.2008 14:54:49

Test Item:	Band edge	Modulation type:	π/4DQPSK																																																
<p>CH00 No hopping mode</p>	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1Pk Max</p> <p>10 dBm M1[1] 5.45 dBm 0 dBm M2[1] 2.401770 GHz -10 dBm D1 -14.570 dBm -20 dBm -30 dBm -40 dBm -50 dBm MS -60 dBm -70 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.405 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40177 GHz</td> <td>5.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-48.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-55.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-53.84 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.399906 GHz</td> <td>-47.73 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 AUG 2010 14:03:36</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40177 GHz	5.45 dBm			M2	1			2.4 GHz	-48.03 dBm			M3	1			2.39 GHz	-55.47 dBm			M4	1			2.31 GHz	-53.84 dBm			M5	1			2.399906 GHz	-47.73 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40177 GHz	5.45 dBm																																														
M2	1			2.4 GHz	-48.03 dBm																																														
M3	1			2.39 GHz	-55.47 dBm																																														
M4	1			2.31 GHz	-53.84 dBm																																														
M5	1			2.399906 GHz	-47.73 dBm																																														
<p>CH00 Hopping mode</p>	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1Pk Max</p> <p>10 dBm M1[1] 2.36 dBm 0 dBm M2[1] 2.403970 GHz -10 dBm D1 -17.640 dBm -20 dBm -30 dBm -40 dBm MS -50 dBm M3 -60 dBm M4 -70 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.405 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40397 GHz</td> <td>2.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-54.30 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-53.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-53.70 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.346348 GHz</td> <td>-51.66 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 AUG 2010 14:57:52</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40397 GHz	2.36 dBm			M2	1			2.4 GHz	-54.30 dBm			M3	1			2.39 GHz	-53.88 dBm			M4	1			2.31 GHz	-53.70 dBm			M5	1			2.346348 GHz	-51.66 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40397 GHz	2.36 dBm																																														
M2	1			2.4 GHz	-54.30 dBm																																														
M3	1			2.39 GHz	-53.88 dBm																																														
M4	1			2.31 GHz	-53.70 dBm																																														
M5	1			2.346348 GHz	-51.66 dBm																																														
<p>CH78 No hopping mode</p>	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 56.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>1Pk Max</p> <p>10 dBm M1[1] 5.11 dBm 0 dBm M2[1] 2.4798310 GHz -10 dBm D1 -14.890 dBm -20 dBm -30 dBm MS -40 dBm -50 dBm M3 -60 dBm M4 -70 dBm</p> <p>Start 2.478 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.479831 GHz</td> <td>5.11 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4835 GHz</td> <td>-53.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.5 GHz</td> <td>-59.22 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.4835797 GHz</td> <td>-52.63 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 AUG 2010 14:09:27</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.479831 GHz	5.11 dBm			M2	1			2.4835 GHz	-53.81 dBm			M3	1			2.5 GHz	-59.22 dBm			M4	1			2.4835797 GHz	-52.63 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.479831 GHz	5.11 dBm																																														
M2	1			2.4835 GHz	-53.81 dBm																																														
M3	1			2.5 GHz	-59.22 dBm																																														
M4	1			2.4835797 GHz	-52.63 dBm																																														


CH78
Hopping mode






Date: 6.AUG.2008 14:58:17

Test Item:	Band edge	Modulation type:	8DPSK																																										
<p>CH00 No hopping mode</p>	 <table border="1" data-bbox="686 616 1337 728"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40177 GHz</td> <td>5.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4 GHz</td> <td>-47.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.39 GHz</td> <td>-54.55 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.31 GHz</td> <td>-55.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td></td> <td>1</td> <td>2.399906 GHz</td> <td>-48.22 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 AUG 2020 14:11:37</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40177 GHz	5.53 dBm			M2		1	2.4 GHz	-47.12 dBm			M3		1	2.39 GHz	-54.55 dBm			M4		1	2.31 GHz	-55.13 dBm			M5		1	2.399906 GHz	-48.22 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40177 GHz	5.53 dBm																																									
M2		1	2.4 GHz	-47.12 dBm																																									
M3		1	2.39 GHz	-54.55 dBm																																									
M4		1	2.31 GHz	-55.13 dBm																																									
M5		1	2.399906 GHz	-48.22 dBm																																									
<p>CH00 Hopping mode</p>	 <table border="1" data-bbox="686 1162 1337 1274"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40493 GHz</td> <td>1.55 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4 GHz</td> <td>-54.19 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.39 GHz</td> <td>-55.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.31 GHz</td> <td>-54.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td></td> <td>1</td> <td>2.337674 GHz</td> <td>-52.67 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 AUG 2020 15:01:11</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40493 GHz	1.55 dBm			M2		1	2.4 GHz	-54.19 dBm			M3		1	2.39 GHz	-55.74 dBm			M4		1	2.31 GHz	-54.01 dBm			M5		1	2.337674 GHz	-52.67 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40493 GHz	1.55 dBm																																									
M2		1	2.4 GHz	-54.19 dBm																																									
M3		1	2.39 GHz	-55.74 dBm																																									
M4		1	2.31 GHz	-54.01 dBm																																									
M5		1	2.337674 GHz	-52.67 dBm																																									
<p>CH78 No hopping mode</p>	 <table border="1" data-bbox="686 1731 1337 1821"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.479831 GHz</td> <td>2.28 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.479831 GHz</td> <td>-54.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.5 GHz</td> <td>-58.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.4835159 GHz</td> <td>-54.23 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 AUG 2020 14:49:24</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.479831 GHz	2.28 dBm			M2		1	2.479831 GHz	-54.85 dBm			M3		1	2.5 GHz	-58.78 dBm			M4		1	2.4835159 GHz	-54.23 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.479831 GHz	2.28 dBm																																									
M2		1	2.479831 GHz	-54.85 dBm																																									
M3		1	2.5 GHz	-58.78 dBm																																									
M4		1	2.4835159 GHz	-54.23 dBm																																									


CH78
Hoppig mode




Date: 6.AUG.2008 15:01:48

Test Item:	Spurious Emission	Modulation type:	GFSK
<p>CH00 Reference level</p>			
<p>CH00 30MHz~1000MHz</p>			
<p>CH00 1GHz~26GHz</p>			


CH39
Reference level









CH39
30MHz~1000MHz









CH39
1GHz~26GHz









<p>CH78 Reference level</p>	 <p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPK Max M1 7.84 dBm M1[1] 2.4799570 GHz CF 2.48 GHz 691 pts Span 30.0 MHz Date: 6 AUG 200 13:58:00</p>
<p>CH78 30MHz~1000MHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -50.95 dBm M1 857.9160 MHz D1 -12.160 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 6 AUG 200 13:58:16</p>
<p>CH78 1GHz~26GHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -31.68 dBm M1 4.960000 GHz D1 -12.160 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 6 AUG 200 13:58:32</p>




Test Item:	Spurious Emission	Modulation type:	π/4DQPSK
<p>CH00 Reference level</p>	 <p>CF 2.402 GHz 691 pts Span 30.0 MHz</p> <p>Date: 6 AUG 2010 14:03:43</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Start 30.0 MHz 30001 pts Stop 1.0 GHz</p> <p>Date: 6 AUG 2010 14:03:59</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Start 1.0 GHz 30001 pts Stop 26.0 GHz</p> <p>Date: 6 AUG 2010 14:04:15</p>		

<p>CH39 Reference level</p>	 <p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] 4.23 dBm 2.4408260 GHz CF 2.441 GHz 691 pts Span 30.0 MHz Date: 6 AUG 2020 14:08:02</p>
<p>CH39 30MHz~1000MHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -52.05 dBm 945.4720 MHz D1 -15.770 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 6 AUG 2020 14:08:17</p>
<p>CH39 1GHz~26GHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -38.00 dBm 4.881667 GHz D1 -15.770 dBm M1 Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 6 AUG 2020 14:08:33</p>

<p>CH78 Reference level</p>	 <p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] 4.18 dBm 2.4798260 GHz CF 2.48 GHz 691 pts Span 30.0 MHz Date: 6 AUG 2020 14:09:33</p>
<p>CH78 30MHz~1000MHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -51.85 dBm 681.1550 MHz D1 -15.820 dBm M1 Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 6 AUG 2020 14:09:49</p>
<p>CH78 1GHz~26GHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -36.29 dBm 4.959167 GHz D1 -15.820 dBm M1 Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 6 AUG 2020 14:10:05</p>

Test Item:	Spurious Emission	Modulation type:	8DPSK
<p>CH00 Reference level</p>	 <p>Date: 6 AUG 2020 14:11:44</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Date: 6 AUG 2020 14:11:59</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Date: 6 AUG 2020 14:12:16</p>		

<p>CH39 Reference level</p>	 <p>Date: 6 AUG 2020 14:47:30</p>
<p>CH39 30MHz~1000MHz</p>	 <p>Date: 6 AUG 2020 14:47:45</p>
<p>CH39 1GHz~26GHz</p>	 <p>Date: 6 AUG 2020 14:48:02</p>

<p>CH78 Reference level</p>	 <p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] 0.03 dBm 2.4900870 GHz CF 2.48 GHz 691 pts Span 30.0 MHz Date: 6 AUG 2020 14:49:31</p>
<p>CH78 30MHz~1000MHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -50.84 dBm 831.6620 MHz D1 -19.970 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 6 AUG 2020 14:49:45</p>
<p>CH78 1GHz~26GHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -43.88 dBm 15.930833 GHz D1 -19.970 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 6 AUG 2020 14:50:02</p>

-----End of Report-----