



## Appendix C

### RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: Hyundai Notebook

Test Model: HT13TA1E01

#### Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Li Huan





### C.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant0	10.029	>=0.5	Pass
NVNT	b	2437	Ant0	10.096	>=0.5	Pass
NVNT	b	2462	Ant0	10.013	>=0.5	Pass
NVNT	g	2412	Ant0	16.053	>=0.5	Pass
NVNT	g	2437	Ant0	16.331	>=0.5	Pass
NVNT	g	2462	Ant0	16.306	>=0.5	Pass
NVNT	n20	2412	Ant0	17.583	>=0.5	Pass
NVNT	n20	2437	Ant0	10.035	>=0.5	Pass
NVNT	n20	2462	Ant0	17.608	>=0.5	Pass
NVNT	n40	2422	Ant0	32.881	>=0.5	Pass
NVNT	n40	2437	Ant0	32.41	>=0.5	Pass
NVNT	n40	2452	Ant0	32.526	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant0



-6dB Bandwidth NVNT b 2437MHz Ant0






-6dB Bandwidth NVNT b 2462MHz Ant0




-6dB Bandwidth NVNT g 2412MHz Ant0






-6dB Bandwidth NVNT g 2437MHz Ant0




-6dB Bandwidth NVNT g 2462MHz Ant0






-6dB Bandwidth NVNT n20 2412MHz Ant0




-6dB Bandwidth NVNT n20 2437MHz Ant0






-6dB Bandwidth NVNT n20 2462MHz Ant0




-6dB Bandwidth NVNT n40 2422MHz Ant0






-6dB Bandwidth NVNT n40 2437MHz Ant0



-6dB Bandwidth NVNT n40 2452MHz Ant0







Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	10.096	$\geq 0.5$	Pass
NVNT	b	2437	Ant1	9.813	$\geq 0.5$	Pass
NVNT	b	2462	Ant1	9.465	$\geq 0.5$	Pass
NVNT	g	2412	Ant1	12.269	$\geq 0.5$	Pass
NVNT	g	2437	Ant1	16.267	$\geq 0.5$	Pass
NVNT	g	2462	Ant1	15.861	$\geq 0.5$	Pass
NVNT	n20	2412	Ant1	17.596	$\geq 0.5$	Pass
NVNT	n20	2437	Ant1	13.769	$\geq 0.5$	Pass
NVNT	n20	2462	Ant1	17.576	$\geq 0.5$	Pass
NVNT	n40	2422	Ant1	30.716	$\geq 0.5$	Pass
NVNT	n40	2437	Ant1	35.023	$\geq 0.5$	Pass
NVNT	n40	2452	Ant1	32.767	$\geq 0.5$	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1






-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1






-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1






-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1






-6dB Bandwidth NVNT n20 2462MHz Ant1




-6dB Bandwidth NVNT n40 2422MHz Ant1






-6dB Bandwidth NVNT n40 2437MHz Ant1



-6dB Bandwidth NVNT n40 2452MHz Ant1





## C.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant0	15.97	30	Pass
NVNT	b	2437	Ant0	15.99	30	Pass
NVNT	b	2462	Ant0	15.94	30	Pass
NVNT	g	2412	Ant0	16.74	30	Pass
NVNT	g	2437	Ant0	17.23	30	Pass
NVNT	g	2462	Ant0	16.46	30	Pass
NVNT	n20	2412	Ant0	16.65	30	Pass
NVNT	n20	2437	Ant0	17.22	30	Pass
NVNT	n20	2462	Ant0	15.5	30	Pass
NVNT	n40	2422	Ant0	15.75	30	Pass
NVNT	n40	2437	Ant0	13.75	30	Pass
NVNT	n40	2452	Ant0	13.38	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	16.3	30	Pass
NVNT	b	2437	Ant1	16.37	30	Pass
NVNT	b	2462	Ant1	16.41	30	Pass
NVNT	g	2412	Ant1	17.38	30	Pass
NVNT	g	2437	Ant1	17.58	30	Pass
NVNT	g	2462	Ant1	16.75	30	Pass
NVNT	n20	2412	Ant1	17.21	30	Pass
NVNT	n20	2437	Ant1	17.62	30	Pass
NVNT	n20	2462	Ant1	15.36	30	Pass
NVNT	n40	2422	Ant1	16.05	30	Pass
NVNT	n40	2437	Ant1	13.74	30	Pass
NVNT	n40	2452	Ant1	13.35	30	Pass

### MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	16.65	17.21	19.95	30	Pass
NVNT	n20	2437	17.22	17.62	20.43	30	Pass
NVNT	n20	2462	15.5	15.36	18.44	30	Pass
NVNT	n40	2422	15.75	16.05	18.91	30	Pass
NVNT	n40	2437	13.75	13.74	16.76	30	Pass
NVNT	n40	2452	13.38	13.35	16.38	30	Pass







### C.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant0	-9.22	8	Pass
NVNT	b	2437	Ant0	-8.7	8	Pass
NVNT	b	2462	Ant0	-9.09	8	Pass
NVNT	g	2412	Ant0	-10.36	8	Pass
NVNT	g	2437	Ant0	-10.43	8	Pass
NVNT	g	2462	Ant0	-9.15	8	Pass
NVNT	n20	2412	Ant0	-9.63	8	Pass
NVNT	n20	2437	Ant0	-10.36	8	Pass
NVNT	n20	2462	Ant0	-14.25	8	Pass
NVNT	n40	2422	Ant0	-17.31	8	Pass
NVNT	n40	2437	Ant0	-18.61	8	Pass
NVNT	n40	2452	Ant0	-18.84	8	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-7.97	8	Pass
NVNT	b	2437	Ant1	-8.31	8	Pass
NVNT	b	2462	Ant1	-8.62	8	Pass
NVNT	g	2412	Ant1	-10.2	8	Pass
NVNT	g	2437	Ant1	-8.89	8	Pass
NVNT	g	2462	Ant1	-9.7	8	Pass
NVNT	n20	2412	Ant1	-8.73	8	Pass
NVNT	n20	2437	Ant1	-9.01	8	Pass
NVNT	n20	2462	Ant1	-14.39	8	Pass
NVNT	n40	2422	Ant1	-16.66	8	Pass
NVNT	n40	2437	Ant1	-18.33	8	Pass
NVNT	n40	2452	Ant1	-19.08	8	Pass

#### MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm/3kHz)			Limit (dBm/3kHz)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	-9.63	-8.73	-6.15	8	Pass
NVNT	n20	2437	-10.36	-9.01	-6.62	8	Pass
NVNT	n20	2462	-14.25	-14.39	-11.31	8	Pass
NVNT	n40	2422	-17.31	-16.66	-13.96	8	Pass
NVNT	n40	2437	-18.61	-18.33	-15.46	8	Pass
NVNT	n40	2452	-18.84	-19.08	-15.95	8	Pass






Test Graphs

PSD NVNT b 2412MHz Ant0




PSD NVNT b 2437MHz Ant0






PSD NVNT b 2462MHz Ant0




PSD NVNT g 2412MHz Ant0










PSD NVNT g 2437MHz Ant0



PSD NVNT g 2462MHz Ant0











PSD NVNT n40 2437MHz Ant0




PSD NVNT n40 2452MHz Ant0






Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1








PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1










PSD NVNT g 2437MHz Ant1



PSD NVNT g 2462MHz Ant1











PSD NVNT n40 2437MHz Ant1



PSD NVNT n40 2452MHz Ant1





### C.4 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-56.45	-20	Pass
NVNT	b	2462	Ant0	-59.14	-20	Pass
NVNT	g	2412	Ant0	-31.01	-20	Pass
NVNT	g	2462	Ant0	-56.6	-20	Pass
NVNT	n20	2412	Ant0	-33.27	-20	Pass
NVNT	n20	2462	Ant0	-57.76	-20	Pass
NVNT	n40	2422	Ant0	-30.44	-20	Pass
NVNT	n40	2452	Ant0	-45.99	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant0 Ref




Band Edge NVNT b 2412MHz Ant0 Emission






Band Edge NVNT b 2462MHz Ant0 Ref




Band Edge NVNT b 2462MHz Ant0 Emission








Band Edge NVNT g 2412MHz Ant0 Ref




Band Edge NVNT g 2412MHz Ant0 Emission






Band Edge NVNT g 2462MHz Ant0 Ref




Band Edge NVNT g 2462MHz Ant0 Emission






Band Edge NVNT n20 2412MHz Ant0 Ref




Band Edge NVNT n20 2412MHz Ant0 Emission






Band Edge NVNT n20 2462MHz Ant0 Ref




Band Edge NVNT n20 2462MHz Ant0 Emission






Band Edge NVNT n40 2422MHz Ant0 Ref




Band Edge NVNT n40 2422MHz Ant0 Emission






Band Edge NVNT n40 2452MHz Ant0 Ref



Band Edge NVNT n40 2452MHz Ant0 Emission





Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-58.3	-20	Pass
NVNT	b	2462	Ant1	-60.36	-20	Pass
NVNT	g	2412	Ant1	-32.37	-20	Pass
NVNT	g	2462	Ant1	-60.7	-20	Pass
NVNT	n20	2412	Ant1	-31.83	-20	Pass
NVNT	n20	2462	Ant1	-59.75	-20	Pass
NVNT	n40	2422	Ant1	-28.15	-20	Pass
NVNT	n40	2452	Ant1	-47.28	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission








Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission






Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission






Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission






Band Edge NVNT n20 2412MHz Ant1 Ref




Band Edge NVNT n20 2412MHz Ant1 Emission






Band Edge NVNT n20 2462MHz Ant1 Ref




Band Edge NVNT n20 2462MHz Ant1 Emission






Band Edge NVNT n40 2422MHz Ant1 Ref




Band Edge NVNT n40 2422MHz Ant1 Emission






Band Edge NVNT n40 2452MHz Ant1 Ref



Band Edge NVNT n40 2452MHz Ant1 Emission





### C.5 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-50.35	-20	Pass
NVNT	b	2437	Ant0	-50.61	-20	Pass
NVNT	b	2462	Ant0	-50.44	-20	Pass
NVNT	g	2412	Ant0	-49.15	-20	Pass
NVNT	g	2437	Ant0	-47.22	-20	Pass
NVNT	g	2462	Ant0	-46.59	-20	Pass
NVNT	n20	2412	Ant0	-47.9	-20	Pass
NVNT	n20	2437	Ant0	-46.05	-20	Pass
NVNT	n20	2462	Ant0	-45.96	-20	Pass
NVNT	n40	2422	Ant0	-40.98	-20	Pass
NVNT	n40	2437	Ant0	-44.78	-20	Pass
NVNT	n40	2452	Ant0	-43.87	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






Test Graphs

Tx. Spurious NVNT b 2412MHz Ant0 Ref




Tx. Spurious NVNT b 2412MHz Ant0 Emission






Tx. Spurious NVNT b 2437MHz Ant0 Ref




Tx. Spurious NVNT b 2437MHz Ant0 Emission






Tx. Spurious NVNT b 2462MHz Ant0 Ref




Tx. Spurious NVNT b 2462MHz Ant0 Emission






Tx. Spurious NVNT g 2412MHz Ant0 Ref




Tx. Spurious NVNT g 2412MHz Ant0 Emission






Tx. Spurious NVNT g 2437MHz Ant0 Ref




Tx. Spurious NVNT g 2437MHz Ant0 Emission






Tx. Spurious NVNT g 2462MHz Ant0 Ref




Tx. Spurious NVNT g 2462MHz Ant0 Emission






Tx. Spurious NVNT n20 2412MHz Ant0 Ref




Tx. Spurious NVNT n20 2412MHz Ant0 Emission






Tx. Spurious NVNT n20 2437MHz Ant0 Ref




Tx. Spurious NVNT n20 2437MHz Ant0 Emission








Tx. Spurious NVNT n20 2462MHz Ant0 Ref




Tx. Spurious NVNT n20 2462MHz Ant0 Emission






Tx. Spurious NVNT n40 2422MHz Ant0 Ref




Tx. Spurious NVNT n40 2422MHz Ant0 Emission






Tx. Spurious NVNT n40 2437MHz Ant0 Ref




Tx. Spurious NVNT n40 2437MHz Ant0 Emission






Tx. Spurious NVNT n40 2452MHz Ant0 Ref



Tx. Spurious NVNT n40 2452MHz Ant0 Emission





Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-50.66	-20	Pass
NVNT	b	2437	Ant1	-50.79	-20	Pass
NVNT	b	2462	Ant1	-50.71	-20	Pass
NVNT	g	2412	Ant1	-49.92	-20	Pass
NVNT	g	2437	Ant1	-49.52	-20	Pass
NVNT	g	2462	Ant1	-48.93	-20	Pass
NVNT	n20	2412	Ant1	-50.15	-20	Pass
NVNT	n20	2437	Ant1	-50.72	-20	Pass
NVNT	n20	2462	Ant1	-49.74	-20	Pass
NVNT	n40	2422	Ant1	-41.29	-20	Pass
NVNT	n40	2437	Ant1	-46.51	-20	Pass
NVNT	n40	2452	Ant1	-45.19	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission






Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission






Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission








Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission






Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission






Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission






Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission






Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission






Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission








Tx. Spurious NVNT n40 2452MHz Ant1 Ref



Tx. Spurious NVNT n40 2452MHz Ant1 Emission





### C.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant0	99.48	0	0.01
NVNT	b	2437	Ant0	99.48	0	0.01
NVNT	b	2462	Ant0	99.48	0	0.01
NVNT	g	2412	Ant0	97.84	0.09	0.48
NVNT	g	2437	Ant0	97.84	0.09	0.48
NVNT	g	2462	Ant0	97.94	0.09	0.48
NVNT	n20	2412	Ant0	98.87	0	0.01
NVNT	n20	2437	Ant0	98.87	0	0.01
NVNT	n20	2462	Ant0	98.87	0	0.01
NVNT	n40	2422	Ant0	98.86	0	0.01
NVNT	n40	2437	Ant0	98.86	0	0.01
NVNT	n40	2452	Ant0	98.86	0	0.01




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



Test Graphs

Duty Cycle NVNT b 2412MHz Ant0



Duty Cycle NVNT b 2437MHz Ant0

