



# Appendix A

## RF Test Data for BT (Conducted Measurement)

Product Name: Hyundai Mini PC

Test Model: HMB10P01

### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23.1° C   |
| Relative Humidity: | 52.3%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Taylor Hu |
| Supervised by:     | Li Huan   |





# A.1 -20dB Bandwidth

| Condition | Mode  | Frequency (MHz) | Antenna | -20 dB Bandwidth (MHz) | Limit -20 dB Bandwidth (MHz) | Verdict |
|-----------|-------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 1.005                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | 0.962                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | 1.023                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | 1.279                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | 1.318                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | 1.28                   | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | 1.297                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | 1.282                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | 1.281                  | N/A                          | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1








-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





## A.2 Occupied Channel Bandwidth

| Condition | Mode  | Frequency (MHz) | Antenna | 99% OBW (MHz) |
|-----------|-------|-----------------|---------|---------------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 0.899         |
| NVNT      | 1-DH5 | 2441            | Ant1    | 0.895         |
| NVNT      | 1-DH5 | 2480            | Ant1    | 0.906         |
| NVNT      | 2-DH5 | 2402            | Ant1    | 1.173         |
| NVNT      | 2-DH5 | 2441            | Ant1    | 1.176         |
| NVNT      | 2-DH5 | 2480            | Ant1    | 1.177         |
| NVNT      | 3-DH5 | 2402            | Ant1    | 1.182         |
| NVNT      | 3-DH5 | 2441            | Ant1    | 1.19          |
| NVNT      | 3-DH5 | 2480            | Ant1    | 1.185         |









Test Graphs

OBW NVNT 1-DH5 2402MHz Ant1




OBW NVNT 1-DH5 2441MHz Ant1






OBW NVNT 1-DH5 2480MHz Ant1




OBW NVNT 2-DH5 2402MHz Ant1





OBW NVNT 2-DH5 2441MHz Ant1



OBW NVNT 2-DH5 2480MHz Ant1








OBW NVNT 3-DH5 2402MHz Ant1




OBW NVNT 3-DH5 2441MHz Ant1







OBW NVNT 3-DH5 2480MHz Ant1





### A.3 Maximum Conducted Output Power


| Condition | Mode  | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|-------|-----------------|---------|-----------------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 3.73                  | 30          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | 3.91                  | 30          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | 3.95                  | 30          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | 3.39                  | 30          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | 3.58                  | 30          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | 3.75                  | 30          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | 3.44                  | 30          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | 3.66                  | 30          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | 3.84                  | 30          | Pass    |






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1








Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





### A.4 Carrier Frequencies Separation

| Condition | Mode  | Antenna | Hopping Freq1 (MHz) | Hopping Freq2 (MHz) | HFS (MHz) | Limit (MHz) | Verdict |
|-----------|-------|---------|---------------------|---------------------|-----------|-------------|---------|
| NVNT      | 1-DH5 | Ant1    | 2401.962            | 2402.964            | 1.002     | 0.684       | Pass    |
| NVNT      | 2-DH5 | Ant1    | 2401.824            | 2402.994            | 1.17      | 0.853       | Pass    |
| NVNT      | 3-DH5 | Ant1    | 2402.15             | 2403.146            | 0.996     | 0.865       | Pass    |









Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





### A.5 Dwell Time


| Condition | Mode  | Frequency (MHz) | Antenna | Pulse Time (ms) | Total Dwell Time (ms) | Burst Count | Period Time (ms) | Limit (ms) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-----------------------|-------------|------------------|------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 2.881           | 299.624               | 104         | 31600            | 400        | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | 2.885           | 294.27                | 102         | 31600            | 400        | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | 2.887           | 294.474               | 102         | 31600            | 400        | Pass    |






Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated








Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





## A.6 Number of Hopping Channel

| Condition | Mode  | Antenna | Hopping Number | Limit | Verdict |
|-----------|-------|---------|----------------|-------|---------|
| NVNT      | 1-DH5 | Ant1    | 79             | 15    | Pass    |
| NVNT      | 2-DH5 | Ant1    | 79             | 15    | Pass    |
| NVNT      | 3-DH5 | Ant1    | 79             | 15    | Pass    |









Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1







Hopping No. NVNT 3-DH5 2402MHz Ant1





### A.7 Band Edge


| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | -58.97          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | -61.02          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | -54.73          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | -58.5           | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | -55.74          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | -57.59          | -20         | Pass    |






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission








Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission








Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission







### (Hopping)


| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | Hopping      | -59.2           | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | Hopping      | -59.32          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | Hopping      | -58.65          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | Hopping      | -57.98          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | Hopping      | -57.21          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | Hopping      | -57.88          | -20         | Pass    |






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission








Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission








Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission







# A.8 Conducted RF Spurious Emission

| Condition | Mode  | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | -56.45          | -20         | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | -59.45          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | -58.27          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | -57.67          | -20         | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | -58.02          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | -57.61          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | -57.71          | -20         | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | -57.53          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | -57.35          | -20         | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity






Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission








Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission








Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission








Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission








Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





### A.9 Restrict Band

| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|------------|------------|----------|----------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -50.13      | 2.65       | 47.75      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -60.37      | 2.65       | 37.51      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2345.52         | -47.38      | 2.65       | 50.50      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2383.92         | -60         | 2.65       | 37.88      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -50.22      | 2.65       | 47.66      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -60.1       | 2.65       | 37.78      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -49.51      | 2.65       | 48.37      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -59.32      | 2.65       | 38.56      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2484.016        | -47.22      | 2.65       | 50.66      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.68         | -59.31      | 2.65       | 38.57      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -49.68      | 2.65       | 48.20      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -59.8       | 2.65       | 38.08      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -51.47      | 2.65       | 46.41      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -60.5       | 2.65       | 37.38      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2346            | -47.65      | 2.65       | 50.23      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2387.664        | -59.88      | 2.65       | 38.00      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -50.2       | 2.65       | 47.68      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -59.99      | 2.65       | 37.89      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -49.16      | 2.65       | 48.72      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -59.19      | 2.65       | 38.69      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2496.88         | -46.96      | 2.65       | 50.92      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.968        | -59.18      | 2.65       | 38.70      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -51.38      | 2.65       | 46.50      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -59.87      | 2.65       | 38.01      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -51.35      | 2.65       | 46.53      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -60.56      | 2.65       | 37.32      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2349.936        | -47.41      | 2.65       | 50.47      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2387.184        | -59.92      | 2.65       | 37.96      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -51.28      | 2.65       | 46.60      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -60.14      | 2.65       | 37.74      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -50.34      | 2.65       | 47.54      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -59.25      | 2.65       | 38.63      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2499.088        | -47.35      | 2.65       | 50.53      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.848        | -59.19      | 2.65       | 38.69      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -50.56      | 2.65       | 47.32      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -59.79      | 2.65       | 38.09      | Average  | 54             | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity








Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average







Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average







Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

