



Appendix C

RF Test Data for 2.4GWIFI (Conducted Measurement)

Product Name: Hyundai Mini PC

Test Model: HMB10P01

Environmental Conditions

Temperature:	23.1° C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Li Huan





C.1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant0	8.552	>=0.5	Pass
NVNT	b	2437	Ant0	7.058	>=0.5	Pass
NVNT	b	2462	Ant0	9.019	>=0.5	Pass
NVNT	g	2412	Ant0	15.439	>=0.5	Pass
NVNT	g	2437	Ant0	13.833	>=0.5	Pass
NVNT	g	2462	Ant0	13.384	>=0.5	Pass
NVNT	n20	2412	Ant0	12.314	>=0.5	Pass
NVNT	n20	2437	Ant0	15.617	>=0.5	Pass
NVNT	n20	2462	Ant0	12.387	>=0.5	Pass
NVNT	n40	2422	Ant0	33.841	>=0.5	Pass
NVNT	n40	2437	Ant0	33.789	>=0.5	Pass
NVNT	n40	2452	Ant0	26.259	>=0.5	Pass






Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant0



-6dB Bandwidth NVNT b 2437MHz Ant0






-6dB Bandwidth NVNT b 2462MHz Ant0




-6dB Bandwidth NVNT g 2412MHz Ant0






-6dB Bandwidth NVNT g 2437MHz Ant0




-6dB Bandwidth NVNT g 2462MHz Ant0






-6dB Bandwidth NVNT n20 2412MHz Ant0




-6dB Bandwidth NVNT n20 2437MHz Ant0






-6dB Bandwidth NVNT n20 2462MHz Ant0




-6dB Bandwidth NVNT n40 2422MHz Ant0






-6dB Bandwidth NVNT n40 2437MHz Ant0



-6dB Bandwidth NVNT n40 2452MHz Ant0





Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	7.371	>=0.5	Pass
NVNT	b	2437	Ant1	7.567	>=0.5	Pass
NVNT	b	2462	Ant1	7.027	>=0.5	Pass
NVNT	g	2412	Ant1	15.738	>=0.5	Pass
NVNT	g	2437	Ant1	16.317	>=0.5	Pass
NVNT	g	2462	Ant1	14.388	>=0.5	Pass
NVNT	n20	2412	Ant1	15.192	>=0.5	Pass
NVNT	n20	2437	Ant1	14.994	>=0.5	Pass
NVNT	n20	2462	Ant1	10.971	>=0.5	Pass
NVNT	n40	2422	Ant1	27.549	>=0.5	Pass
NVNT	n40	2437	Ant1	35.099	>=0.5	Pass
NVNT	n40	2452	Ant1	33.795	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1






-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1






-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1






-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1






-6dB Bandwidth NVNT n20 2462MHz Ant1




-6dB Bandwidth NVNT n40 2422MHz Ant1






-6dB Bandwidth NVNT n40 2437MHz Ant1



-6dB Bandwidth NVNT n40 2452MHz Ant1





C.2 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant0	12.576
NVNT	b	2437	Ant0	12.773
NVNT	b	2462	Ant0	13.027
NVNT	g	2412	Ant0	16.289
NVNT	g	2437	Ant0	16.381
NVNT	g	2462	Ant0	16.41
NVNT	n20	2412	Ant0	17.496
NVNT	n20	2437	Ant0	17.551
NVNT	n20	2462	Ant0	17.554
NVNT	n40	2422	Ant0	35.891
NVNT	n40	2437	Ant0	36.044
NVNT	n40	2452	Ant0	35.768




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Test Graphs

OBW NVNT b 2412MHz Ant0




OBW NVNT b 2437MHz Ant0






OBW NVNT b 2462MHz Ant0




OBW NVNT g 2412MHz Ant0






OBW NVNT g 2437MHz Ant0




OBW NVNT g 2462MHz Ant0






OBW NVNT n20 2412MHz Ant0




OBW NVNT n20 2437MHz Ant0






OBW NVNT n20 2462MHz Ant0




OBW NVNT n40 2422MHz Ant0






OBW NVNT n40 2437MHz Ant0



OBW NVNT n40 2452MHz Ant0





Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	12.895
NVNT	b	2437	Ant1	12.882
NVNT	b	2462	Ant1	12.693
NVNT	g	2412	Ant1	16.348
NVNT	g	2437	Ant1	16.375
NVNT	g	2462	Ant1	16.297
NVNT	n20	2412	Ant1	17.547
NVNT	n20	2437	Ant1	17.571
NVNT	n20	2462	Ant1	17.442
NVNT	n40	2422	Ant1	35.513
NVNT	n40	2437	Ant1	36.092
NVNT	n40	2452	Ant1	35.952




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

OBW NVNT b 2412MHz Ant1




OBW NVNT b 2437MHz Ant1






OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1






OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1






OBW NVNT n20 2412MHz Ant1




OBW NVNT n20 2437MHz Ant1






OBW NVNT n20 2462MHz Ant1




OBW NVNT n40 2422MHz Ant1






OBW NVNT n40 2437MHz Ant1



OBW NVNT n40 2452MHz Ant1





C.3 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant0	14.48	30	Pass
NVNT	b	2437	Ant0	14.92	30	Pass
NVNT	b	2462	Ant0	14.35	30	Pass
NVNT	g	2412	Ant0	13.15	30	Pass
NVNT	g	2437	Ant0	13.57	30	Pass
NVNT	g	2462	Ant0	13.03	30	Pass
NVNT	n20	2412	Ant0	12.37	30	Pass
NVNT	n20	2437	Ant0	12.83	30	Pass
NVNT	n20	2462	Ant0	13.99	30	Pass
NVNT	n40	2422	Ant0	11.63	30	Pass
NVNT	n40	2437	Ant0	11.81	30	Pass
NVNT	n40	2452	Ant0	11.58	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	14.43	30	Pass
NVNT	b	2437	Ant1	15.15	30	Pass
NVNT	b	2462	Ant1	14.93	30	Pass
NVNT	g	2412	Ant1	12.84	30	Pass
NVNT	g	2437	Ant1	13.74	30	Pass
NVNT	g	2462	Ant1	13.26	30	Pass
NVNT	n20	2412	Ant1	12.21	30	Pass
NVNT	n20	2437	Ant1	13.1	30	Pass
NVNT	n20	2462	Ant1	14.47	30	Pass
NVNT	n40	2422	Ant1	11.68	30	Pass
NVNT	n40	2437	Ant1	11.88	30	Pass
NVNT	n40	2452	Ant1	11.92	30	Pass

MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	12.37	12.21	15.30	30	Pass
NVNT	n20	2437	12.83	13.1	15.98	30	Pass
NVNT	n20	2462	13.99	14.47	17.25	30	Pass
NVNT	n40	2422	11.63	11.68	14.67	30	Pass
NVNT	n40	2437	11.81	11.88	14.86	30	Pass
NVNT	n40	2452	11.58	11.92	14.76	30	Pass





C.4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Duty Factor (dB)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant0	-9.09	0	-9.09	8	Pass
NVNT	b	2437	Ant0	-8.8	0	-8.8	8	Pass
NVNT	b	2462	Ant0	-9.17	0	-9.17	8	Pass
NVNT	g	2412	Ant0	-14.28	0	-14.28	8	Pass
NVNT	g	2437	Ant0	-14.04	0	-14.04	8	Pass
NVNT	g	2462	Ant0	-14.31	0	-14.31	8	Pass
NVNT	n20	2412	Ant0	-13.11	0	-13.11	8	Pass
NVNT	n20	2437	Ant0	-14.86	0	-14.86	8	Pass
NVNT	n20	2462	Ant0	-15.54	0	-15.54	8	Pass
NVNT	n40	2422	Ant0	-20.38	0	-20.38	8	Pass
NVNT	n40	2437	Ant0	-20.16	0	-20.16	8	Pass
NVNT	n40	2452	Ant0	-20.01	0	-20.01	8	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Duty Factor (dB)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-9.71	0	-9.71	8	Pass
NVNT	b	2437	Ant1	-8.2	0	-8.2	8	Pass
NVNT	b	2462	Ant1	-8.42	0	-8.42	8	Pass
NVNT	g	2412	Ant1	-14.14	0	-14.14	8	Pass
NVNT	g	2437	Ant1	-13.76	0	-13.76	8	Pass
NVNT	g	2462	Ant1	-13.61	0	-13.61	8	Pass
NVNT	n20	2412	Ant1	-14.15	0	-14.15	8	Pass
NVNT	n20	2437	Ant1	-14.14	0	-14.14	8	Pass
NVNT	n20	2462	Ant1	-13.92	0	-13.92	8	Pass
NVNT	n40	2422	Ant1	-19.46	0	-19.46	8	Pass
NVNT	n40	2437	Ant1	-20.54	0	-20.54	8	Pass
NVNT	n40	2452	Ant1	-18.83	0	-18.83	8	Pass

MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/3kHz)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	-13.11	-14.15	-10.59	8	Pass
NVNT	n20	2437	-14.86	-14.14	-11.47	8	Pass
NVNT	n20	2462	-15.54	-13.92	-11.64	8	Pass
NVNT	n40	2422	-20.38	-19.46	-16.89	8	Pass
NVNT	n40	2437	-20.16	-20.54	-17.34	8	Pass
NVNT	n40	2452	-20.01	-18.83	-16.37	8	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

PSD NVNT b 2412MHz Ant0




PSD NVNT b 2437MHz Ant0






PSD NVNT b 2462MHz Ant0




PSD NVNT g 2412MHz Ant0






PSD NVNT g 2437MHz Ant0




PSD NVNT g 2462MHz Ant0






PSD NVNT n20 2412MHz Ant0




PSD NVNT n20 2437MHz Ant0






PSD NVNT n20 2462MHz Ant0




PSD NVNT n40 2422MHz Ant0






PSD NVNT n40 2437MHz Ant0




PSD NVNT n40 2452MHz Ant0






Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1






PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1






PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1






PSD NVNT n20 2412MHz Ant1




PSD NVNT n20 2437MHz Ant1






PSD NVNT n20 2462MHz Ant1




PSD NVNT n40 2422MHz Ant1






PSD NVNT n40 2437MHz Ant1



PSD NVNT n40 2452MHz Ant1





C.5 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-57.09	-20	Pass
NVNT	b	2462	Ant0	-60.89	-20	Pass
NVNT	g	2412	Ant0	-43.23	-20	Pass
NVNT	g	2462	Ant0	-50.39	-20	Pass
NVNT	n20	2412	Ant0	-47.86	-20	Pass
NVNT	n20	2462	Ant0	-51.76	-20	Pass
NVNT	n40	2422	Ant0	-43.44	-20	Pass
NVNT	n40	2452	Ant0	-45.23	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant0 Ref




Band Edge NVNT b 2412MHz Ant0 Emission






Band Edge NVNT b 2462MHz Ant0 Ref




Band Edge NVNT b 2462MHz Ant0 Emission






Band Edge NVNT g 2412MHz Ant0 Ref




Band Edge NVNT g 2412MHz Ant0 Emission






Band Edge NVNT g 2462MHz Ant0 Ref




Band Edge NVNT g 2462MHz Ant0 Emission






Band Edge NVNT n20 2412MHz Ant0 Ref




Band Edge NVNT n20 2412MHz Ant0 Emission






Band Edge NVNT n20 2462MHz Ant0 Ref




Band Edge NVNT n20 2462MHz Ant0 Emission






Band Edge NVNT n40 2422MHz Ant0 Ref




Band Edge NVNT n40 2422MHz Ant0 Emission






Band Edge NVNT n40 2452MHz Ant0 Ref



Band Edge NVNT n40 2452MHz Ant0 Emission





Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-56.29	-20	Pass
NVNT	b	2462	Ant1	-62	-20	Pass
NVNT	g	2412	Ant1	-43.93	-20	Pass
NVNT	g	2462	Ant1	-53.63	-20	Pass
NVNT	n20	2412	Ant1	-44.96	-20	Pass
NVNT	n20	2462	Ant1	-54.21	-20	Pass
NVNT	n40	2422	Ant1	-44.6	-20	Pass
NVNT	n40	2452	Ant1	-43.34	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref



Band Edge NVNT b 2412MHz Ant1 Emission






Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission






Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission






Band Edge NVNT g 2462MHz Ant1 Ref



Band Edge NVNT g 2462MHz Ant1 Emission






Band Edge NVNT n20 2412MHz Ant1 Ref




Band Edge NVNT n20 2412MHz Ant1 Emission






Band Edge NVNT n20 2462MHz Ant1 Ref




Band Edge NVNT n20 2462MHz Ant1 Emission






Band Edge NVNT n40 2422MHz Ant1 Ref




Band Edge NVNT n40 2422MHz Ant1 Emission






Band Edge NVNT n40 2452MHz Ant1 Ref



Band Edge NVNT n40 2452MHz Ant1 Emission





C.6 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-50.6	-20	Pass
NVNT	b	2437	Ant0	-50.49	-20	Pass
NVNT	b	2462	Ant0	-50.3	-20	Pass
NVNT	g	2412	Ant0	-45.23	-20	Pass
NVNT	g	2437	Ant0	-45.59	-20	Pass
NVNT	g	2462	Ant0	-45.1	-20	Pass
NVNT	n20	2412	Ant0	-45.92	-20	Pass
NVNT	n20	2437	Ant0	-45.5	-20	Pass
NVNT	n20	2462	Ant0	-45.85	-20	Pass
NVNT	n40	2422	Ant0	-39.04	-20	Pass
NVNT	n40	2437	Ant0	-39.91	-20	Pass
NVNT	n40	2452	Ant0	-39.85	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Tx: Spurious NVNT b 2412MHz Ant0 Ref




Tx: Spurious NVNT b 2412MHz Ant0 Emission






Tx: Spurious NVNT b 2437MHz Ant0 Ref




Tx: Spurious NVNT b 2437MHz Ant0 Emission






Tx: Spurious NVNT b 2462MHz Ant0 Ref




Tx: Spurious NVNT b 2462MHz Ant0 Emission






Tx: Spurious NVNT g 2412MHz Ant0 Ref




Tx: Spurious NVNT g 2412MHz Ant0 Emission






Tx: Spurious NVNT g 2437MHz Ant0 Ref




Tx: Spurious NVNT g 2437MHz Ant0 Emission






Tx: Spurious NVNT g 2462MHz Ant0 Ref




Tx: Spurious NVNT g 2462MHz Ant0 Emission






Tx. Spurious NVNT n20 2412MHz Ant0 Ref




Tx. Spurious NVNT n20 2412MHz Ant0 Emission






Tx. Spurious NVNT n20 2437MHz Ant0 Ref




Tx. Spurious NVNT n20 2437MHz Ant0 Emission






Tx. Spurious NVNT n20 2462MHz Ant0 Ref




Tx. Spurious NVNT n20 2462MHz Ant0 Emission






Tx. Spurious NVNT n40 2422MHz Ant0 Ref




Tx. Spurious NVNT n40 2422MHz Ant0 Emission






Tx. Spurious NVNT n40 2437MHz Ant0 Ref




Tx. Spurious NVNT n40 2437MHz Ant0 Emission





Tx. Spurious NVNT n40 2452MHz Ant0 Ref



Tx. Spurious NVNT n40 2452MHz Ant0 Emission

