

Mode:	3DH5-2441	Voltage:	DC 3.7V
-------	-----------	----------	---------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4881.86	76.39	-14.90	61.49	74.00	12.51	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4881.86	62.08	-14.90	47.18	54.00	6.82	Horizontal	PASS

Mode:	3DH5-2441	Voltage:	DC 3.7V
-------	-----------	----------	---------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4882.44	70.71	-14.90	55.81	74.00	18.19	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4882.44	59.00	-14.90	44.10	54.00	9.90	Vertical	PASS

Mode:	3DH5-2480	Voltage:	DC 3.7V
-------	-----------	----------	---------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4960.27	75.23	-14.58	60.65	74.00	13.35	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4960.27	63.77	-14.58	49.19	54.00	4.81	Horizontal	PASS

Mode:	3DH5-2480	Voltage:	DC 3.7V
-------	-----------	----------	---------

**Test Graph**


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4960.33	71.26	-14.58	56.68	74.00	17.32	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4960.33	58.89	-14.58	44.31	54.00	9.69	Vertical	PASS

Band edge

Mode:	DH5-2402	Voltage:	DC 3.7V
-------	----------	----------	---------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2373.33	66.79	48.32	-18.47	74.00	25.68	Horizonta	PASS
2	2388.18	66.42	48.75	-17.67	74.00	25.25	Horizonta	PASS

Mode:	DH5-2402	Voltage:	DC 3.7V
-------	----------	----------	---------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2382.81	66.65	48.69	-17.96	74.00	25.31	Vertical	PASS
2	2388.33	66.23	48.57	-17.66	74.00	25.43	Vertical	PASS

Mode:	DH5-2480	Voltage:	DC 3.7V
-------	----------	----------	---------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.91	68.17	50.04	-18.13	74.00	23.96	Horizonta	PASS
2	2484.27	68.16	49.94	-18.22	74.00	24.06	Horizonta	PASS

Mode:	DH5-2480	Voltage:	DC 3.7V
-------	----------	----------	---------

**Test Graph**




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.57	73.47	-18.04	55.43	74.00	18.57	Vertical	PASS
2	2483.82	72.89	-18.11	54.78	74.00	19.22	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.57	52.64	-18.04	34.60	54.00	19.40	Vertical	PASS
2	2483.82	52.58	-18.11	34.47	54.00	19.53	Vertical	PASS

Mode:	2DH5-2402	Voltage:	DC 3.7V
-------	-----------	----------	---------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2382.05	66.57	48.57	-18.00	74.00	25.43	Horizonta	PASS
2	2388.94	65.99	48.36	-17.63	74.00	25.64	Horizonta	PASS

Mode:	2DH5-2402	Voltage:	DC 3.7V
-------	-----------	----------	---------

**Test Graph**




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2377.20	66.96	48.70	-18.26	74.00	25.30	Vertical	PASS
2	2384.80	66.08	48.23	-17.85	74.00	25.77	Vertical	PASS



Mode:	2DH5-2480	Voltage:	DC 3.7V
-------	-----------	----------	---------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.90	67.24	49.12	-18.12	74.00	24.88	Horizontal	PASS
2	2484.45	66.60	48.33	-18.27	74.00	25.67	Horizontal	PASS

Mode:	2DH5-2480	Voltage:	DC 3.7V
-------	-----------	----------	---------

**Test Graph**




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.55	74.54	-18.04	56.50	74.00	17.50	Vertical	PASS
2	2483.73	73.40	-18.08	55.32	74.00	18.68	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.55	52.67	-18.04	34.63	54.00	19.37	Vertical	PASS
2	2483.73	52.63	-18.08	34.55	54.00	19.45	Vertical	PASS

Mode:	3DH5-2402	Voltage:	DC 3.7V
-------	-----------	----------	---------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2380.37	66.66	48.57	-18.09	74.00	25.43	Horizonta	PASS
2	2388.65	66.11	48.46	-17.65	74.00	25.54	Horizonta	PASS

Mode:	3DH5-2402	Voltage:	DC 3.7V
-------	-----------	----------	---------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2384.34	66.89	49.01	-17.88	74.00	24.99	Vertical	PASS
2	2389.36	65.85	48.24	-17.61	74.00	25.76	Vertical	PASS

Mode:	3DH5-2480	Voltage:	DC 3.7V
-------	-----------	----------	---------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	67.97	49.95	-18.02	74.00	24.05	Horizontal	PASS
2	2483.90	66.27	48.15	-18.12	74.00	25.85	Horizontal	PASS

Mode:	3DH5-2480	Voltage:	DC 3.7V
-------	-----------	----------	---------

**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.52	75.05	-18.03	57.02	74.00	16.98	Vertical	PASS
2	2483.71	74.23	-18.08	56.15	74.00	17.85	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.52	52.68	-18.03	34.65	54.00	19.35	Vertical	PASS
2	2483.71	52.72	-18.08	34.64	54.00	19.36	Vertical	PASS