



3DH5_Ant1_Low_Hop_2402



3DH5_Ant1_High_Hop_2480




Appendix H: Conducted Spurious Emission

Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	-1.22	-1.22	---	PASS
			30~1000	30~1000	-52.049	<=- 21.218	PASS
			1000~26500	1000~2650 0	-47.312	<=- 21.218	PASS
		2441	Reference	-1.19	-1.19	---	PASS
			30~1000	30~1000	-52.904	<=- 21.188	PASS
			1000~26500	1000~2650 0	-50.41	<=- 21.188	PASS
		2480	Reference	-1.49	-1.49	---	PASS
			30~1000	30~1000	-54.652	<=- 21.486	PASS
			1000~26500	1000~2650 0	-49.508	<=- 21.486	PASS
2DH5	Ant1	2402	Reference	-1.16	-1.16	---	PASS
			30~1000	30~1000	-52.284	<=- 21.158	PASS
			1000~26500	1000~2650 0	-50.911	<=- 21.158	PASS
		2441	Reference	-1.03	-1.03	---	PASS
			30~1000	30~1000	-52.576	<=- 21.033	PASS
			1000~26500	1000~2650 0	-49.633	<=- 21.033	PASS
		2480	Reference	-1.33	-1.33	---	PASS
			30~1000	30~1000	-52.851	<=- 21.329	PASS
			1000~26500	1000~2650 0	-49.451	<=- 21.329	PASS
3DH5	Ant1	2402	Reference	-1.38	-1.38	---	PASS
			30~1000	30~1000	-54.609	<=- 21.379	PASS
			1000~26500	1000~2650 0	-49.305	<=- 21.379	PASS
		2441	Reference	-1.08	-1.08	---	PASS
			30~1000	30~1000	-53.424	<=- 21.077	PASS

			1000~26500	1000~2650 0	-49.876	<= 21.077	PASS
		2480	Reference	-1.31	-1.31	---	PASS
			30~1000	30~1000	-52.906	<= 21.306	PASS
			1000~26500	1000~2650 0	-48.383	<= 21.306	PASS

Test Graphs




DH5_Ant1_2402_1000~26500




DH5_Ant1_2441_0~Reference



DH5_Ant1_2441_30~1000



DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference




DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000



2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500



Appendix I: Duty Cycle


Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2402	2.89	3.75	77.13	---	PASS
		2441	2.89	3.75	77.13	---	PASS
		2480	2.89	3.75	77.13	---	PASS
2DH5	Ant1	2402	2.89	3.75	76.97	---	PASS
		2441	2.89	3.75	76.93	---	PASS
		2480	2.89	3.75	76.96	---	PASS
3DH5	Ant1	2402	2.89	3.75	76.97	---	PASS
		2441	2.89	3.75	76.99	---	PASS
		2480	2.89	3.75	76.97	---	PASS


Test Graphs




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441




3DH5_Ant1_2480



Appendix J: Conducted emission AC power port

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------


Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.1735	10.25	44.82	64.79	19.97	31.19	54.79	23.60	L	PASS
2	1.0227	10.30	22.80	56.00	33.20	12.42	46.00	33.58	L	PASS
3	2.1505	10.35	25.17	56.00	30.83	11.36	46.00	34.64	L	PASS
4	3.0301	10.37	23.35	56.00	32.65	13.75	46.00	32.25	L	PASS
5	9.6965	10.52	28.91	60.00	31.09	18.80	50.00	31.20	L	PASS
6	15.7940	10.66	30.89	60.00	29.11	23.12	50.00	26.88	L	PASS

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------

Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	0.1726	10.24	46.05	64.84	18.79	30.14	54.84	24.70	N	PASS
2	0.2223	10.25	36.81	62.73	25.92	22.12	52.73	30.61	N	PASS
3	1.4711	10.28	25.05	56.00	30.95	11.29	46.00	34.71	N	PASS
4	2.0464	10.30	20.91	56.00	35.09	9.02	46.00	36.98	N	PASS
5	5.6941	10.38	25.96	60.00	34.04	17.29	50.00	32.71	N	PASS
6	14.4553	10.59	33.69	60.00	26.31	20.22	50.00	29.78	N	PASS

Appendix K: Radiated emissions for transmitter

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


Above 1GHz, The emission level with margin less than 20db is recorded.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	15.67	40.00	24.33	Horizontal	PASS
2	99.9099	-20.16	16.66	43.50	26.84	Horizontal	PASS
3	181.471	-17.46	18.13	43.50	25.37	Horizontal	PASS
4	302.842	-15.60	20.58	46.00	25.42	Horizontal	PASS
5	455.285	-12.39	21.41	46.00	24.59	Horizontal	PASS
6	820.370	-6.30	22.58	46.00	23.42	Horizontal	PASS

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	35.8258	-16.51	24.07	40.00	15.93	Vertical	PASS
2	60.1001	-16.27	20.66	40.00	19.34	Vertical	PASS
3	97.9680	-20.40	19.74	43.50	23.76	Vertical	PASS
4	167.877	-16.28	18.99	43.50	24.51	Vertical	PASS
5	455.285	-12.39	22.93	46.00	23.07	Vertical	PASS
6	635.885	-9.02	20.80	46.00	25.20	Vertical	PASS

Mode:	DH5 2441	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	15.57	40.00	24.43	Horizontal	PASS
2	100.880	-20.09	16.78	43.50	26.72	Horizontal	PASS
3	181.471	-17.46	17.28	43.50	26.22	Horizontal	PASS
4	306.726	-15.52	21.24	46.00	24.76	Horizontal	PASS
5	390.230	-13.77	21.99	46.00	24.01	Horizontal	PASS
6	727.157	-7.87	20.81	46.00	25.19	Horizontal	PASS

Mode:	DH5 2441	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.9710	-17.31	25.12	40.00	14.88	Vertical	PASS
2	61.0711	-16.46	20.72	40.00	19.28	Vertical	PASS
3	97.9680	-20.40	19.95	43.50	23.55	Vertical	PASS
4	188.268	-18.02	19.22	43.50	24.28	Vertical	PASS
5	363.043	-14.34	22.16	46.00	23.84	Vertical	PASS
6	819.399	-6.31	24.14	46.00	21.86	Vertical	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	16.17	40.00	23.83	Horizontal	PASS
2	98.9389	-20.28	15.77	43.50	27.73	Horizontal	PASS
3	242.642	-17.44	20.64	46.00	25.36	Horizontal	PASS
4	363.043	-14.34	20.79	46.00	25.21	Horizontal	PASS
5	454.314	-12.41	20.19	46.00	25.81	Horizontal	PASS
6	845.615	-6.10	21.68	46.00	24.32	Horizontal	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	47.4775	-15.56	21.67	40.00	18.33	Vertical	PASS
2	61.0711	-16.46	20.44	40.00	19.56	Vertical	PASS
3	97.9680	-20.40	19.60	43.50	23.90	Vertical	PASS
4	188.268	-18.02	18.56	43.50	24.94	Vertical	PASS
5	364.014	-14.32	21.87	46.00	24.13	Vertical	PASS
6	454.314	-12.41	24.78	46.00	21.22	Vertical	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	14.90	40.00	25.10	Horizontal	PASS
2	99.9099	-20.16	16.76	43.50	26.74	Horizontal	PASS
3	188.268	-18.02	17.12	43.50	26.38	Horizontal	PASS
4	310.610	-15.44	21.25	46.00	24.75	Horizontal	PASS
5	390.230	-13.77	21.40	46.00	24.60	Horizontal	PASS
6	845.615	-6.10	22.54	46.00	23.46	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.9710	-17.31	25.14	40.00	14.86	Vertical	PASS
2	61.0711	-16.46	22.96	40.00	17.04	Vertical	PASS
3	101.851	-20.02	21.66	43.50	21.84	Vertical	PASS
4	189.239	-18.10	18.44	43.50	25.06	Vertical	PASS
5	258.178	-17.20	16.33	46.00	29.67	Vertical	PASS
6	390.230	-13.77	20.38	46.00	25.62	Vertical	PASS

Mode:	2-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	13.71	40.00	26.29	Horizontal	PASS
2	100.880	-20.09	16.78	43.50	26.72	Horizontal	PASS
3	186.326	-17.86	17.14	43.50	26.36	Horizontal	PASS
4	311.581	-15.42	19.94	46.00	26.06	Horizontal	PASS
5	390.230	-13.77	21.54	46.00	24.46	Horizontal	PASS
6	771.821	-7.00	19.35	46.00	26.65	Horizontal	PASS

Mode:	2-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	34.8549	-16.67	22.58	40.00	17.42	Vertical	PASS
2	61.0711	-16.46	22.56	40.00	17.44	Vertical	PASS
3	99.9099	-20.16	20.77	43.50	22.73	Vertical	PASS
4	192.152	-18.34	18.85	43.50	24.65	Vertical	PASS
5	390.230	-13.77	21.86	46.00	24.14	Vertical	PASS
6	890.280	-5.76	22.81	46.00	23.19	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	16.51	40.00	23.49	Horizontal	PASS
2	101.851	-20.02	18.01	43.50	25.49	Horizontal	PASS
3	164.965	-16.03	16.74	43.50	26.76	Horizontal	PASS
4	317.407	-15.29	20.18	46.00	25.82	Horizontal	PASS
5	390.230	-13.77	21.13	46.00	24.87	Horizontal	PASS
6	845.615	-6.10	22.46	46.00	23.54	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	47.4775	-15.56	20.52	40.00	19.48	Vertical	PASS
2	62.0420	-16.65	23.02	40.00	16.98	Vertical	PASS
3	103.793	-19.87	22.06	43.50	21.44	Vertical	PASS
4	137.777	-16.43	20.59	43.50	22.91	Vertical	PASS
5	191.181	-18.26	19.88	43.50	23.62	Vertical	PASS
6	390.230	-13.77	21.84	46.00	24.16	Vertical	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	14.49	40.00	25.51	Horizontal	PASS
2	100.880	-20.09	17.68	43.50	25.82	Horizontal	PASS
3	184.384	-17.70	15.68	43.50	27.82	Horizontal	PASS
4	304.784	-15.56	20.17	46.00	25.83	Horizontal	PASS
5	390.230	-13.77	21.35	46.00	24.65	Horizontal	PASS
6	882.512	-5.82	22.03	46.00	23.97	Horizontal	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	33.8839	-16.83	23.88	40.00	16.12	Vertical	PASS
2	61.0711	-16.46	22.71	40.00	17.29	Vertical	PASS
3	100.880	-20.09	21.62	43.50	21.88	Vertical	PASS
4	187.297	-17.94	20.65	43.50	22.85	Vertical	PASS
5	390.230	-13.77	20.89	46.00	25.11	Vertical	PASS
6	492.182	-11.61	22.41	46.00	23.59	Vertical	PASS

Mode:	3-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	16.39	40.00	23.61	Horizontal	PASS
2	99.9099	-20.16	16.12	43.50	27.38	Horizontal	PASS
3	187.297	-17.94	17.13	43.50	26.37	Horizontal	PASS
4	311.581	-15.42	20.61	46.00	25.39	Horizontal	PASS
5	390.230	-13.77	21.73	46.00	24.27	Horizontal	PASS
6	845.615	-6.10	22.23	46.00	23.77	Horizontal	PASS

Mode:	3-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	60.1001	-16.27	22.64	40.00	17.36	Vertical	PASS
2	96.9970	-20.52	19.30	43.50	24.20	Vertical	PASS
3	167.877	-16.28	17.75	43.50	25.75	Vertical	PASS
4	325.175	-15.13	17.24	46.00	28.76	Vertical	PASS
5	390.230	-13.77	21.88	46.00	24.12	Vertical	PASS
6	899.019	-5.69	22.92	46.00	23.08	Vertical	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	16.43	40.00	23.57	Horizontal	PASS
2	103.793	-19.87	16.83	43.50	26.67	Horizontal	PASS
3	166.906	-16.20	15.98	43.50	27.52	Horizontal	PASS
4	305.755	-15.54	20.10	46.00	25.90	Horizontal	PASS
5	390.230	-13.77	21.99	46.00	24.01	Horizontal	PASS
6	845.615	-6.10	22.76	46.00	23.24	Horizontal	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	20.23	40.00	19.77	Vertical	PASS
2	61.0711	-16.46	22.35	40.00	17.65	Vertical	PASS
3	100.880	-20.09	20.77	43.50	22.73	Vertical	PASS
4	188.268	-18.02	18.69	43.50	24.81	Vertical	PASS
5	390.230	-13.77	22.00	46.00	24.00	Vertical	PASS
6	888.338	-5.77	24.95	46.00	21.05	Vertical	PASS

Above 1GHz

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7205.5448	69.26	-12.38	56.88	74.00	17.12	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7205.5448	58.33	-12.38	45.95	54.00	8.05	Horizontal	PASS

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7205.5448	66.30	-12.38	53.92	74.00	20.08	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7205.5448	53.75	-12.38	41.37	54.00	12.63	Vertical	PASS

Mode:	DH5 2441	Voltage:	DC 3.7V
-------	----------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7322.3211	68.95	-12.23	56.72	74.00	17.28	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7322.3211	57.00	-12.23	44.77	54.00	9.23	Horizontal	PASS

Mode:	DH5 2441	Voltage:	DC 3.7V
-------	----------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7323.0811	67.06	-12.23	54.83	74.00	19.17	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7323.0811	56.30	-12.23	44.07	54.00	9.93	Vertical	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7440.4411	68.75	-12.06	56.69	74.00	17.31	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7440.4411	58.90	-12.06	46.84	54.00	7.16	Horizontal	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7440.5811	69.19	-12.06	57.13	74.00	16.87	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7440.5811	58.86	-12.06	46.80	54.00	7.20	Vertical	PASS

Mode:	2DH 2402	Voltage:	DC 3.7V
-------	----------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7206.9248	68.05	-12.37	55.68	74.00	18.32	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7206.9248	55.14	-12.37	42.77	54.00	11.23	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7206.5648	69.63	-12.37	57.26	74.00	16.74	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7206.5648	57.54	-12.37	45.17	54.00	8.83	Vertical	PASS

Mode:	2-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7323.5211	69.17	-12.23	56.94	74.00	17.06	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7323.5211	57.78	-12.23	45.55	54.00	8.45	Horizontal	PASS

Mode:	2-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7324.0611	69.11	-12.23	56.88	74.00	17.12	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7324.0611	55.57	-12.23	43.34	54.00	10.66	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4960.5192	66.42	-14.58	51.84	74.00	22.16	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4960.5192	52.83	-14.58	38.25	54.00	15.75	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4957.2792	65.07	-14.59	50.48	74.00	23.52	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4957.2792	50.25	-14.59	35.66	54.00	18.34	Vertical	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4801.1442	64.34	-14.87	49.47	74.00	24.53	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4801.1442	49.82	-14.87	34.95	54.00	19.05	Horizontal	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7207.0048	69.13	-12.37	56.76	74.00	17.24	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7207.0048	56.18	-12.37	43.81	54.00	10.19	Vertical	PASS

Mode:	3-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7323.0211	69.66	-12.23	57.43	74.00	16.57	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7323.0211	56.30	-12.23	44.07	54.00	9.93	Horizontal	PASS

Mode:	3-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7323.8611	67.28	-12.23	55.05	74.00	18.95	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7323.8611	53.79	-12.23	41.56	54.00	12.44	Vertical	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7440.7011	71.94	-12.06	59.88	74.00	14.12	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7440.7011	59.69	-12.06	47.63	54.00	6.37	Horizontal	PASS


Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4949.3192	65.05	-14.63	50.42	74.00	23.58	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4949.3192	50.12	-14.63	35.49	54.00	18.51	Vertical	PASS

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2381.35	67.36	49.32	-18.04	74.00	24.68	Horizontal	PASS
2	2387.76	66.68	48.99	-17.69	74.00	25.01	Horizontal	PASS

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2381.98	65.92	47.92	-18.00	74.00	26.08	Vertical	PASS
2	2388.19	65.50	47.83	-17.67	74.00	26.17	Vertical	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.63	75.19	-18.06	57.13	74.00	16.87	Horizontal	PASS
2	2488.48	74.35	-18.80	55.55	74.00	18.45	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.63	55.61	-18.06	37.55	54.00	16.45	Horizontal	PASS
2	2488.48	52.72	-18.80	33.92	54.00	20.08	Horizontal	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	69.33	51.29	-18.04	74.00	22.71	Vertical	PASS
2	2488.59	68.26	49.45	-18.81	74.00	24.55	Vertical	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2377.73	67.32	49.09	-18.23	74.00	24.91	Horizontal	PASS
2	2387.88	67.43	49.74	-17.69	74.00	24.26	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2381.47	66.50	48.47	-18.03	74.00	25.53	Vertical	PASS
2	2387.15	66.84	49.11	-17.73	74.00	24.89	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.91	73.63	-18.13	55.50	74.00	18.50	Horizontal	PASS
2	2489.00	73.14	-18.86	54.28	74.00	19.72	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.91	55.81	-18.13	37.68	54.00	16.32	Horizontal	PASS
2	2489.00	53.01	-18.86	34.15	54.00	19.85	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.75	68.53	50.44	-18.09	74.00	23.56	Vertical	PASS
2	2488.95	69.63	50.78	-18.85	74.00	23.22	Vertical	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2379.34	67.61	49.46	-18.15	74.00	24.54	Horizonta	PASS
2	2389.62	66.63	49.04	-17.59	74.00	24.96	Horizonta	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2378.24	66.83	48.63	-18.20	74.00	25.37	Vertical	PASS
2	2387.83	66.73	49.04	-17.69	74.00	24.96	Vertical	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.90	73.73	-18.13	55.60	74.00	18.40	Horizontal	PASS
2	2488.79	73.59	-18.83	54.76	74.00	19.24	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.90	56.04	-18.13	37.91	54.00	16.09	Horizontal	PASS
2	2488.79	52.95	-18.83	34.12	54.00	19.88	Horizontal	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.90	68.51	50.39	-18.12	74.00	23.61	Vertical	PASS
2	2489.89	67.24	48.28	-18.96	74.00	25.72	Vertical	PASS