


## Appendix H: Conducted Spurious Emission

### Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	4.34	4.34	---	PASS
			30~1000	30~1000	-56.391	<= 15.657	PASS
			1000~26500	1000~26500 0	-32.288	<= 15.657	PASS
		2441	Reference	4.80	4.80	---	PASS
			30~1000	30~1000	-56.552	<= 15.197	PASS
			1000~26500	1000~26500 0	-32.014	<= 15.197	PASS
		2480	Reference	4.19	4.19	---	PASS
			30~1000	30~1000	-56.367	<= 15.809	PASS
			1000~26500	1000~26500 0	-35.099	<= 15.809	PASS
2DH5	Ant1	2402	Reference	3.02	3.02	---	PASS
			30~1000	30~1000	-58.926	<= 16.985	PASS
			1000~26500	1000~26500 0	-31.841	<= 16.985	PASS
		2441	Reference	3.39	3.39	---	PASS
			30~1000	30~1000	-58.903	<= 16.615	PASS
			1000~26500	1000~26500 0	-33.932	<= 16.615	PASS
		2480	Reference	3.15	3.15	---	PASS
			30~1000	30~1000	-58.714	<= 16.854	PASS
			1000~26500	1000~26500 0	-37.328	<= 16.854	PASS
3DH5	Ant1	2402	Reference	3.13	3.13	---	PASS
			30~1000	30~1000	-57.202	<= 16.867	PASS
			1000~26500	1000~26500 0	-34.75	<= 16.867	PASS
		2441	Reference	3.29	3.29	---	PASS
			30~1000	30~1000	-57.495	<= 16.714	PASS

			1000~26500	1000~2650 0	-35.069	<=- 16.714	PASS
		2480	Reference	2.94	2.94	---	PASS
			30~1000	30~1000	-56.578	<=- 17.059	PASS
			1000~26500	1000~2650 0	-36.072	<=- 17.059	PASS


# Test Graphs




DH5\_Ant1\_2402\_1000~26500




DH5\_Ant1\_2441\_0~Reference



DH5\_Ant1\_2441\_30~1000




DH5\_Ant1\_2441\_1000~26500




DH5\_Ant1\_2480\_0~Reference




DH5\_Ant1\_2480\_30~1000




DH5\_Ant1\_2480\_1000~26500



2DH5\_Ant1\_2402\_0~Reference



2DH5\_Ant1\_2402\_30~1000




2DH5\_Ant1\_2402\_1000~26500







2DH5\_Ant1\_2441\_0~Reference




2DH5\_Ant1\_2441\_30~1000




2DH5\_Ant1\_2441\_1000~26500




2DH5\_Ant1\_2480\_0~Reference




2DH5\_Ant1\_2480\_30~1000




2DH5\_Ant1\_2480\_1000~26500




3DH5\_Ant1\_2402\_0~Reference



3DH5\_Ant1\_2402\_30~1000




3DH5\_Ant1\_2402\_1000~26500




3DH5\_Ant1\_2441\_0~Reference




3DH5\_Ant1\_2441\_30~1000




3DH5\_Ant1\_2441\_1000~26500




3DH5\_Ant1\_2480\_0~Reference



3DH5\_Ant1\_2480\_30~1000



3DH5\_Ant1\_2480\_1000~26500





## Appendix I: Duty Cycle


### Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2402	2.93	3.60	81.34	---	PASS
		2441	2.91	3.60	80.82	---	PASS
		2480	2.93	3.60	81.31	---	PASS
2DH5	Ant1	2402	2.91	3.60	80.79	---	PASS
		2441	2.94	3.61	81.36	---	PASS
		2480	2.92	3.59	81.27	---	PASS
3DH5	Ant1	2402	2.94	3.61	81.37	---	PASS
		2441	2.94	3.61	81.37	---	PASS
		2480	2.93	3.60	81.34	---	PASS


# Test Graphs




### DH5\_Ant1\_2480




### 2DH5\_Ant1\_2402




2DH5\_Ant1\_2441




2DH5\_Ant1\_2480




### 3DH5\_Ant1\_2402



### 3DH5\_Ant1\_2441




3DH5\_Ant1\_2480



## Appendix J: Conducted emission AC power port

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------

### Test Graph




### Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.1594	10.25	48.85	65.49	16.64	32.80	55.49	22.69	L	PASS
2	0.3060	10.25	33.97	60.08	26.11	20.59	50.08	29.49	L	PASS
3	1.2047	10.31	24.19	56.00	31.81	11.63	46.00	34.37	L	PASS
4	2.3108	10.35	22.74	56.00	33.26	9.27	46.00	36.73	L	PASS
5	8.5079	10.50	27.63	60.00	32.37	19.06	50.00	30.94	L	PASS
6	12.1485	10.58	29.10	60.00	30.90	18.67	50.00	31.33	L	PASS

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------

**Test Graph**



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.1554	10.24	49.38	65.71	16.33	35.42	55.71	20.29	N	PASS
2	0.8173	10.27	20.93	56.00	35.07	12.39	46.00	33.61	N	PASS
3	1.9072	10.30	22.65	56.00	33.35	11.33	46.00	34.67	N	PASS
4	4.5298	10.35	22.51	56.00	33.49	15.35	46.00	30.65	N	PASS
5	14.0818	10.58	35.13	60.00	24.87	27.39	50.00	22.61	N	PASS
6	14.8843	10.60	35.41	60.00	24.59	27.19	50.00	22.81	N	PASS



## Appendix K: Radiated emissions for transmitter

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


Above 1GHz, The emission level with margin less than 20db is recorded.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz

Mode:	DH5 2402	Voltage:	120V/60Hz
-------	----------	----------	-----------


### Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	100.880	-20.09	15.68	43.50	27.82	Horizontal	PASS
2	163.994	-15.94	27.39	43.50	16.11	Horizontal	PASS
3	242.642	-17.44	20.10	46.00	25.90	Horizontal	PASS
4	383.433	-13.91	23.89	46.00	22.11	Horizontal	PASS
5	479.559	-11.88	24.80	46.00	21.20	Horizontal	PASS
6	899.990	-5.68	29.01	46.00	16.99	Horizontal	PASS

Mode:	DH5 2402	Voltage:	120V/60Hz
-------	----------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.9710	-17.31	28.46	40.00	11.54	Vertical	PASS
2	96.0260	-20.64	21.62	43.50	21.88	Vertical	PASS
3	163.994	-15.94	24.26	43.50	19.24	Vertical	PASS
4	364.014	-14.32	22.08	46.00	23.92	Vertical	PASS
5	455.285	-12.39	24.39	46.00	21.61	Vertical	PASS
6	819.399	-6.31	23.73	46.00	22.27	Vertical	PASS

Mode:	DH5 2441	Voltage:	120V/60Hz
-------	----------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	13.75	40.00	26.25	Horizontal	PASS
2	96.0260	-20.64	20.01	43.50	23.49	Horizontal	PASS
3	163.994	-15.94	25.58	43.50	17.92	Horizontal	PASS
4	336.826	-14.89	23.02	46.00	22.98	Horizontal	PASS
5	385.375	-13.87	28.23	46.00	17.77	Horizontal	PASS
6	481.501	-11.84	27.14	46.00	18.86	Horizontal	PASS

Mode:	DH5 2441	Voltage:	120V/60Hz
-------	----------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	25.70	40.00	14.30	Vertical	PASS
2	63.9840	-17.03	19.73	40.00	20.27	Vertical	PASS
3	96.0260	-20.64	21.31	43.50	22.19	Vertical	PASS
4	163.994	-15.94	25.01	43.50	18.49	Vertical	PASS
5	455.285	-12.39	23.74	46.00	22.26	Vertical	PASS
6	818.428	-6.32	23.73	46.00	22.27	Vertical	PASS

Mode:	DH5 2480	Voltage:	120V/60Hz
-------	----------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	96.0260	-20.64	19.55	43.50	23.95	Horizontal	PASS
2	163.994	-15.94	22.01	43.50	21.49	Horizontal	PASS
3	305.755	-15.54	21.04	46.00	24.96	Horizontal	PASS
4	337.797	-14.87	22.72	46.00	23.28	Horizontal	PASS
5	386.346	-13.85	28.35	46.00	17.65	Horizontal	PASS
6	482.472	-11.82	27.55	46.00	18.45	Horizontal	PASS

Mode:	DH5 2480	Voltage:	120V/60Hz
-------	----------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	25.44	40.00	14.56	Vertical	PASS
2	63.9840	-17.03	18.73	40.00	21.27	Vertical	PASS
3	96.0260	-20.64	21.31	43.50	22.19	Vertical	PASS
4	163.994	-15.94	20.34	43.50	23.16	Vertical	PASS
5	390.230	-13.77	21.17	46.00	24.83	Vertical	PASS
6	586.366	-9.66	25.43	46.00	20.57	Vertical	PASS

Mode:	2-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	34.8549	-16.67	13.72	40.00	26.28	Horizontal	PASS
2	96.0260	-20.64	20.02	43.50	23.48	Horizontal	PASS
3	163.994	-15.94	23.74	43.50	19.76	Horizontal	PASS
4	337.797	-14.87	23.09	46.00	22.91	Horizontal	PASS
5	385.375	-13.87	27.27	46.00	18.73	Horizontal	PASS
6	482.472	-11.82	26.64	46.00	19.36	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**




QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	26.89	40.00	13.11	Vertical	PASS
2	63.9840	-17.03	18.92	40.00	21.08	Vertical	PASS
3	96.0260	-20.64	20.84	43.50	22.66	Vertical	PASS
4	167.877	-16.28	19.38	43.50	24.12	Vertical	PASS
5	385.375	-13.87	21.10	46.00	24.90	Vertical	PASS
6	752.402	-7.38	22.69	46.00	23.31	Vertical	PASS



Mode:	2-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	96.0260	-20.64	19.71	43.50	23.79	Horizontal	PASS
2	163.994	-15.94	20.81	43.50	22.69	Horizontal	PASS
3	309.639	-15.46	21.37	46.00	24.63	Horizontal	PASS
4	385.375	-13.87	27.48	46.00	18.52	Horizontal	PASS
5	482.472	-11.82	26.91	46.00	19.09	Horizontal	PASS
6	614.524	-9.24	21.33	46.00	24.67	Horizontal	PASS

Mode:	2-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	26.10	40.00	13.90	Vertical	PASS
2	60.1001	-16.27	22.30	40.00	17.70	Vertical	PASS
3	96.0260	-20.64	22.17	43.50	21.33	Vertical	PASS
4	163.994	-15.94	21.35	43.50	22.15	Vertical	PASS
5	390.230	-13.77	23.05	46.00	22.95	Vertical	PASS
6	482.472	-11.82	23.45	46.00	22.55	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	13.20	40.00	26.80	Horizontal	PASS
2	96.0260	-20.64	19.29	43.50	24.21	Horizontal	PASS
3	163.994	-15.94	21.59	43.50	21.91	Horizontal	PASS
4	337.797	-14.87	21.83	46.00	24.17	Horizontal	PASS
5	386.346	-13.85	27.62	46.00	18.38	Horizontal	PASS
6	482.472	-11.82	26.42	46.00	19.58	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	35.8258	-16.51	26.28	40.00	13.72	Vertical	PASS
2	61.0711	-16.46	23.61	40.00	16.39	Vertical	PASS
3	96.0260	-20.64	21.26	43.50	22.24	Vertical	PASS
4	163.994	-15.94	21.08	43.50	22.42	Vertical	PASS
5	385.375	-13.87	21.50	46.00	24.50	Vertical	PASS
6	890.280	-5.76	30.14	46.00	15.86	Vertical	PASS

Mode:	3-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	96.0260	-20.64	19.67	43.50	23.83	Horizontal	PASS
2	163.994	-15.94	22.11	43.50	21.39	Horizontal	PASS
3	190.210	-18.18	18.79	43.50	24.71	Horizontal	PASS
4	302.842	-15.60	21.55	46.00	24.45	Horizontal	PASS
5	385.375	-13.87	26.67	46.00	19.33	Horizontal	PASS
6	482.472	-11.82	26.62	46.00	19.38	Horizontal	PASS

Mode:	3-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	26.00	40.00	14.00	Vertical	PASS
2	61.0711	-16.46	22.56	40.00	17.44	Vertical	PASS
3	96.0260	-20.64	21.77	43.50	21.73	Vertical	PASS
4	167.877	-16.28	19.76	43.50	23.74	Vertical	PASS
5	386.346	-13.85	22.80	46.00	23.20	Vertical	PASS
6	482.472	-11.82	24.22	46.00	21.78	Vertical	PASS

Mode:	3-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	15.15	40.00	24.85	Horizontal	PASS
2	96.0260	-20.64	19.35	43.50	24.15	Horizontal	PASS
3	163.994	-15.94	18.52	43.50	24.98	Horizontal	PASS
4	385.375	-13.87	28.44	46.00	17.56	Horizontal	PASS
5	482.472	-11.82	26.07	46.00	19.93	Horizontal	PASS
6	895.135	-5.72	27.46	46.00	18.54	Horizontal	PASS

Mode:	3-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**




QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	61.0711	-16.46	23.70	40.00	16.30	Vertical	PASS
2	96.0260	-20.64	22.42	43.50	21.08	Vertical	PASS
3	163.994	-15.94	24.24	43.50	19.26	Vertical	PASS
4	411.591	-13.32	21.99	46.00	24.01	Vertical	PASS
5	482.472	-11.82	24.76	46.00	21.24	Vertical	PASS
6	823.283	-6.28	23.25	46.00	22.75	Vertical	PASS



Mode:	3-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------


### Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	15.68	40.00	24.32	Horizontal	PASS
2	96.0260	-20.64	19.25	43.50	24.25	Horizontal	PASS
3	163.994	-15.94	21.86	43.50	21.64	Horizontal	PASS
4	385.375	-13.87	27.32	46.00	18.68	Horizontal	PASS
5	482.472	-11.82	27.21	46.00	18.79	Horizontal	PASS
6	868.918	-5.92	23.26	46.00	22.74	Horizontal	PASS

Mode:	3-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	60.1001	-16.27	23.42	40.00	16.58	Vertical	PASS
2	96.0260	-20.64	23.16	43.50	20.34	Vertical	PASS
3	163.994	-15.94	20.92	43.50	22.58	Vertical	PASS
4	325.175	-15.13	19.22	46.00	26.78	Vertical	PASS
5	390.230	-13.77	21.73	46.00	24.27	Vertical	PASS
6	482.472	-11.82	23.84	46.00	22.16	Vertical	PASS

Above 1GHz

Mode:	DH5 2402	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.62	71.25	-14.85	56.40	74.00	17.60	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.62	64.02	-14.85	49.17	54.00	4.83	Horizontal	PASS

Mode:	DH5 2402	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.42	68.62	-14.86	53.76	74.00	20.24	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.42	56.73	-14.86	41.87	54.00	12.13	Vertical	PASS

Mode:	DH5 2441	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4882.22	71.56	-14.90	56.66	74.00	17.34	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4882.22	64.29	-14.90	49.39	54.00	4.61	Horizontal	PASS

Mode:	DH5 2441	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4881.98	70.42	-14.90	55.52	74.00	18.48	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4881.98	62.65	-14.90	47.75	54.00	6.25	Vertical	PASS

Mode:	DH5 2480	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4960.05	71.45	-14.58	56.87	74.00	17.13	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4960.05	65.09	-14.58	50.51	54.00	3.49	Horizontal	PASS

Mode:	DH5 2480	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4960.67	68.10	-14.58	53.52	74.00	20.48	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4960.67	55.88	-14.58	41.30	54.00	12.70	Vertical	PASS

Mode:	2-DH5 2402	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.16	72.43	-14.85	57.58	74.00	16.42	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.16	63.27	-14.85	48.42	54.00	5.58	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.12	72.71	-14.85	57.86	74.00	16.14	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.12	63.65	-14.85	48.80	54.00	5.20	Vertical	PASS

Mode:	2-DH5 2441	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4882.50	72.20	-14.90	57.30	74.00	16.70	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4882.50	62.04	-14.90	47.14	54.00	6.86	Horizontal	PASS

Mode:	2-DH5 2441	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4881.84	70.74	-14.90	55.84	74.00	18.16	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4881.84	60.53	-14.90	45.63	54.00	8.37	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4959.71	72.98	-14.59	58.39	74.00	15.61	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4959.71	63.18	-14.59	48.59	54.00	5.41	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4960.29	71.27	-14.58	56.69	74.00	17.31	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4960.29	60.76	-14.58	46.18	54.00	7.82	Vertical	PASS



Mode:	3-DH5 2402	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.54	69.88	-14.86	55.02	74.00	18.98	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.54	58.70	-14.86	43.84	54.00	10.16	Horizontal	PASS

Mode:	3-DH5 2402	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.88	70.09	-14.85	55.24	74.00	18.76	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.88	59.90	-14.85	45.05	54.00	8.95	Vertical	PASS