



Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.50	36.60
110	5550	39.60	36.40
134	5670	39.39	36.20


CH102






CH110
26 dB Bandwidth



CH134




99 % Emission Bandwidth



Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	82.40	75.60
122	5610	81.81	75.60

CH106




Date: 30.JUN.2020 17:09:42

CH122
26 dB Bandwidth




Date: 30.JUN.2020 17:10:25

99 % Emission Bandwidth



Date: 30.JUN.2020 17:09:16




Date: 30.JUN.2020 17:10:00

Test Mode UNII-3_TX AC (VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	17.80	500	Complies
157	5785	17.09	17.70	500	Complies
165	5825	16.35	17.70	500	Complies

CH149




Date: 30.JUN.2020 16:44:04

CH157
6 dB Bandwidth




Date: 30.JUN.2020 16:44:40

CH165




Date: 30.JUN.2020 16:45:14


99 % Emission Bandwidth



Date: 30.JUN.2020 16:43:27



Date: 30.JUN.2020 16:44:17




Date: 30.JUN.2020 16:44:50

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	75.00	75.20	500	Complies

CH155 6 dB Bandwidth



Date: 30 JUN 2020 17:11:25

99 % Emission Bandwidth




Date: 30 JUN 2020 17:10:58

Test Mode	UNII-1_TX AX (HEW20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.10	18.80
40	5200	21.49	19.10
48	5240	21.19	18.90

CH36




Date: 30.JUN.2020 17:11:55

CH40
26 dB Bandwidth




Date: 30.JUN.2020 17:12:24

CH48




Date: 30.JUN.2020 17:12:53


99 % Emission Bandwidth



Date: 30.JUN.2020 17:11:55



Date: 30.JUN.2020 17:12:04




Date: 30.JUN.2020 17:12:33

Test Mode	UNII-1_TX AX (HEW40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.40	37.80
46	5230	40.50	38.20

CH38




Date: 30.JUN.2020 17:19:32

CH46
26 dB Bandwidth




Date: 30.JUN.2020 17:20:02

99 % Emission Bandwidth



Date: 30.JUN.2020 17:19:05




Date: 30.JUN.2020 17:19:41

Test Mode	UNII-2A_TX AX (HEW20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.30	19.10
60	5300	21.10	18.90
64	5320	21.45	19.00

CH52




Date: 30.JUN.2020 17:13:25

CH60
26 dB Bandwidth




Date: 30.JUN.2020 17:13:59

CH64




Date: 30.JUN.2020 17:14:40


99 % Emission Bandwidth



Date: 30.JUN.2020 17:13:05



Date: 30.JUN.2020 17:13:38




Date: 30.JUN.2020 17:14:21

Test Mode	UNII-2A_TX AX (HEW40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	40.20	38.00
62	5310	40.40	38.00

CH54




Date: 30.JUN.2020 17:20:44

CH62
26 dB Bandwidth




Date: 30.JUN.2020 17:21:21

99 % Emission Bandwidth



Date: 30.JUN.2020 17:20:17




Date: 30.JUN.2020 17:20:53

Test Mode	UNII-2C_TX AX (HEW20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.35	19.20
116	5580	21.05	19.00
140	5700	20.70	18.70

CH100




Date: 30 JUN 2020 17:15:13

CH116
26 dB Bandwidth




Date: 30 JUN 2020 17:15:42

CH140




Date: 30 JUN 2020 17:16:52


99 % Emission Bandwidth



Date: 30 JUN 2020 17:14:53



Date: 30 JUN 2020 17:15:21




Date: 30 JUN 2020 17:15:52

Test Mode	UNII-2C_TX AX (HEW80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	82.60	77.20
122	5610	82.41	76.80

CH106




Date: 30.JUN.2020 17:27:57

CH122
26 dB Bandwidth




Date: 30.JUN.2020 17:28:39

99 % Emission Bandwidth



Date: 30.JUN.2020 17:27:31




Date: 30.JUN.2020 17:28:15

Test Mode	UNII-3_TX AX (HEW20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.85	18.90	500	Complies
157	5785	15.00	19.00	500	Complies
165	5825	17.55	18.90	500	Complies

CH149




Date: 30.JUN.2020 17:17:26

CH157
6 dB Bandwidth




Date: 30.JUN.2020 17:18:00

CH165




Date: 30.JUN.2020 17:18:31


99 % Emission Bandwidth



Date: 30.JUN.2020 17:17:03



Date: 30.JUN.2020 17:17:34




Date: 30.JUN.2020 17:18:10

Test Mode	UNII-3_TX AX (HEW40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	33.19	38.00	500	Complies
159	5795	38.20	38.00	500	Complies

CH151




Date: 30.JUN.2020 17:24:47

CH159 6 dB Bandwidth




Date: 30.JUN.2020 17:25:29

99 % Emission Bandwidth



Date: 30.JUN.2020 17:24:10




Date: 30.JUN.2020 17:25:01

Test Mode	UNII-3_TX AX (HEW80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	66.80	77.20	500	Complies

CH155 6 dB Bandwidth



Date: 30 JUN 2020 17:29:41

99 % Emission Bandwidth



Date: 30 JUN 2020 17:28:50

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.32	0.37	16.69	30.00	1.00	Complies
40	5200	16.04	0.37	16.41	30.00	1.00	Complies
48	5240	16.02	0.37	16.39	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.22	0.37	16.59	30.00	1.00	Complies
40	5200	16.25	0.37	16.62	30.00	1.00	Complies
48	5240	16.13	0.37	16.50	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.39	0.37	16.76	30.00	1.00	Complies
40	5200	16.51	0.37	16.88	30.00	1.00	Complies
48	5240	16.52	0.37	16.89	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.25	0.37	16.62	30.00	1.00	Complies
40	5200	16.46	0.37	16.83	30.00	1.00	Complies
48	5240	16.75	0.37	17.12	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.69	23.36	0.22	Complies
40	5200	22.71	23.36	0.22	Complies
48	5240	22.76	23.36	0.22	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.46	0.20	16.66	30.00	1.00	Complies
40	5200	15.78	0.20	15.98	30.00	1.00	Complies
48	5240	16.43	0.20	16.63	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.15	0.20	16.35	30.00	1.00	Complies
40	5200	16.40	0.20	16.60	30.00	1.00	Complies
48	5240	16.02	0.20	16.22	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.20	0.20	16.40	30.00	1.00	Complies
40	5200	16.49	0.20	16.69	30.00	1.00	Complies
48	5240	16.46	0.20	16.66	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.52	0.20	16.72	30.00	1.00	Complies
40	5200	16.68	0.20	16.88	30.00	1.00	Complies
48	5240	16.78	0.20	16.98	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.56	23.36	0.22	Complies
40	5200	22.57	23.36	0.22	Complies
48	5240	22.65	23.36	0.22	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.32	0.39	14.71	30.00	1.00	Complies
46	5230	16.32	0.39	16.71	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.21	0.39	14.60	30.00	1.00	Complies
46	5230	16.29	0.39	16.68	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.37	0.39	14.76	30.00	1.00	Complies
46	5230	16.59	0.39	16.98	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.32	0.39	14.71	30.00	1.00	Complies
46	5230	16.78	0.39	17.17	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.72	23.36	0.22	Complies
46	5230	22.91	23.36	0.22	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.71	0.37	11.08	24.00	0.25	Complies
60	5300	10.50	0.37	10.87	24.00	0.25	Complies
64	5320	10.83	0.37	11.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.35	0.37	10.72	24.00	0.25	Complies
60	5300	10.28	0.37	10.65	24.00	0.25	Complies
64	5320	9.91	0.37	10.28	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.72	0.37	11.09	24.00	0.25	Complies
60	5300	10.51	0.37	10.88	24.00	0.25	Complies
64	5320	9.95	0.37	10.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.31	0.37	10.68	24.00	0.25	Complies
60	5300	10.19	0.37	10.56	24.00	0.25	Complies
64	5320	10.40	0.37	10.77	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.92	17.32	0.05	Complies
60	5300	16.76	17.32	0.05	Complies
64	5320	16.68	17.32	0.05	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.65	0.20	10.85	24.00	0.25	Complies
60	5300	10.89	0.20	11.09	24.00	0.25	Complies
64	5320	10.82	0.20	11.02	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.48	0.20	10.68	24.00	0.25	Complies
60	5300	10.36	0.20	10.56	24.00	0.25	Complies
64	5320	10.19	0.20	10.39	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.28	0.20	10.48	24.00	0.25	Complies
60	5300	10.36	0.20	10.56	24.00	0.25	Complies
64	5320	10.63	0.20	10.83	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.41	0.20	10.61	24.00	0.25	Complies
60	5300	10.72	0.20	10.92	24.00	0.25	Complies
64	5320	10.27	0.20	10.47	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.68	17.32	0.05	Complies
60	5300	16.81	17.32	0.05	Complies
64	5320	16.71	17.32	0.05	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.54	0.39	10.93	24.00	0.25	Complies
62	5310	10.73	0.39	11.12	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.77	0.39	10.16	24.00	0.25	Complies
62	5310	9.97	0.39	10.36	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.32	0.39	10.71	24.00	0.25	Complies
62	5310	10.29	0.39	10.68	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.40	0.39	10.79	24.00	0.25	Complies
62	5310	10.24	0.39	10.63	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.68	17.32	0.05	Complies
62	5310	16.73	17.32	0.05	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.74	0.37	10.11	24.00	0.25	Complies
116	5580	9.71	0.37	10.08	24.00	0.25	Complies
140	5700	9.96	0.37	10.33	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.39	0.37	10.76	24.00	0.25	Complies
116	5580	9.89	0.37	10.26	24.00	0.25	Complies
140	5700	10.18	0.37	10.55	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.85	0.37	11.22	24.00	0.25	Complies
116	5580	10.41	0.37	10.78	24.00	0.25	Complies
140	5700	10.02	0.37	10.39	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.66	0.37	11.03	24.00	0.25	Complies
116	5580	10.59	0.37	10.96	24.00	0.25	Complies
140	5700	10.74	0.37	11.11	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.82	17.49	0.06	Complies
116	5580	16.56	17.49	0.06	Complies
140	5700	16.63	17.49	0.06	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.65	0.20	10.85	24.00	0.25	Complies
116	5580	9.63	0.20	9.83	24.00	0.25	Complies
140	5700	9.02	0.20	9.22	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.29	0.20	10.49	24.00	0.25	Complies
116	5580	10.70	0.20	10.90	24.00	0.25	Complies
140	5700	10.71	0.20	10.91	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.51	0.20	10.71	24.00	0.25	Complies
116	5580	10.40	0.20	10.60	24.00	0.25	Complies
140	5700	10.93	0.20	11.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.49	0.20	10.69	24.00	0.25	Complies
116	5580	10.66	0.20	10.86	24.00	0.25	Complies
140	5700	10.81	0.20	11.01	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.71	17.49	0.06	Complies
116	5580	16.59	17.49	0.06	Complies
140	5700	16.66	17.49	0.06	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.29	0.39	10.68	24.00	0.25	Complies
110	5550	10.28	0.39	10.67	24.00	0.25	Complies
134	5670	9.76	0.39	10.15	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.33	0.39	10.72	24.00	0.25	Complies
110	5550	10.09	0.39	10.48	24.00	0.25	Complies
134	5670	10.40	0.39	10.79	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.51	0.39	10.90	24.00	0.25	Complies
110	5550	10.57	0.39	10.96	24.00	0.25	Complies
134	5670	10.15	0.39	10.54	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.47	0.39	10.86	24.00	0.25	Complies
110	5550	10.61	0.39	11.00	24.00	0.25	Complies
134	5670	10.91	0.39	11.30	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.81	17.49	0.06	Complies
110	5550	16.80	17.49	0.06	Complies
134	5670	16.74	17.49	0.06	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.63	0.37	17.00	30.00	1.00	Complies
157	5785	16.39	0.37	16.76	30.00	1.00	Complies
165	5825	16.53	0.37	16.90	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.69	0.37	16.06	30.00	1.00	Complies
157	5785	16.02	0.37	16.39	30.00	1.00	Complies
165	5825	16.00	0.37	16.37	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.61	0.37	16.98	30.00	1.00	Complies
157	5785	16.68	0.37	17.05	30.00	1.00	Complies
165	5825	16.54	0.37	16.91	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.96	0.37	17.33	30.00	1.00	Complies
157	5785	16.83	0.37	17.20	30.00	1.00	Complies
165	5825	16.66	0.37	17.03	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.89	23.37	0.22	Complies
157	5785	22.88	23.37	0.22	Complies
165	5825	22.83	23.37	0.22	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.11	0.20	16.31	30.00	1.00	Complies
157	5785	16.84	0.20	17.04	30.00	1.00	Complies
165	5825	16.53	0.20	16.73	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.76	0.20	15.96	30.00	1.00	Complies
157	5785	15.36	0.20	15.56	30.00	1.00	Complies
165	5825	16.07	0.20	16.27	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.72	0.20	16.92	30.00	1.00	Complies
157	5785	16.97	0.20	17.17	30.00	1.00	Complies
165	5825	16.16	0.20	16.36	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.65	0.20	16.85	30.00	1.00	Complies
157	5785	16.72	0.20	16.92	30.00	1.00	Complies
165	5825	17.03	0.20	17.23	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.55	23.37	0.22	Complies
157	5785	22.74	23.37	0.22	Complies
165	5825	22.69	23.37	0.22	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.58	0.39	16.97	30.00	1.00	Complies
159	5795	16.44	0.39	16.83	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.69	0.39	16.08	30.00	1.00	Complies
159	5795	15.85	0.39	16.24	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.65	0.39	17.04	30.00	1.00	Complies
159	5795	16.76	0.39	17.15	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.84	0.39	17.23	30.00	1.00	Complies
159	5795	16.90	0.39	17.29	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.87	23.37	0.22	Complies
159	5795	22.92	23.37	0.22	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.96	0.22	16.18	30.00	1.00	Complies
40	5200	16.45	0.22	16.67	30.00	1.00	Complies
48	5240	16.37	0.22	16.59	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.54	0.22	16.76	30.00	1.00	Complies
40	5200	16.07	0.22	16.29	30.00	1.00	Complies
48	5240	15.90	0.22	16.12	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.48	0.22	16.70	30.00	1.00	Complies
40	5200	16.41	0.22	16.63	30.00	1.00	Complies
48	5240	16.54	0.22	16.76	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.74	0.22	16.96	30.00	1.00	Complies
40	5200	16.86	0.22	17.08	30.00	1.00	Complies
48	5240	16.85	0.22	17.07	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.68	23.36	0.22	Complies
40	5200	22.69	23.36	0.22	Complies
48	5240	22.67	23.36	0.22	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.27	0.39	14.66	30.00	1.00	Complies
46	5230	16.42	0.39	16.81	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.03	0.39	14.42	30.00	1.00	Complies
46	5230	16.31	0.39	16.70	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.14	0.39	14.53	30.00	1.00	Complies
46	5230	16.68	0.39	17.07	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.28	0.39	14.67	30.00	1.00	Complies
46	5230	16.64	0.39	17.03	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.59	23.36	0.22	Complies
46	5230	22.93	23.36	0.22	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.56	0.34	13.90	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.11	0.34	13.45	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.37	0.34	13.71	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.66	0.34	14.00	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.79	23.36	0.22	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.77	0.22	10.99	24.00	0.25	Complies
60	5300	10.95	0.22	11.17	24.00	0.25	Complies
64	5320	10.79	0.22	11.01	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.59	0.22	10.81	24.00	0.25	Complies
60	5300	10.48	0.22	10.70	24.00	0.25	Complies
64	5320	10.26	0.22	10.48	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.36	0.22	10.58	24.00	0.25	Complies
60	5300	10.42	0.22	10.64	24.00	0.25	Complies
64	5320	10.71	0.22	10.93	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.62	0.22	10.84	24.00	0.25	Complies
60	5300	10.88	0.22	11.10	24.00	0.25	Complies
64	5320	10.31	0.22	10.53	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.83	17.32	0.05	Complies
60	5300	16.93	17.32	0.05	Complies
64	5320	16.76	17.32	0.05	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.57	0.39	10.96	24.00	0.25	Complies
62	5310	10.73	0.39	11.12	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.76	0.39	10.15	24.00	0.25	Complies
62	5310	10.06	0.39	10.45	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.33	0.39	10.72	24.00	0.25	Complies
62	5310	10.33	0.39	10.72	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.41	0.39	10.80	24.00	0.25	Complies
62	5310	10.28	0.39	10.67	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.69	17.32	0.05	Complies
62	5310	16.77	17.32	0.05	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.47	0.34	10.81	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.92	0.34	10.26	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.35	0.34	10.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.26	0.34	10.60	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.61	17.32	0.05	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.51	0.22	10.73	24.00	0.25	Complies
116	5580	9.71	0.22	9.93	24.00	0.25	Complies
140	5700	9.16	0.22	9.38	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.20	0.22	10.42	24.00	0.25	Complies
116	5580	10.86	0.22	11.08	24.00	0.25	Complies
140	5700	10.85	0.22	11.07	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.42	0.22	10.64	24.00	0.25	Complies
116	5580	10.52	0.22	10.74	24.00	0.25	Complies
140	5700	11.06	0.22	11.28	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.44	0.22	10.66	24.00	0.25	Complies
116	5580	10.75	0.22	10.97	24.00	0.25	Complies
140	5700	10.84	0.22	11.06	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.63	17.49	0.06	Complies
116	5580	16.72	17.49	0.06	Complies
140	5700	16.78	17.49	0.06	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.28	0.39	10.67	24.00	0.25	Complies
110	5550	10.02	0.39	10.41	24.00	0.25	Complies
134	5670	9.87	0.39	10.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.31	0.39	10.70	24.00	0.25	Complies
110	5550	9.92	0.39	10.31	24.00	0.25	Complies
134	5670	10.45	0.39	10.84	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.53	0.39	10.92	24.00	0.25	Complies
110	5550	10.27	0.39	10.66	24.00	0.25	Complies
134	5670	10.27	0.39	10.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.52	0.39	10.91	24.00	0.25	Complies
110	5550	10.43	0.39	10.82	24.00	0.25	Complies
134	5670	10.92	0.39	11.31	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.82	17.49	0.06	Complies
110	5550	16.58	17.49	0.06	Complies
134	5670	16.80	17.49	0.06	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.42	0.34	10.76	24.00	0.25	Complies
122	5610	10.12	0.34	10.46	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.26	0.34	10.60	24.00	0.25	Complies
122	5610	10.04	0.34	10.38	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.80	0.34	11.14	24.00	0.25	Complies
122	5610	10.52	0.34	10.86	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.56	0.34	10.90	24.00	0.25	Complies
122	5610	11.31	0.34	11.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.87	17.49	0.06	Complies
122	5610	16.89	17.49	0.06	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.16	0.22	16.38	30.00	1.00	Complies
157	5785	16.89	0.22	17.11	30.00	1.00	Complies
165	5825	16.59	0.22	16.81	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.79	0.22	16.01	30.00	1.00	Complies
157	5785	15.39	0.22	15.61	30.00	1.00	Complies
165	5825	16.14	0.22	16.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.74	0.22	16.96	30.00	1.00	Complies
157	5785	17.03	0.22	17.25	30.00	1.00	Complies
165	5825	16.21	0.22	16.43	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.69	0.22	16.91	30.00	1.00	Complies
157	5785	16.78	0.22	17.00	30.00	1.00	Complies
165	5825	17.17	0.22	17.39	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.60	23.37	0.22	Complies
157	5785	22.81	23.37	0.22	Complies
165	5825	22.78	23.37	0.22	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.61	0.39	17.00	30.00	1.00	Complies
159	5795	16.45	0.39	16.84	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.71	0.39	16.10	30.00	1.00	Complies
159	5795	15.88	0.39	16.27	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.67	0.39	17.06	30.00	1.00	Complies
159	5795	16.77	0.39	17.16	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.85	0.39	17.24	30.00	1.00	Complies
159	5795	16.91	0.39	17.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.89	23.37	0.22	Complies
159	5795	22.93	23.37	0.22	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.54	0.34	16.88	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.79	0.34	16.13	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.98	0.34	17.32	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.02	0.34	17.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.97	23.37	0.22	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.18	0.22	16.40	30.00	1.00	Complies
40	5200	16.36	0.22	16.58	30.00	1.00	Complies
48	5240	16.03	0.22	16.25	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.45	0.22	16.67	30.00	1.00	Complies
40	5200	16.58	0.22	16.80	30.00	1.00	Complies
48	5240	16.16	0.22	16.38	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.60	0.22	16.82	30.00	1.00	Complies
40	5200	16.51	0.22	16.73	30.00	1.00	Complies
48	5240	16.65	0.22	16.87	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.85	0.22	17.07	30.00	1.00	Complies
40	5200	16.71	0.22	16.93	30.00	1.00	Complies
48	5240	16.93	0.22	17.15	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.76	23.36	0.22	Complies
40	5200	22.78	23.36	0.22	Complies
48	5240	22.70	23.36	0.22	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.27	0.39	14.66	30.00	1.00	Complies
46	5230	16.14	0.39	16.53	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.58	0.39	14.97	30.00	1.00	Complies
46	5230	16.03	0.39	16.42	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.55	0.39	14.94	30.00	1.00	Complies
46	5230	16.52	0.39	16.91	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.79	0.39	15.18	30.00	1.00	Complies
46	5230	16.36	0.39	16.75	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.96	23.36	0.22	Complies
46	5230	22.68	23.36	0.22	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.38	0.34	13.72	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.62	0.34	13.96	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.50	0.34	13.84	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.60	0.34	13.94	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.88	23.36	0.22	Complies

Test Mode	UNII-2A_TX AX (HEW20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.71	0.22	10.93	24.00	0.25	Complies
60	5300	10.83	0.22	11.05	24.00	0.25	Complies
64	5320	11.01	0.22	11.23	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.14	0.22	10.36	24.00	0.25	Complies
60	5300	10.28	0.22	10.50	24.00	0.25	Complies
64	5320	10.18	0.22	10.40	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.69	0.22	10.91	24.00	0.25	Complies
60	5300	10.44	0.22	10.66	24.00	0.25	Complies
64	5320	10.49	0.22	10.71	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.58	0.22	10.80	24.00	0.25	Complies
60	5300	10.62	0.22	10.84	24.00	0.25	Complies
64	5320	10.48	0.22	10.70	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.77	17.32	0.05	Complies
60	5300	16.79	17.32	0.05	Complies
64	5320	16.79	17.32	0.05	Complies

Test Mode	UNII-2A_TX AX (HEW40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.84	0.39	11.23	24.00	0.25	Complies
62	5310	10.76	0.39	11.15	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.04	0.39	10.43	24.00	0.25	Complies
62	5310	10.28	0.39	10.67	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.72	0.39	11.11	24.00	0.25	Complies
62	5310	10.31	0.39	10.70	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.46	0.39	10.85	24.00	0.25	Complies
62	5310	10.62	0.39	11.01	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.94	17.32	0.05	Complies
62	5310	16.91	17.32	0.05	Complies

Test Mode	UNII-2A_TX AX (HEW80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.91	0.34	11.25	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.14	0.34	10.48	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.57	0.34	10.91	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.53	0.34	10.87	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HEW80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.78	17.32	0.05	Complies

Test Mode	UNII-2C_TX AX (HEW20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.68	0.22	9.90	24.00	0.25	Complies
116	5580	10.58	0.22	10.80	24.00	0.25	Complies
140	5700	10.74	0.22	10.96	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.43	0.22	10.65	24.00	0.25	Complies
116	5580	10.43	0.22	10.65	24.00	0.25	Complies
140	5700	10.47	0.22	10.69	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.95	0.22	11.17	24.00	0.25	Complies
116	5580	10.67	0.22	10.89	24.00	0.25	Complies
140	5700	10.36	0.22	10.58	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.15	0.22	11.37	24.00	0.25	Complies
116	5580	10.97	0.22	11.19	24.00	0.25	Complies
140	5700	11.18	0.22	11.40	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.83	17.49	0.06	Complies
116	5580	16.87	17.49	0.06	Complies
140	5700	16.94	17.49	0.06	Complies

Test Mode	UNII-2C_TX AX (HEW40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.05	0.39	10.44	24.00	0.25	Complies
110	5550	10.26	0.39	10.65	24.00	0.25	Complies
134	5670	9.83	0.39	10.22	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.17	0.39	10.56	24.00	0.25	Complies
110	5550	10.21	0.39	10.60	24.00	0.25	Complies
134	5670	10.25	0.39	10.64	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.21	0.39	10.60	24.00	0.25	Complies
110	5550	10.55	0.39	10.94	24.00	0.25	Complies
134	5670	10.08	0.39	10.47	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.35	0.39	10.74	24.00	0.25	Complies
110	5550	10.63	0.39	11.02	24.00	0.25	Complies
134	5670	10.62	0.39	11.01	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.61	17.49	0.06	Complies
110	5550	16.83	17.49	0.06	Complies
134	5670	16.62	17.49	0.06	Complies

Test Mode	UNII-2C_TX AX (HEW80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.23	0.34	10.57	24.00	0.25	Complies
122	5610	9.97	0.34	10.31	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.17	0.34	10.51	24.00	0.25	Complies
122	5610	9.92	0.34	10.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.49	0.34	10.83	24.00	0.25	Complies
122	5610	10.28	0.34	10.62	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.42	0.34	10.76	24.00	0.25	Complies
122	5610	11.07	0.34	11.41	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HEW80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.69	17.49	0.06	Complies
122	5610	16.69	17.49	0.06	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.83	0.22	17.05	30.00	1.00	Complies
157	5785	16.61	0.22	16.83	30.00	1.00	Complies
165	5825	16.67	0.22	16.89	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.86	0.22	16.08	30.00	1.00	Complies
157	5785	16.02	0.22	16.24	30.00	1.00	Complies
165	5825	16.46	0.22	16.68	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.91	0.22	17.13	30.00	1.00	Complies
157	5785	16.78	0.22	17.00	30.00	1.00	Complies
165	5825	16.58	0.22	16.80	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.89	0.22	17.11	30.00	1.00	Complies
157	5785	17.12	0.22	17.34	30.00	1.00	Complies
165	5825	16.95	0.22	17.17	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.88	23.37	0.22	Complies
157	5785	22.89	23.37	0.22	Complies
165	5825	22.91	23.37	0.22	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.43	0.39	16.82	30.00	1.00	Complies
159	5795	16.25	0.39	16.64	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.55	0.39	15.94	30.00	1.00	Complies
159	5795	15.54	0.39	15.93	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.47	0.39	16.86	30.00	1.00	Complies
159	5795	16.83	0.39	17.22	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.52	0.39	16.91	30.00	1.00	Complies
159	5795	16.86	0.39	17.25	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.67	23.37	0.22	Complies
159	5795	22.81	23.37	0.22	Complies

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.73	0.34	17.07	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.13	0.34	16.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.65	0.34	16.99	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.58	0.34	16.92	30.00	1.00	Complies


Test Mode	UNII-3_TX AX (HEW80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.89	23.37	0.22	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.15	0.37	2.52	17.00	Complies
40	5200	2.37	0.37	2.74	17.00	Complies
48	5240	2.42	0.37	2.79	17.00	Complies



Date: 30 JUN 2020 09:15:32




Date: 30 JUN 2020 09:21:06




Date: 30 JUN 2020 09:33:26

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.20	0.37	2.57	17.00	Complies
40	5200	1.83	0.37	2.20	17.00	Complies
48	5240	2.31	0.37	2.68	17.00	Complies



Date: 30 JUN 2020 09:15:11




Date: 30 JUN 2020 09:20:42




Date: 30 JUN 2020 09:33:04

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.40	0.37	3.77	17.00	Complies
40	5200	3.29	0.37	3.66	17.00	Complies
48	5240	3.46	0.37	3.83	17.00	Complies



Date: 30 JUN 2020 09:14:51




Date: 30 JUN 2020 09:20:18




Date: 30 JUN 2020 09:32:43

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------


	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.34	0.37	3.71	17.00	Complies
40	5200	3.53	0.37	3.90	17.00	Complies
48	5240	3.43	0.37	3.80	17.00	Complies



Date: 30 JUN 2020 09:14:27



Date: 30 JUN 2020 09:19:55




Date: 30 JUN 2020 09:32:22

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.21	10.36	Complies
40	5200	9.20	10.36	Complies
48	5240	9.33	10.36	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.32	0.37	-2.95	11.00	Complies
60	5300	-3.61	0.37	-3.24	11.00	Complies
64	5320	-3.88	0.37	-3.51	11.00	Complies



Date: 30 JUN 2020 09:42:05




Date: 30 JUN 2020 09:48:04




Date: 30 JUN 2020 09:53:17

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.35	0.37	-2.98	11.00	Complies
60	5300	-4.52	0.37	-4.15	11.00	Complies
64	5320	-4.66	0.37	-4.29	11.00	Complies



Date: 30 JUN 2020 09:41:41




Date: 30 JUN 2020 09:47:38




Date: 30 JUN 2020 09:53:17

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.63	0.37	-2.26	11.00	Complies
60	5300	-2.93	0.37	-2.56	11.00	Complies
64	5320	-2.92	0.37	-2.55	11.00	Complies



Date: 30 JUN 2020 09:41:22




Date: 30 JUN 2020 09:47:18




Date: 30 JUN 2020 09:49:33

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.74	0.37	-2.37	11.00	Complies
60	5300	-2.98	0.37	-2.61	11.00	Complies
64	5320	-2.92	0.37	-2.55	11.00	Complies



Date: 30 JUN 2020 09:41:01



Date: 30 JUN 2020 09:46:50




Date: 30 JUN 2020 09:49:10

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.39	4.32	Complies
60	5300	2.93	4.32	Complies
64	5320	2.86	4.32	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.12	0.37	-2.75	11.00	Complies
116	5580	-2.95	0.37	-2.58	11.00	Complies
140	5700	-4.10	0.37	-3.73	11.00	Complies



Date: 30 JUN 2020 09:56:56




Date: 30 JUN 2020 10:09:10




Date: 30 JUN 2020 10:15:04

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.55	0.37	-2.18	11.00	Complies
116	5580	-3.60	0.37	-3.23	11.00	Complies
140	5700	-2.82	0.37	-2.45	11.00	Complies



Date: 30 JUN 2020 09:56:34




Date: 30 JUN 2020 10:08:32




Date: 30 JUN 2020 10:14:39

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.64	0.37	-2.27	11.00	Complies
116	5580	-3.04	0.37	-2.67	11.00	Complies
140	5700	-3.73	0.37	-3.36	11.00	Complies



Date: 30 JUN 2020 09:56:11




Date: 30 JUN 2020 09:59:33




Date: 30 JUN 2020 10:14:17

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.77	0.37	-2.40	11.00	Complies
116	5580	-2.48	0.37	-2.11	11.00	Complies
140	5700	-2.46	0.37	-2.09	11.00	Complies



Date: 30 JUN 2020 09:54:58



Date: 30 JUN 2020 09:59:13



Date: 30 JUN 2020 10:13:09

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.63	4.49	Complies
116	5580	3.39	4.49	Complies
140	5700	3.17	4.49	Complies