


# **DIY MINI** Smart Switch


Quick Installation Guide V 1.0



Wi-Fi DIY Smart Switch

1

### Power off




To avoid electric shocks, please consult the dealer or a qualified professional for help when installing and repairing! Please do not touch the switch during use.

2

## Wiring instruction


Make sure the neutral wire and live wire connection is correct.



S1/S2 can connect with the rocker light switch (the self-return rocker light switch is not supported) or doesn't connect. To ensure safety, do not connect the neutral wire and live wire to it.

3

### Download the APP



## 4

### Power on and Pairing

Power on,

If Buzzer : the Buzzer will be make "D|~D|~D|~" sound, Then open "Smart life" to Pairing.

If LED: The LED will be light flashing.

IF don't have the "D|~D|~D|~" Sound, or the led don't light flashing.

you can:

A): Long press the manual button for 5s,

B): Open and close rocker switch six times

(if connect) ,

C): Turn on and off the power six times .

until the Buzzer make "D|~D|~D|~" sound, or the led light flashing.

## 5

### Add the device

Tap "+" to operate following the prompt on the APP.

Input	AC 100-240V 50/60Hz
Output	AC 100-240V 50/60Hz
Maximum current	10A/16A
For LED	Max 150W
WiFi	IEEE 802.11 b/g/n
Material	PC V-0
APP	Smart Life

FCC WARNING:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

MADE IN CHINA

