

Out of Band Conducted Emissions Measurement

■ Test Graphs


Reference level




Mode 3: IEEE 802.11g Continuous TX mode_ANT-0

2412 MHz	
2437 MHz	
2462 MHz	



Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-0




Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-0




Mode 2: IEEE 802.11b Continuous TX mode_ANT-1

2412 MHz	
2437 MHz	
2462 MHz	

Mode 3: IEEE 802.11g Continuous TX mode_ANT-1





Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-1




Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-1

2422 MHz	
2437 MHz	
2452 MHz	

Mode 2: IEEE 802.11b Continuous TX mode_ANT-2

2412 MHz	
2437 MHz	
2462 MHz	

Mode 3: IEEE 802.11g Continuous TX mode_ANT-2






Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-2



Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-2

2422 MHz	
2437 MHz	
2452 MHz	

Mode 2: IEEE 802.11b Continuous TX mode_ANT-3

2412 MHz	
2437 MHz	
2462 MHz	



Mode 3: IEEE 802.11g Continuous TX mode_ANT-3

2412 MHz	
2437 MHz	
2462 MHz	

Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-3

2412 MHz	
2437 MHz	
2462 MHz	


Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-3

2422 MHz	
2437 MHz	
2452 MHz	


Out of Band Conducted Spurious Emission

Mode 2: IEEE 802.11b Continuous TX mode_ANT-0


2412 MHz



2437 MHz




2462 MHz




Mode 3: IEEE 802.11g Continuous TX mode_ANT-0

2412 MHz	 Center Frequency: 12.51500000 GHz Span: 24.97000000 GHz Start Freq: 30.000000 MHz Stop Freq: 25.00000000 GHz AUTO TUNE CF Step: 2.497000000 GHz Freq Offset: 0 Hz X Axis Scale: Log Marker Table: <table><tr><th>Mode</th><th>Trace</th><th>Scale</th><th>X</th><th>Y</th><th>Function</th><th>Function Width</th><th>Function Value</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.410 9 GHz</td><td>2.470 dBm</td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>24.802 1 GHz</td><td>-30.19 dBm</td><td></td><td></td></tr></table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	1	N	1	f	2.410 9 GHz	2.470 dBm			2	N	1	f	24.802 1 GHz	-30.19 dBm		
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
1	N	1	f	2.410 9 GHz	2.470 dBm																				
2	N	1	f	24.802 1 GHz	-30.19 dBm																				
2437 MHz	 Center Frequency: 12.51500000 GHz Span: 24.97000000 GHz Start Freq: 30.000000 MHz Stop Freq: 25.00000000 GHz AUTO TUNE CF Step: 2.497000000 GHz Freq Offset: 0 Hz X Axis Scale: Log Marker Table: <table><tr><th>Mode</th><th>Trace</th><th>Scale</th><th>X</th><th>Y</th><th>Function</th><th>Function Width</th><th>Function Value</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.435 9 GHz</td><td>2.303 dBm</td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>24.700 4 GHz</td><td>-29.54 dBm</td><td></td><td></td></tr></table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	1	N	1	f	2.435 9 GHz	2.303 dBm			2	N	1	f	24.700 4 GHz	-29.54 dBm		
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
1	N	1	f	2.435 9 GHz	2.303 dBm																				
2	N	1	f	24.700 4 GHz	-29.54 dBm																				
2462 MHz	 Center Frequency: 12.51500000 GHz Span: 24.97000000 GHz Start Freq: 30.000000 MHz Stop Freq: 25.00000000 GHz AUTO TUNE CF Step: 2.497000000 GHz Freq Offset: 0 Hz X Axis Scale: Log Marker Table: <table><tr><th>Mode</th><th>Trace</th><th>Scale</th><th>X</th><th>Y</th><th>Function</th><th>Function Width</th><th>Function Value</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.467 1 GHz</td><td>3.282 dBm</td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>24.779 6 GHz</td><td>-29.80 dBm</td><td></td><td></td></tr></table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	1	N	1	f	2.467 1 GHz	3.282 dBm			2	N	1	f	24.779 6 GHz	-29.80 dBm		
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
1	N	1	f	2.467 1 GHz	3.282 dBm																				
2	N	1	f	24.779 6 GHz	-29.80 dBm																				

Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-0



Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-0



Mode 2: IEEE 802.11b Continuous TX mode_ANT-1

2412 MHz



2437 MHz



2462 MHz



Mode 3: IEEE 802.11g Continuous TX mode_ANT-1

2412 MHz




2437 MHz




2462 MHz



Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-1



Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-1



Mode 2: IEEE 802.11b Continuous TX mode_ANT-2

2412 MHz




2437 MHz




2462 MHz




Mode 3: IEEE 802.11g Continuous TX mode_ANT-2



Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-2



Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-2



Mode 2: IEEE 802.11b Continuous TX mode_ANT-3

2412 MHz



2437 MHz



2462 MHz



Mode 3: IEEE 802.11g Continuous TX mode_ANT-3


2412 MHz	 Center Frequency: 12.515000000 GHz Span: 24.9700000 GHz Start Freq: 30.0000000 MHz Stop Freq: 25.000000000 GHz AUTO TUNE CF Step: 2.497000000 GHz Freq Offset: 0 Hz X Axis Scale: Log Marker Table: <table><tr><th>Mode</th><th>Trace</th><th>Scale</th><th>X</th><th>Y</th><th>Function</th><th>Function Width</th><th>Function Value</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.407 1 GHz</td><td>6.600 dBm</td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>24.793 4 GHz</td><td>-30.26 dBm</td><td></td><td></td></tr></table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	1	N	1	f	2.407 1 GHz	6.600 dBm			2	N	1	f	24.793 4 GHz	-30.26 dBm		
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
1	N	1	f	2.407 1 GHz	6.600 dBm																				
2	N	1	f	24.793 4 GHz	-30.26 dBm																				
2437 MHz	 Center Frequency: 12.515000000 GHz Span: 24.9700000 GHz Start Freq: 30.0000000 MHz Stop Freq: 25.000000000 GHz AUTO TUNE CF Step: 2.497000000 GHz Freq Offset: 0 Hz X Axis Scale: Log Marker Table: <table><tr><th>Mode</th><th>Trace</th><th>Scale</th><th>X</th><th>Y</th><th>Function</th><th>Function Width</th><th>Function Value</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.438 4 GHz</td><td>5.755 dBm</td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>24.831 5 GHz</td><td>-30.40 dBm</td><td></td><td></td></tr></table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	1	N	1	f	2.438 4 GHz	5.755 dBm			2	N	1	f	24.831 5 GHz	-30.40 dBm		
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
1	N	1	f	2.438 4 GHz	5.755 dBm																				
2	N	1	f	24.831 5 GHz	-30.40 dBm																				
2462 MHz	 Center Frequency: 12.515000000 GHz Span: 24.9700000 GHz Start Freq: 30.0000000 MHz Stop Freq: 25.000000000 GHz AUTO TUNE CF Step: 2.497000000 GHz Freq Offset: 0 Hz X Axis Scale: Log Marker Table: <table><tr><th>Mode</th><th>Trace</th><th>Scale</th><th>X</th><th>Y</th><th>Function</th><th>Function Width</th><th>Function Value</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.467 1 GHz</td><td>5.370 dBm</td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>24.790 9 GHz</td><td>-29.64 dBm</td><td></td><td></td></tr></table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	1	N	1	f	2.467 1 GHz	5.370 dBm			2	N	1	f	24.790 9 GHz	-29.64 dBm		
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
1	N	1	f	2.467 1 GHz	5.370 dBm																				
2	N	1	f	24.790 9 GHz	-29.64 dBm																				

Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-3


2412 MHz



2437 MHz



2462 MHz




Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-3


2422 MHz



2437 MHz



2452 MHz



Conducted Band Edge

Mode 2: IEEE 802.11b Continuous TX mode_ANT-0

2412 MHz




2462 MHz



Mode 3: IEEE 802.11g Continuous TX mode_ANT-0

2412 MHz



2462 MHz



Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-0



Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-0




Mode 2: IEEE 802.11b Continuous TX mode_ANT-1




Mode 3: IEEE 802.11g Continuous TX mode_ANT-1

2412 MHz




2462 MHz



Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-1



Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-1



Mode 2: IEEE 802.11b Continuous TX mode_ANT-2



Mode 3: IEEE 802.11g Continuous TX mode_ANT-2



Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-2



Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-2



Mode 2: IEEE 802.11b Continuous TX mode_ANT-3




Mode 3: IEEE 802.11g Continuous TX mode_ANT-3




Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-3

2412 MHz



2462 MHz




Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-3

2422 MHz



2452 MHz



Beamforming on

Maximum Conducted Output Power Measurement

Test Mode	Frequency (MHz)	RF Power setting in Test Software				Test Software Version
		ANT-0	ANT-1	ANT-2	ANT-3	
Mode 4	2412	10.5	10.5	10.5	10.5	QSPR Version 5.0-00188
	2437	10.0	10.0	10.0	10.0	
	2462	9.0	9.0	9.0	9.0	
Mode 5	2422	8.0	8.0	8.0	8.0	
	2437	10.5	10.5	10.5	10.5	
	2452	7.5	7.5	7.5	7.5	
Mode 6	2412	10.5	10.5	10.5	10.5	
	2437	10.0	10.0	10.0	10.0	
	2462	9.0	9.0	9.0	9.0	
Mode 7	2422	8.0	8.0	8.0	8.0	
	2437	10.5	10.5	10.5	10.5	
	2452	7.5	7.5	7.5	7.5	

Test Mode	Frequency (MHz)	Data Rate	Average Output Power										
			Measurement Results										Limit (dBm)
			ANT-0		ANT-1		ANT-2		ANT-3		ANT-0+1+2+3		
			(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
Mode 4	2412	26 M	9.44	0.009	9.67	0.009	9.77	0.009	9.64	0.009	15.65	0.037	≤ 26.88
	2437		8.75	0.007	8.88	0.008	9.01	0.008	9.01	0.008	14.93	0.031	≤ 26.88
	2462		8.03	0.006	8.12	0.006	8.17	0.007	7.97	0.006	14.09	0.026	≤ 26.88
Mode 5	2422	54 M	7.41	0.006	7.68	0.006	8.02	0.006	7.65	0.006	13.72	0.024	≤ 26.88
	2437		9.97	0.010	9.97	0.010	10.30	0.011	10.11	0.010	16.11	0.041	≤ 26.88
	2452		6.96	0.005	7.25	0.005	7.30	0.005	7.33	0.005	13.23	0.021	≤ 26.88
Mode 6	2412	26 M	9.48	0.009	9.68	0.009	9.83	0.010	9.72	0.009	15.70	0.037	≤ 26.88
	2437		8.85	0.008	8.91	0.008	9.10	0.008	9.02	0.008	14.99	0.032	≤ 26.88
	2462		8.11	0.006	8.19	0.007	8.25	0.007	8.09	0.006	14.18	0.026	≤ 26.88
Mode 7	2422	54 M	7.53	0.006	7.78	0.006	8.04	0.006	7.73	0.006	13.79	0.024	≤ 26.88
	2437		10.04	0.010	10.07	0.010	10.39	0.011	10.14	0.010	16.18	0.041	≤ 26.88
	2452		7.08	0.005	7.32	0.005	7.39	0.005	7.42	0.006	13.33	0.022	≤ 26.88




Note: The relevant measured result has the offset with cable loss already.

6 dB RF Bandwidth Measurement

Test Mode	Frequency (MHz)	Measurement (kHz)				Limit (kHz)
		ANT-0	ANT-1	ANT-2	ANT-3	
Mode 6	2412	17250	16740	17130	17140	≥ 500
	2437	16990	16450	16980	17160	≥ 500
	2462	17380	16310	17130	17290	≥ 500
Mode 7	2422	35170	35230	35190	35150	≥ 500
	2437	35170	35180	35180	35150	≥ 500
	2452	35160	35160	35200	35170	≥ 500

Test Graphs

Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-0


2412 MHz	
2437 MHz	
2462 MHz	

Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-0


2422 MHz



2437 MHz



2452 MHz



Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-1


2412 MHz






2437 MHz






2462 MHz



Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-1

2422 MHz	 Center Frequency: 2.42200000 GHz Span: 80.000 MHz CF Step: 8.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 35.865 MHz Total Power: 16.2 dBm Transmit Freq Error: 19.667 kHz % of OBW Power: 99.00 % x dB Bandwidth: 35.23 MHz x dB: -6.00 dB
2437 MHz	 Center Frequency: 2.43700000 GHz Span: 80.000 MHz CF Step: 8.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 35.900 MHz Total Power: 16.7 dBm Transmit Freq Error: 1.762 kHz % of OBW Power: 99.00 % x dB Bandwidth: 35.18 MHz x dB: -6.00 dB
2452 MHz	 Center Frequency: 2.45200000 GHz Span: 80.000 MHz CF Step: 8.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 35.893 MHz Total Power: 16.0 dBm Transmit Freq Error: 15.506 kHz % of OBW Power: 99.00 % x dB Bandwidth: 35.16 MHz x dB: -6.00 dB

Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-2


2412 MHz	
2437 MHz	
2462 MHz	

Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-2


2422 MHz



2437 MHz



2452 MHz



Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-3

2412 MHz




2437 MHz



2462 MHz



Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-3


2422 MHz	 Center 2.42200 GHz #Res BW 100.00 kHz #Video BW 300.00 kHz Span 80 MHz Sweep 7.67 ms (1001 pts) 2 Metrics <table><tr><td>Occupied Bandwidth</td><td>35.763 MHz</td><td>Total Power</td><td>16.5 dBm</td></tr><tr><td>Transmit Freq Error</td><td>12.227 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>35.15 MHz</td><td>x dB</td><td>-6.00 dB</td></tr></table> Dec 09, 2021 4:12:28 PM	Occupied Bandwidth	35.763 MHz	Total Power	16.5 dBm	Transmit Freq Error	12.227 kHz	% of OBW Power	99.00 %	x dB Bandwidth	35.15 MHz	x dB	-6.00 dB
Occupied Bandwidth	35.763 MHz	Total Power	16.5 dBm										
Transmit Freq Error	12.227 kHz	% of OBW Power	99.00 %										
x dB Bandwidth	35.15 MHz	x dB	-6.00 dB										
2437 MHz	 Center 2.43700 GHz #Res BW 100.00 kHz #Video BW 300.00 kHz Span 80 MHz Sweep 7.67 ms (1001 pts) 2 Metrics <table><tr><td>Occupied Bandwidth</td><td>35.753 MHz</td><td>Total Power</td><td>16.9 dBm</td></tr><tr><td>Transmit Freq Error</td><td>13.554 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>35.15 MHz</td><td>x dB</td><td>-6.00 dB</td></tr></table> Dec 09, 2021 4:16:55 PM	Occupied Bandwidth	35.753 MHz	Total Power	16.9 dBm	Transmit Freq Error	13.554 kHz	% of OBW Power	99.00 %	x dB Bandwidth	35.15 MHz	x dB	-6.00 dB
Occupied Bandwidth	35.753 MHz	Total Power	16.9 dBm										
Transmit Freq Error	13.554 kHz	% of OBW Power	99.00 %										
x dB Bandwidth	35.15 MHz	x dB	-6.00 dB										
2452 MHz	 Center 2.45200 GHz #Res BW 100.00 kHz #Video BW 300.00 kHz Span 80 MHz Sweep 7.67 ms (1001 pts) 2 Metrics <table><tr><td>Occupied Bandwidth</td><td>35.768 MHz</td><td>Total Power</td><td>16.3 dBm</td></tr><tr><td>Transmit Freq Error</td><td>7.668 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>35.17 MHz</td><td>x dB</td><td>-6.00 dB</td></tr></table> Dec 09, 2021 4:20:34 PM	Occupied Bandwidth	35.768 MHz	Total Power	16.3 dBm	Transmit Freq Error	7.668 kHz	% of OBW Power	99.00 %	x dB Bandwidth	35.17 MHz	x dB	-6.00 dB
Occupied Bandwidth	35.768 MHz	Total Power	16.3 dBm										
Transmit Freq Error	7.668 kHz	% of OBW Power	99.00 %										
x dB Bandwidth	35.17 MHz	x dB	-6.00 dB										

Maximum Power Spectral Density Measurement


Test Mode	Frequency (MHz)	Measurement Results (dBm/3 kHz)					Limit (dBm/3 kHz)
		ANT-0	ANT-1	ANT-2	ANT-3	ANT-0+1+2+3	
Mode 6	2412	-15.860	-13.570	-14.450	-14.770	-8.566	≤ 4.88
	2437	-16.040	-15.930	-16.150	-15.970	-10.001	≤ 4.88
	2462	-16.820	-16.880	-17.090	-16.530	-10.805	≤ 4.88
Mode 7	2422	-19.740	-19.750	-20.150	-20.000	-13.886	≤ 4.88
	2437	-18.320	-16.830	-16.750	-17.270	-11.229	≤ 4.88
	2452	-19.840	-18.830	-19.630	-20.610	-13.661	≤ 4.88

Test Graphs




Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-0




Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-0

2422 MHz	
2437 MHz	
2452 MHz	




Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-1

2412 MHz	
2437 MHz	
2462 MHz	


Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-1





Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-2

2412 MHz	
2437 MHz	
2462 MHz	

Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-2



Mode 6: IEEE 802.11n 2.4 GHz 20 MHz(256QAM) Continuous TX mode_ANT-3

2412 MHz	
2437 MHz	
2462 MHz	

Mode 7: IEEE 802.11n 2.4 GHz 40 MHz(256QAM) Continuous TX mode_ANT-3

