# Model: LEO-D32

## 1.0.4 Zkong ESL System Users Manual

## **1. Product Introduction**

#### 1.1. Zkong ESL Software System

This system is used to control the ESL picture refresh information and manage ESL, AP and other hardware equipment.

#### 1.2. AP



AP works with ESL.

PoE Power Supply: use to power the AP and connect internet. There are 2 ports. One is PoE port. It's used to connect to AP and power the AP. The other is Lan Port. It's used to connect internet.



#### 1.3. PDA

PDA is used to bind ESL and commodity.



#### 1.4. ESL(Electronic Shelf Label)

ESL works when it locates near the AP.



## 2. Account Related Operation

#### 2.1. Acquire MerchantAdmin and StoreAdmin account on ESL

#### platform

Firstly, your company provides your business license to the salesman to put on record. After confirming the Integrity of the information, we will create a new merchant, a merchant admin account and a password of merchant admin account for your company. The salesman will hand over the merchant admin account name and password to your company.

#### 2.2. ESL platform Login

**Hong Kong** Serve Login. Open the Browser and enter URL: http://esl.zkong.com:8888/. Log in with Merchant Admin Account name and password.

Hangzhou Serve Login. Open the Browser and enter URL:

http://esl-hz.zkong.com:8888/. Log in with Merchant Admin Account name and

#### password.

S Esl cloud system × +		- 0
← → C		Q ★ 🖰
	Login	
	2. Input username	
	Input Password	
	Login	

#### 2.3. Add New Store

PS: One Merchant can add several stores. AP, ESL, PDA, Commodities and templates are all related with stores.

1. After logging in the system, click "Organization" - "Stores List"-"AddStore", then it will pop up an AddStore pop-up window.

2. Fill in StoreName and other information, click Confirm.

マストレンスの語を	E	× Fullscreen © SelectLanguage : English ∨ MerchantAdmin zhanhui ∨
ි Home	Organization > Stores List	
	AddStore	
🗟 Log & Alert 🛛 🗸 👋	Store Name Fill In Search Reset	
🔁 Commodities 🛛 🗸		
📴 Template	Store ID Store Name External ID Contact Phone Mail	il Address Status Com Operation
☐ Organization ^	15641226 深圳巖会	Normal Modify StopUsing
	15641211 default	Normal Modify StopUsing
ESL Strategy	1	Total 2 10/page → < 1 >
(8) Account		

ZKDNG 警控网络	E	× Fullscreen	SelectLanguage : English < MerchantAdmin zhanhui
ධ Home	Organization > Stores List		
🕲 Device 🗸 🗸	Basic information		
🗟 Log & Alert 🛛 🗸	* Store Name		
🔁 Commodities 🛛 🗸	External ID		
🖽 Template 🛛 🗸 🗸	Contact		
Organization     Stores List	Phone		
🕀 ESL Strategy 🗸 🗸	Mail		
(8) Account	Address		
	Comment		
	Continn Cancel		

#### 2.4. Add New Store Account

- 1. Click "Account" into the Account Manage page
- 2. Click "AddAccount" to pop up the AddAccount page
- 3. Choose the new Store we just added
- 4. Fill in Account and Password
- 5. Click Confirm and then finish adding the Store Account

2ドマシン 2月20日 2月10日 2月1010100000000000000000000000000000000	Ξ	× Fullscreen	SelectLanguage : Englisi	h 🗸 MerchantAdmin zhanhui 🗸
ධ Home	Account			
🕲 Device 🛛 🗸	AddAccount	AddAccount	×	
₿ Log & Alert 🛛 🗸	Account Fill in	* Role 💿 Store Admin	Reset	
🖻 Commodities 🗸 🗸		* Store Please Select One  V Add New Store		
🖽 Template	Account Sta	* Account Please enter 1-50 characters and Numbers		Merchant Store Name
$\ominus$ Organization $\land$	zhanhui2	please enter username	StopUsing	展会/深圳展会
Stores List ⊖ ESL Strategy ~	zhanhui1 h	* Password A Please enter 6-20 characters, Numbers or underscores of please enter password	StopUsing	展会/深圳展会
(S) Account	zhanhui t	Cancel	admin to reset passw	展会/
			Total 3	10/page 🗸 🤇 <b>1</b> 🗦

#### 2.5. Add/Edit Template Category and Type

Template Category and Type are the identification fields when Commodity matches template. Please set up it in advance because it will be used in Commodity and Template modules. 1. Click "Template" first, then click "Template Type" to enter the template type management page.

2. Click " add new template category" , then you can add custom template category

	E						× Fullscreen	SelectLanguage : English ~	MerchantAdmin zhanhui ~
© Home	Template > Template	Туре							
) Device 🗸 🗸	default	× Ter			Add New Template	e Category	×		
🖺 Log & Alert 🗸 🗸	a示	× SN	* Template C						
🖻 Commodities 🗸	合储	× 1	ategory	name cannot exceed 50 chara	LUBIS I				
Template ^ Merchant Template	1	×	1			1			
Store Template	123	×			Cancel	Confirm			
Icons Terrylatis Type Organization Corganization ESL Strategy ~ @ Account	+Add New Temp	× late Category	]						

3. Click the new template category we just added to enter the template type management page under this template category.

4. Click "+", then you can add template type under this category.

ZKDNG 副控网络	E	× Fullscreen © SelectLanguage : English ~ MerchantAdmin zhanhui ~
ය Home	Template > Template Type	
🍘 Device 🛛 🗸		
的 Log & Alert 🗸	default × Template Category 123 Edit	
🖻 Commodities 🗸	演示 x SN Name Operation	
🖵 🖸 Template	合储 × No Data	
Merchant Template	1 × +	
Store Template	123 ×	
Icons	1235 ×	
Template Type	+Add New Template Category	
🕀 Organization 🗸		
🕀 ESL Strategy 🗸		
Account		
	© 2019 Zkong Networks. v1.0.8	

#### 2.6. Import Merchant template and manage template

 Store template module can import merchant template. This means that every template added under merchant template module can be copied by all stores of this merchant. You can re-use them and save time for every stores to add templates by themselves. (Import merchant template can be used only when you login with Store Admin Account. Picture shown in 3.1)
 Templates can be copied, modified and deleted. This makes the template design more flexible. But you can't copy a template from one account to another.

ストマン		E								× Fullscreen	electLanguage : English	brandAdmin zhanhui
ය Home		Template > Brand	Template									
Device	×	show normal	more goods ten	nplate Segmi	ent code screen ter	nplate show	underbind					
🗟 Log & Alert	ř											
P Commodities	~	ESL Model	all 🗸 🗸	Template C	Category all		Template Type	all	✓ Sea	rch Reset		
📴 Template	^	© NewBrand	Template							O NO	te: the price tag display match not the merchant t	
Brand Template Store Template		The templa number	e name	size	resolution	color	ESL Model	Template Category	Template Type	updateTime	preview	operation
lcons Template Type		645	生鮮百货	5.8	480*648	п	ZKC58S	生鮮	番茄	2019-10-15 14:21:53	<del>.</del>	Modify Delete
												Сору
Stores	~	636	产品培训	7.5	528*880	н.	ZKC75S	酒水	茅台	2019-10-14 15:01:07	金马桥生 Bith: Data Man Hith: Data Man Hith: Data Man Hith: Data Man Hith: Man	Modify Delete Copy
) Account												
		569	2333	4.2	300*400		ZKC42S	default	default	2019-09-28 10:40:00	-	Modify Delete Copy

## 2.7. Log in with store account

1. Click the upper right corner of the login account, then click exit.Log out of the current login account

2. Login with the store account and password just added

ZK DNG 密控网络	Ξ									× Fullscreen	electLanguage : English	- brandAdmin zhanhui -
ය Home	Ten	mplate 🗧 Brand Tem	plate									Exit
⊛ Device ∽		show normal	more goods temp	ilato Sonmo	nt code screen ten	nolate show	underbind					
🗟 Log & Alert 🛛 🗸						plate show						
🗗 Commodities 🛛 👻		ESL Model all		Template Ca	ategory all		Template Type	all	Sear	ch Reset		
📴 Template 🛛 🔿			plate							Not	le: the price tag display matches not the merchant te	
		The template	name	size	resolution	color	ESL Model	Template Category	Template	updateTime	preview	operation
Store Template		number						Category	Туре			Modify
Icons		645	生鮮百货	5.8	480*648		ZKC58S	生鮮	番茄	2019-10-15 14:21:53	<del>.</del>	Delete
Template Type ⊰ Stores ∽												Сору
		636	产品培训	7.5	528*880		ZKC75S	酒水	茅台	2019-10-14 15:01:07	金马野土 BBD: Deta 新行: Data res Deta res Deta bers BBC BBC	Modify Delete
∋ESLStrategy ~											~# 005 803 803	Сору
y Account		569	2333	4.2	300*400		ZKC42S	default	default	2019-09-28 10:40:00	-	Modity
		000	2000	7.4	000 400		210720	uonault	uonualt	2010-00-20 10:40:00	-	Copy


<u>1</u> Input usemame	
Bername cannot be en	
Password cannot be en	
If Please enter	YHSO
	Login

## 3. Add Store Template

#### 3.1. Single Commodity Template

1. Click "template" - "store template" - "Single Commodity Template" to enter the store template page

2. Click "import Merchant template" and select the merchant template to import.



3. Click "new store template" and edit the basic information of the template


- (1) fill in the template name
- (2) choose the size, resolution, color and ESL model.

(3) select template category and template type, which are used to match the commodities with corresponding type.(note: only if the item with the same template type is bound with the corresponding price tag of the template, the corresponding price tag will display the template)

ZK>NG 留控网络	E	X Fullscreen © SelectLanguage : English < Store Admin zhanhuit <
ධ Home	Template > Store Template	
🛞 Device 🛛 🗸	Single Commodity Template Multi-Commodity Add New Template ×	
🗟 Log & Alert 🛛 🗸		
🖻 Commodities 🛛 🗸	ESL Model All V Status Sek * Name	Template Type All V Search Reset
🖽 Template 🛛 🔨	NewStoreTemplate     Omport Merchant     * Size     1.54inch	Note: The price tag display matches only the store temptate, not the merchant temptate
Store Template	* DPI • 152*152	
Icons	Code Name Size Color O blackwhitered	Status Update Time Preview Operation
Template Type	Model 🗹 ZKC15S	Modify SEable
🕀 ESL Strategy 🛛 🗸	696 1 7.5     Template Cate default	alreadyDis 2019-10-23 13.48: team isEable able 25 team Dotette
(8) Account	gory	
	* Ten plate Type default ~	Modify ID 2010 10 22 11 20
	□ 690 ±£/3(2) 7.5	ble 28 Example 2 Disable Examp
	addtodetails Cancel	
		Modify

- 4. Edit template details
- (1) add and edit parts according to requirements

(2) When finished, click the "submit" in the upper right corner



#### 3.2. Multi-Commodity Template

1. Click "template" - "store template" - "Multi-Commodity Template" to enter the store more goods template page

2. Click "import merchant template" and select the merchant template to import.

me												
vice ~	Single	Commodity Ter	molate Multi-	Commodity Te	uplate Segme	ent code screer	template Unit	ind Template				
g & Alert 🗸 🗸 🗸	en gre	contracting for										
mmodities 🗸	ESL M	lodel All	~ 5	Status Select	All $\sim$	Searc	Reset					
nplate ^	ΘN	lewStoreTemple	🕒 🕣 Impor	t Merchant Terr	plate O Refr	esh ESL				O Not	e: The price tag disp	lay matches only the
ore Template	0	oose 0 Article								stor	e template, not the	nerchant template
ns		Template Code	Name	Size	DPI	Color	ESL Model	Product Amount	Status	Update Time	Preview	Operation
iplate Type												Modify
_Strategy ~		687	1321311	4.2	300*400	<u>n</u>	ZKC42S	5	alreadyDisabl	2019-10-21 14:46:58		isEable
ount									6			Delete
Voin												
											in .	Modify
		485	64646	1.54	152*152		ZKC15S	3	aiready Eabl e	2019-09-17 15:16:10	ins .	Delete
												Сору

- 3. Click "new store template" and edit the basic information of the template
- (1) fill in the template name

(2) choose the size, resolution, color and ESL model.

evice ~							_			
og & Alert 🗸 🗸	Single	Commodity Temp	olate Multi-	Commodity Templ	1	Add New Template	×			
ommodities 🗸	ESL M	lodel All	~ 8	Status Select A	* Name					
emplate ^		lewStoreTemplate	- O timport	Interestation temps	• Size	1.54inch		• Note: The price tag display matches only the		
tore Template		IOUSE O AVIICIE			* DPI	• 152*152			store template, not the	merchant template
ons		Template Code	Name	Size	Color	o blackwhitered	itatus	Update Time	Preview	Operation
emplate Type					Model	ZKC15S				Modify
iL Strategy 🗸 🗸		687	1321311	4.2			already[ }	Disabl 2019-10-21 14:46	5:58	isEable Delete
count						addtodetails Cancel				Сору
										Modify
		485	64646	1.54	152*152	ZKC15S 3	already e	Eabl 2019-09-17 15:16	5:10 are	IsDisable Delete
										Сору


- 4. Edit template details
- (1) add and edit parts according to requirements
- (2) When finished, click the "submit" in the upper right corner

Text T Line /	T Lne / angle Circle O	extangle  Circle	tectangle Circle O	T Lne /	< :	213		l 由 copy	MENU	Preview
Rectangle Circle	angle Circle O	ectangle Circle	Rectangle Circle	Rectangle Circle	Static Par	t Dyna	mic Part		04	
layerbox ( 0 )	layerbox ( 0 )	layerbox (0)	legerbox (0)	layerbox ( 0 )	Text Rectangle					
layerbox ( 0 )	layerbox ( 0 )	layarbox ( 0 )	layarbox ( 0 )	layarbox ( 0 )						
						layerbox ( 0 )				

#### 3.3. Segment code screen template

1. Click "template" - "store template" - "segment code screen template" to enter the store segment code screen template page

2. Click "import merchant template" and select the merchant template to import.



3. Click "new store template" and edit the basic information of the template


(1) fill in the template name

(2) choose the size, resolution, color and ESL model.

(3) select template category and template type, which are used to match the commodities with corresponding type.(note: only if the item with the same template type is bound with the corresponding price tag of the template, the corresponding price tag will display the template)

	E			X Fullscreen	SelectLanguage English 😔	storsAamin yangjunyi ~	
© Home	Tempiate						
@ Device ~	show normal more goods to the street leader to be street	newtemplatebase ×					
🖺 Log & Alert 🛛 👻		-					
🖻 Commodities 🗸 🗸	ESI 40581 al statusSelect al "N	me	at <u>· · ·</u>	Secret Reset			
Ell Template	🕞 New Stars Temptatio	ize 7.75inch v		Note: The	price tag display matches only the merchant template	stare template, not the	
Store Template	The terrolate	ion <b>0</b> 480°235					
lcons	number size resol	lor 💿 blackwhite	Type status	update Time	preview	operation	
Template Type	ine	del 🧧 2KD77					
🖂 ESL Strategy 🗠	Template Ca	leg default ~					
(S) Account		ory					
	* Template T	pe default ~					
		addtodetails					

- 4. Edit template details
- (1) add and edit base attributes according to requirements
- (2) When finished, click the "submit" in the upper right corner



#### 3.4. Unbind Template

1. Click "template" - "store template" - "3.4.Unbind Template" to enter the store unbind template page

2. Click "import merchant template" and select the merchant template to import.

e	Template									
ce ~	Single Commodity	Template N	ulti-Commodity Te	mplate Segmen	t code screet	plate Unbind Ter	mplate			
& Alert 🗸 🗸	501.11.1.1		01-1-1-1-1-1	-	-					
modities 🗸 🗸	ESL Model All	~	States Select	All	search	Reset				
plate	⊙ NewStore Term	plate 💮 in	port Merchant Ten	nplate					Note: The price tag displa store template, not the me	
Template	Template Code	Name	Size	DPI	Color	ESL Model	Status	Update Time	Preview	Operation
•										Modify
olate Type	327	45465	2.9	296*128		ZKC29S	alreadyDisable	2019-08-29 11:35:56	underbind	isEable Delete
Strategy 🗸										Copy
unt										Modify
									H-Pharma	isEable
	326	3333	2.13	250*122	•	ZKC21S	alreadyDisable	2019-08-29 11:27:06		Delete
										Сору

3. Click "new store template" and edit the basic information of the template


(1) fill in the template name

(2) choose the size, resolution, color and ESL model.

	E						×	CFullscreen 🗇 Selec	tLanguage : English 🗸	Store Admin zhanhui1 ~
© Home	Template									
) Device 🗸 🗸	Single Commodit	/ Template M	ulti-Commodity Templ		Add New Template	3	×			
島 Log & Alert 🛛 🗸			-		- F					
🕒 Commodities 🗸 🗸	ESL Model All		Status Select A	* Name						
💷 Template	🔶 🕒 NewStoreTe	mplate	por werchant Templa	* Size	1.54inch		-	C	Note: The price tag dis store template, not the	
Store Template	Template Code	Name	Size	* DPI	0 152*152			Update Time	Preview	Operation
Icons				Color	o blackwhitered					Modify
Template Type	327	45465	2.9	Model	ZKC15S		isable	2019-08-29 11:35:56	underbind	isEable
⊖ ESL Strategy ∨					1		-			Delete
Account				Г	addtodetails Car	cel				Modify
				L			10000		H-Pharma	isEable
	326	3333	2.13	250*122	<b>ГІ</b> <i></i>	21S alrea	adyDisable	2019-08-29 11:27:06		Delete
	FROM 1 TO 10 IT	EM, TOTAL 1 P	AGE, 2 RECORDS						10/page	e 🤟 Go to 🚺

- 4. Edit template details
- (1) add and edit parts according to requirements

(2) When finished, click the "submit" in the upper right corner



## 4. Import Commodities information

#### 4.1. download commodities information template

Click "Commodities" -- "Import By List" -- "Download"

醫控网络	mmodities > Imp	and De Link								
me	mmodililes > Imp	IORE BY LISE								
vice ~	± Download	Import								
g & Alert 🗸 🗸	1									
mmodities ^	Task No.	File Name	File Size	Total Process Amount	Processing Failure Amount	Last Update Time	Complete Time	Status ¢	Upload User	Operation
						2019-10-15 13:51:2	2019-10-15 13:51:2			Download
oort By List	802390	商品信息_xlsx	9	1	1	2	2	Failure	zhanhui1	Download Resi
nplate 🗸						2019-10-14 15:25:1	2019-10-14 15:25:1			Download
L Strategy 🗸 🗸	285386	商品信息_xlsx	9	1	1	2	2	Failure	zhanhui1	Download Resi
count	226157	111111.xlsx	12	35	0	2019-09-29 18:09:3 8	2019-09-29 18:09:3 9	Success	zhanhui1	Download
									Total 3 10/pa	ge 🗸 < 1 >

#### 4.2. Fill in commodities information in the template

- 1. Open "item\_export\_template excel" Excel file
- 2. every title with a " \* " must be filled in

3. Delete the Sample commodity information, fill in the commodity information. You can't move, add or delete the colgroup. If you do, the excel file will be useless.

 NUMBER
 D3
 A
 Main
 Adval
 Main
 Adval
 Main
 Adval
 Main
 Adval
 Main
 <t

\*Instruction for filling in EXCEL file:

All items with red \* must be filled in

When finish filling in, save the "item\_export\_template" table.

#### 4.3. Import "item\_export\_template" Commodity information

#### table

1. Click "commodities" -- "Import list" -- "file import" -- "import" to select the

"item\_export\_template" table that has already been filled in. And then click confirm after uploading.


2. View the list page (if there is no response within one minute, the page will be refreshed), and the first log shows success, then the uploading is successful

3. If the number of processing failure number displayed is greater than 0, you can download the error file and open it to check the reason of the error.


※注意:18 Commodilies > Import By List I Download Ø tinget I Task No. File Name File Size By List List Event <p< th=""></p<>
生Download       全 brownload       全 brownload       全 brownload       全 brownload       全 brownload       全 brownload       金 brownload       金 brownload       金 brownload       金 brownload       金 brownload       C brownload
ert → Hes → Task No. File Name File Size 0.2390 高品信息.xisx 9 2253365 高品信息.xisx 9 226157 111111.xisx 12 ↓ Nindows (C) 226157 111111.xisx 12 ↓ New Volume (I) 文件名(D): ↓ 所有文件 ↓ 例 文件名(D): ↓ 所有文件 ↓ 例 文件名(D): ↓ 所有文件 ↓ 例
Nes       File Name       File Size
111       12       > ■ 目片 > 目 文信       1597517       Skype       1         285396       商品信息 xisx       9       > ■ 音乐       1597517       Skype         285396       商品信息 xisx       9       > ■ 音乐       111       12       > ■ 0(0)         28157       111111.xisx       12       > ■ 0(0)       > ■ 0(0)       > ■ 0(0)       ○ </td
yy → 225386 商品信息xitx 9 → 計算所 226157 111111,xitx 12 → 目(D) 
226157     111111.xlsx     12     > _ D (Ds)     _ D       文件名(D);     _ New Volume (E v     _ v     所有文件     p
打开(2) 取消
NG SelectLanguage : English V Store A
*Download © Import
t ✓
t v Task No. File Name File Size Total Processing Amount Failure Amount Last Update Time Complete Time Status o Upload User Ope 430318 ten_import_templa 10 4 0 2019-10-27 10.49.5 2019-10-27 10.49.5 Success zhanhui Dip
ま Download き Import  Task No. File Name File Size Total Processing Amount Faiture Amount Last Update Time Complete Time Status  Upload User Ope 430318 item_import_templa 10 4 0 2019-10-27 10.495 2019-10-27 10.495 Success zhanhuit D  Success Zhanhuit D

# **1. Connect Base Station AP**

1. Take out the PoE power module (left in the picture), insert the plug into the PoE port, connect the PoE port of the PoE power module to the base station (right in the picture), just like the connection way of white network cable



2. The Lan port of the PoE module is connected to the router, as shown below Note: the address allocation of router is automatically obtained



3. Activate the ESL

Put ESL near the online Base Station AP(less than 15m radius area). After 10 minutes, they will be activated automatically.



# 2. Add new Base Station AP

After logging in the system, click "device" -- "base station" -- "add", and pop up with the add new AP window.

storeAdmin yangjunyi ~
peration

\*New AP filling in example:

Device MAC: there's a device MAC on the back of every base station AP. Please fill in the MAC address inside the red frame without ":". All of the "0" in MAC address is number 0 rather than the letter o.



When finishing filling in, click " Confirm", then you can have a look at the status of Base Station AP in the list.

このとと、	<b>5</b> 4绪	E									× Fullscreen	SelectLanguage : El	nglish \vee 🛛 brandAdmin zhanhui
Home		Device > Ba	ise Station										
Device	~												
ESL		Store	zhanhul v	Search	Reset								
		⊙ Ad	1 🗊 Remove										
Log & Alert	~		No. ¢	MAC Address \$	AP Name	Model	Firmwar e Version	Online time	Offline time	Pricetag Number	Status	Comment	Operation
Commodities	ř		295	A0A3B80968C0	123	ZAP-C	2.0.001_	2019-10-18 1	2019-10-18 1	60	Online		Edit
Template	~		200	7070500000	12.5	2011-0	Beta04	0:22:34	0:22:20	00	Chine		EUR
Stores	~		206	A0A3B8087F30		ZAP-C	2.0.001_ Beta03	2019-09-26 1 4:55:12	2019-09-26 1 4:55:36	1	Offline		Edit
ESL Strategy	~												
Account													
		FROM	TO 10 LINE, TOT	AL 1 PAGE, 2 LINES								1 > 10/	bage \vee Go to 1

# 3. Bind ESL with Commodity

#### 3.1. bind single ESL in the backstage

Click the "Device", then Click "ESL", after that click "binging commodities" in the "binded" page.

Fill in the bar code of commodities and ESL MAC to be bound in the pop-up window of binding relations, and click "show immediately after binding".

	Ŧ					× Fullsc	reen 🛛 😄 SelectLanguage : Eng	alish \vee 🛛 Store Admin   zhanhui1 🗸
	Device > E	SL						
Device	Binde	d Binding By Lis		ł	Bind Info		×	
ESL Base Station	Mode	All	* ESL MAC					
		Binding Commodilies	* MAC		~		ter the esi barcode	Column Settings
		ESL MAC		Canc	el Bind		t Update Time	Operation
		A0A3B82008E6	ZKC42S	Offline	29	XIS	2019-10-23 13:50:56	View
		A0A3B820068A	ZKC29S	Offline	4221	29.6	2019-10-23 13:12:32	View
		A0A3B820096E	ZKC42S	Offline	4203		2019-10-19 13:44:52	View
		A0A3B8200A1F	ZKC42S	Offline	4201		2019-10-19 13:44:52	View
		A0A3B82008D9	ZKC42S	Offline	4201	-	2019-10-19 13:44:52	View
		A0A3B820068B	ZKC75S	Offline	7501	-	2019-10-19 13:44:52	View
		18BC5A6DD121	ZKC21S	Offline	2132	-	2019-10-19 13:44:52	View

#### 3.2. batch bind ESL in the backstage

1. Download batch binding template. Click "Device" - "ESL" - "binding by list" - "download template" to download the template.

ZK>NG 留控网络	E						× Fullso	reen 💿 Sele	ctLanguage : English	Store Admin zhanhui1 <
© Home	Device > ESL									
Device     ESL	Binded	nding By List								
Base Station	± Download	Template 💿 Im	port							
🗟 Log & Alert 🛛 🗸	Task No.	File Name	File Size	Total Process Amount	Format Errors Amount	Upload Time	Complete Time	Status	Upload User	Operation
🖻 Commodities 🗸 🗸										
🖽 Template 🛛 🗸										
🖶 ESL Strategy 🗸 🗸										
Account						<u>. Id</u> h				
						No Data				
					@ 3040	7kann Mahuarim ort 0	10			

2. Fill in Commodity bar code and ESL barcode in the template.

esl barcode*	commodity barcode*
18BC5A6DE729	6948939610782

ZK>NG 留控网络	E © SelectLanguage : English v Store Admin zhanhuli v
ଲ Home	Device > ESL
Device       ESL Base Station	Binded Binding By List
🗟 Log & Alert 🛛 🗸	Total Process Format Errors Upload Time Complete Time Status Upload User Operation
🖻 Commodities 🗸 🗸	
📴 Template 🛛 🗸	
🕀 ESL Strategy 🗸 🗸	
Account	
	No Data
	@ 2010 Zenerg Nationation of 0.0

3. Import the template file with all Commodity and ESL barcode information.

#### 3.3. Use PDA to bind commodity with ESL


The power-on button of PDA is a small button on the side. Press it for a long time will switch on/off the machine. Press it once will wake up the screen. After waking up, set the PDA to connect to the wi-fi that can access the Internet, and operation of it is just like the way on a mobile phone.

Open the "Zkong ESL" app in PDA, enter the user name and password of the store manager added before, and click "bind commodities".



Press the yellow button on the mid of the side of PDA (you don't have to enter the barcode of commodity manually). Scan the barcode of commodity first. After the display of the

commodity information, scan the black barcode on the bottom right corner of the ESL. When PDA displays "submit successfully", the operation is successful. Wait for the ESL to update the display information by itself.



# 4. Edit the commodity information

#### 4.1. batch edit product information

1. Edit commodity information in the "item\_export\_template" commodity information table. Save after edit.

Do not edit \*Barcode of Commodity\*! When you change it, you will add a new commodity and you have to bind it again.

2. Import "item\_export\_template" Commodity information table

(1) Click "commodities" -- "Import By list" -- "import" to select the "item\_export\_template" table that has already been filled in. And then click confirm after uploading.

(2) View the list page (if there is no response within one minute, the page will be refreshed), and the first log shows success, then the uploading is successful

(3) If the number of processing failure number displayed is greater than 0, you can download the error file and open it to check the reason of the error.

ZK DNG 留控网络	E						× Fullscreen	SelectLa	nguage : English 🗸	Store Admin zhanhui1 ~
© Home	Commodities > Imp	port By List								
🛞 Device 🗸 🗸	± Download	@ Import								
🗟 Log & Alert 🛛 🗸 🗸	/									
🖰 Commodities 🔨 🔨	Tesk No.	File Name	File Size	Total Process Amount	Processing Failure Amount	Last Update Time	Complete Time	Status \$	Upload User	Operation
List Import By List	430318	item_import_templa te_en.xlsx	10	4	0	2019-10-27 10:49:5 0	2019-10-27 10:49:5 0	Success	zhanhui1	Download
💵 Template 🗸 🗸	802390	商品信息_xlsx	9	1	1	2019-10-15 13:51:2 2	2019-10-15 13:51:2 2	Failure	zhanhui1	Download Download Rest
∃ ESL Strategy ~	285386	商品信息_xlsx	9			2019-10-14 15:25:1	2019-10-14 15:25:1	Failure	zhanhui1	Download
8 Account	20000	时间1日是一人15人	а	1	1	2	2	Fallure	znannun	Download Resi
	226157	111111.xlsx	12	35	0	2019-09-29 18:09:3 8	2019-09-29 18:09:3 9	Success	zhanhui1	Download
									Total 4 10/	page 🗸 🤇 🚺 >

)evice ~	± Download	6 Import								
og & Alert 🛛 🗸										
commodities ^	Task No.	File Name	File Size	Total Process Amount	Processing Failure Amount	Last Update Time	Complete Time	Status ¢	Upload User	Operation
st nport By List	430318	item_import_templa te_en.xlsx	10	4	0	2019-10-27 10:49:5 0	2019-10-27 10:49:5 0	Success	zhanhui1	Download
implate ~	802390	商品信息_xisx	9	1	1	2019-10-15 13:51:2 2	2019-10-15 13:51:2 2	Failure	zhanhui1	Download Download Resi
SL Strategy 🗸	285386	商品信息_xlsx	9	1	1	2019-10-14 15:25:1 2	2019-10-14 15:25:1 2	Failure	zhanhui1	Download Download Rest
	226157	111111.xlsx	12	35	0	2019-09-29 18:09:3 8	2019-09-29 18:09:3 9	Success	zhanhui1	Download
									Total 4 10/na	ige 🗸 < 1 >

After uploading successfully, the corresponding electronic price tag will automatically change the display information

## 4.2. edit single product information

#### 1. add single commodity

Click Commodities and then click "List of goods". Click "Add" to the add new commodity page. After filling in all of the information, click "save".

ドマシンの	E								× Fullsc	reen @ Select	Language : Engli	ish V Store Admin zhanhui1
lome	Commodities >	List										
Device ~	General	list Picture List										
.og & Alert 🗸 🗸	and the second second	Barcode Fill in			Commodity Fil	1 in			Т	emplate Please 0	Choose	
commodities 🔨									c	ategory		
ist	10 C C C C C C C C C C C C C C C C C C C	Please Choose	SKU-ID Fill in	SKU-ID Fill in ESL N					MAC Fill in			
nport By List	Туре				Searc	h Reset						
ïemplate ∨	Add											
SL Strategy 🗸 🗸	ESL MAC	Commodity Barcode	Commodity	Price	Original Price	Unit	Origin	Spec	Level	Template Category	Template Type	Operation
ccount		6917878000879	Coca-Cola1500	6.35	6.35	bottle		_	qualified	default	4.4.4.4	
	3265	0911818000819	ml		0.55	Dotue	China		quaimed	Gelauit	default	Edit Delete
	3265 2265	6923644282462	ml Coca-Cola1000 ml	5	5.35	bottle	China	-	qualified	default	default	Edit Delete
			Coca-Cola1000									
	2265	6923644282462	Coca-Cola1000 ml	5	5.35	bottle	China	=	qualified	default	default	Edit Delete

~					
Basic information					
t 🗸 Commodity Code	Fill in	SKU No.	Fill in	SKU code or PLU code in ERP	
es ^ Commodity Barcode	Fill In	Unit	Fill in		
Commodity Name	Fill in	Brief Name	Fill in		
List * Template Category	PleaseChoose	<ul> <li>Template Type</li> </ul>	PleaseChoose v		
~ Leve	Fill in	Specifications	Fill in		
egy V Origin	Fill in	Qrcode Link	Fill in		
PriceInformation					
Sale Price	Fill in	Original Price	Fill in		
Vip Price	Fill in				
Promote Information					
Promote Time	Start Since to	Until			
Promote Copywriting	Fill in				
NG 5	F	Please input expand field contain			
NG 5 控网播 6		Please input expand field contain Please input expand field contain			
控网络					
控网络 6 7 2		Please input expand field contain			
2007년 - 7 t - 8		Please input expand field contain Please input expand field contain			
12000188 → 7 t → 8 9 9		Please input expand field contain Please input expand field contain Please input expand field contain Please input expand field contain			
12000188 - 7 t - 8 10 10		Please input expand field contain Please input expand field contain Please input expand field contain Please input expand field contain Please input expand field contain			
120018         6           ✓         7           t         ×           es         >           10         11		Please input expand field contain Please input expand field contain			
12         6           7         8           9         10           List         11           2         12		Please input expand field contain Please input expand field contain Please input expand field contain Please input expand field contain Please input expand field contain			
120018         6           ✓         7           t         ×           es         >           10         11		Please input expand field contain Please input expand field contain			
12         6           7         8           9         10           List         11           2         12		Please input expand field contain Please input expand field contain			
12000188       6       7       8       9       10       11       2       120       13		Please input expand field contain Please input expand field contain			
12     1       t     0       t     0       test     1       v     12       vov     13       14		Please input expand field contain Please input expand field contain			

2. Edit and delete single commodity In this page, you can click "edit" and "delete" to manage corresponding commodity.

ce ~	Commodity	Barcode Fill in			Commodity Fill in					Template Please Choose v				
& Alert 🗸 🗸	Template Type	Please Choose			SKU-ID Fill in				E	ESL MAC Fill in				
modities ^	Type		Searc	n Rese	t									
	Add													
rt By List	ESL	Commodity								Template	Template			
late 🗸	MAC	Barcode	Commodity	Price	Original Price	Unit	Origin	Spec	Level	Category	Туре	Operation		
Strategy 🗸	3265	6917878000879	Coca-Cola1500	6.35	6.35	bottle	China	_	qualified	default	default	Edit Delete		
sitalegy •			ml											
unt	2265	6923644282462	Coca-Cola1000 ml	5	5.35	bottle	China	-	qualified	default	default	Edit Delete		
		6948939673411	Coca-Cola550ml	4.35	4.35	bottle	China	-	qualified	default	default	Edit Delete		
	1265	0040000010411												
	1265 8521	6948939673415	Coca-Cola330ml	3	3.35	bottle	China	-	qualified	default	default	Edit Delete		
			Coca-Cola330ml	3	3.35	bottle	China	-	qualified	default	default	Edit Delete		

#### FCC STATEMENT :

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

**Warning:** Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

#### FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.