



4789399284.1-A2

APPENDIX-PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Model: 400H

Photo 1





Photo 2





4789399284.1-A2

Photo 3




Photo 4





4789399284.1-A2

Photo 5





Photo 6





4789399284.1-A2

Photo 7




Photo 8





4789399284.1-A2

Photo 9




Photo 10





4789399284.1-A2

Photo 11




Photo 12





4789399284.1-A2

Photo 13





Photo 14





4789399284.1-A2

Photo 15




Photo 16





4789399284.1-A2

Photo 17




Photo 18





4789399284.1-A2

Photo 19




Photo 20





4789399284.1-A2

Photo 21




Photo 22





4789399284.1-A2

Photo 23




Photo 24





4789399284.1-A2

Photo 25



Photo 26





Altivar
ATV12H018M2
3.15kW - 1.8HP
V1.4 (E5)

IPW	Input	Output
U _{IN} (V)	200-240 V3	0 - 200 VAC
F _{IN} (Hz)	50/60	0-400
I _N (A)	3.4 max	1.4
HP	Input	Output
U _{IN} (V)	200-240 V3	0 - 200 VAC
F _{IN} (Hz)	50/60	0-400
I _N (A)	3.4 max	1.4

NCOR for rating and protection
refer to User Manual
Motor Overload Protection - Class 10
0.8 to 1.0 Nm, 3.3 to 3.5 A
0.8 to 1.0 Nm, 3.3 to 3.5 A

CE ENEC

50 Hz 1.8 HP

Altivar

Made in China