



## VOICECADDIE SL2 USER MANUAL

(GPS Pin Assist, APL, Active Green, Real Green Undulation, Course Preview)

### ■ How to Use

1. Color may transfer from dark colored clothes or leather accessories.
2. Wipe off any dirt immediately.
3. Keep out from contact of water.
4. When battery level is low, residual battery level (  ) blinks on the laser LCD display. In this case, only the laser functions are available.
5. When the residual battery level indicator changes to , the device may be turned off and inoperable.
6. Please use only the dedicated USB charging cable with a C-type USB port.
7. Please activate GPS in a space without obstacles such as roofs and trees (e.g. starting plaza).
8. Reset: To reset, please long-press the Power and Mode buttons for more than 6 seconds.

### ■ Components

- Device, Pouch, USB Cable, User Manual




#### ► Device



- |  |                               |
|--|-------------------------------|
| 1. Laser Receiving Lens / Objective Lens | 5. Eyepiece and Focusing Unit |
| 2. Laser Transmitting Lens               | 6. USB Charging Terminal      |
| 3. Mode Button                           | 7. LCD Touchscreen Display    |
| 4. Power Button / Measurement Button     | 8. GPS Receiver               |

## 9. Laser Measurement Indicator


### ▣ Laser LCD Display



#### ► LCD Brightness


Short-press  and  together to adjust brightness in 1 to 6 steps. You can check brightness level on the numerical laser LCD display.

#### ► Change Unit of Measurement


Long-press  to change unit of measurement between M (meter) and Y (yard).

#### ► Basic Functions


##### 1. Power On

Press  to activate laser and GPS functions.

##### 2. Mode Selection

After turning the power on, press the  button to toggle in the following sequence: Normal Mode, Pin Mode and Tournament Mode.

##### 3. Unit Conversion


When the  button is pressed for more than 3 seconds, the unit will toggle between meters (M) and yards (Y).

##### 4. Focus Adjustment

Rotate the focus adjustment of the eyepiece to the left and right to adjust focus.

## ▣ Mode Guidelines

### ▶ SLOPE - NORMAL

- This mode provides distance compensated to the target position, linear distance, slope guidance and continuous measurement (scanning).
- SCAN: You can continuously measure the target while pressing the  button.





### ▶ SLOPE – PIN(GPS Pin Assist)

- This mode measures the slope compensated distance, linear distance and slope to the pin.
- Pin on the green is accurately and quickly measured based on GPS data.
- GPS pin assist blocks out the back of green based on GPS data and assists to measure only the pin on green.





## ► TOURNAMENT

- This mode measures only the linear distance for the pin measurement and scanning functions.
- Long-pressing the  button converts to scanning function.



## ▣ How to Use GPS Golf Mode

- Pressing the  button activates the laser and GPS function.



## ► Display

- Touching and sliding to left and right toggles the guidance display.



## ■ Functions

### ► APL

- About APL

APL recognizes the pin location and automatically changes the pin location.


It guides you through golf courses with APL. Clicking the APL button in 'My Voice Caddie' application activates the APL function.

The pin changes to  when APL is activated.

#### 1. APL Assist




#### 2. Application of APL




\* APL guidance appears only once after linking with application.

#### 3. How to Activate / Deactivate APL Function


- Clicking the Green on Green View screen converts to manual pin reloading status.

- Clicking the Icon () on top of the manual pin reloading screen converts back to the APL mode (automatic pin reloading).




► **Real Green Undulation**

- Green contour lines are divided in 11 steps with 15cm intervals to provide more precise green undulation.



► **Active Green**


- User location is recognized to automatically convert the green direction.



Change user position

► **Green Attack Info**

- Green Attack info shows back green safe distance, green horizontal and vertical distance.



► **Course Preview**

- Course preview shows the course layout from teeing ground to green.




Course View: Touching  enters the course preview.

Course Preview: Guides you through the overall course layout from teeing ground to green.


► **Zoom**

1. **Course View Zoom**





## 2. Green View Zoom



※ Zoom-in display does not support active green function.

### ▣ Cautions

1. This device may be affected by the weather and surrounding climate such as rain and cloud.
2. Battery consumption may vary depending on user environment and frequency of use.
3. This device is not to be used for other purposes such as children's toy.
4. Aiming the laser directly to human eye or gazing at the sunlight or bright light through this device may damage eyesight.
5. The lens, which is coated, needs cautions in cleaning, and should not be directly touched with finger or rough material to prevent damage.
6. This device should not be stored in a place exposed to direct sunlight or heat such as a closed car in hot day or in front of a heater.
7. The device may be damaged from liquid or other substances. Avoid using in wet environment, and wipe off immediately any dirt.



8. Be careful not to drop, throw, insert impurities or arbitrarily modify by dismantling or burning the device.

9. Use only the dedicated USB cable or C-type USB cable.

10. Care should be taken not to drop the device from the pouch due to strenuous movement.

11. Regularly recharge the device so that the battery is not fully depleted.

Fully depleting the battery may shorten the battery lifetime.

12. Gradual aging and performance degradation from normal use are not grounds for warranty.

#### ▣ Specifications

MODEL	VOICE CADDIE SL2
Key Functions	GPS Pin Assist, APL, Active Green, Real Green Undulation, Normal / Pin / Tournament Mode, Vibration & Notification, Scanning Function
Dimensions / Weight	H 40.5 x V 77.4 x L 108.7mm / 222g
Measurement Range	Approx. 5 – 1,000 y
Tolerance	±1 y
USB Type & Battery	USB 2.0 (Lithium-polymer)
Bluetooth	BT 5.0
Operating Temperature	-10 ~ 50 °C (Battery : -20 ~ 60 °C)
Battery Duration	Approx. 50 hours
Manufacturer / Country of Origin	VC Inc. / China
Importer / Distributor	VC Inc.

■ Warranty

1. This device has been produced under strict quality control and inspection process, and is subject to consumer's lawful compensation to damage according to the consumer damage compensation regulation by the Ministry of Finance and Economy.

2. Free repairs within the warranty period are available in case of a problem with the product under normal conditions of use.

3. Repairs at cost are available in case of a problem with the product due to user negligence even within warranty period or after warranty period.

4. For after-sales service or compensation to damage, please produce this warranty card and receipt (bill) of purchase.

<b>Model</b>	VOICE CADDIE SL2	<b>Warranty Period</b>
<b>Serial No.</b>		<b>1 year from purchase (Or 6 months for other components)</b>
<b>Date of Purchase</b>		<b>Replacement and Return Period</b>
<b>Seller</b>		<b>14 days from purchase with product unopened</b>
<b>Seller Contact</b>		
<b>Buyer Name and Contact</b>		

## FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- - Consult the dealer or an experienced radio/TV technician for help.