KC.IA.00382 (THINK DIAG MINI4)

Antenna Specification

1. Application:

This application shall apply for antenna unit which shall be used such as automotive, conventional communications, smart home, etc..

1. Electrical Specification:

Those specifications were specially defined for customer's model, and all characteristics were measured under the model's handset testing jig.

2-1. Frequency Band:

Frequency Band	MHz
WIFI/BT 2.4G	2400-2500

2-2. Impedance


50 ohm nominal


2-3. VSWR

2-3-1. Measurement frequency points and VSWR value

Frequency Band(MHz)	2400	2500
2-3-3. Typical Value:	1.8	1.3

UNLESS OTHER SPECIFIED TOLERANCES ON:		TOVI		
$X=\pm$ X.X=	$=\pm$ X.XX $=\pm$	TOXU 同祝技术 TOXU TECHNOLOGY CO., LTD.		
ANGLES=±	HOLEDIA =±	间批技术		
SCALE:	UNIT: mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KINGRF		
DRAWN BY: LI	CHECKED BY: YS	TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS		
DESIGNED BY: De wen	APPROVED BY: YS	DEVICES WITHOUT PERMISSION		
TITLE : KC.IA.00382 Antenna Specification				
TITLE • ITOINA.00002 AIRCO		P0		






2-4. Efficiency and Gain

4-5.1 Measure method

- 1. Using a low loss coaxial cable to link a standard handset jig
- 2. Fixed this handset jig on chamber's rotator plane
 - 3. Linking jig into network analyzer port and using a probing horn antenna to collect data.
- 4. Using another standard gain horn antenna to calibrated those data


4-5.2 Chamber definition





- 1. An anechoic chamber (7mx4mx3m) which satisfied far-field condition was applied to avoid multi-path effect
- 2. The quite room region is 40cmx40cmx40cm at the center of rotator
- 3. The distance between DUT and standard antenna is 4.38 m
- Probing antenna (9120D horn antenna) and standard gain horn antenna (BBHA9120 LPF 700MHz ~6GHz)


UNLESS OTHER SPECIFIED X=± X.X= ANGLES=±		TOXU 同讯技术	TOXU TECHNOLOGY CO., LTD.	
SCALE:	UNIT: mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KII TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USE THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATU		
DRAWN BY: LI	CHECKED BY: YS			
DESIGNED BY: De wen	APPROVED BY: YS	DEVICES WITHOUT PERMISSION		
TITLE : KC.IA.00382 Antenna Specification				
THEE TROUBLE ARROWN OPCOMODUS				


Frequency/Mhz	MaxGain/dBi	Efficiency / %
2400	1.28	51.4
2410	2.3	54.83
2420	1.91	56.49
2430	2.35	54.2
2440	1.67	52.84
2450	1.58	51.4
2460	1.43	52.6
2470	1.35	52.24
2480	1.77	55.98
2490	1.37	56.89
2500	1.71	58.88
















UNLESS OTHER SPECIFIED TOLERANCES ON : $X=\pm \qquad X.XX=\pm \qquad X.XX=\pm $ ANGLES= $\pm \qquad HOLEDIA=\pm$		TOXU 同 祝 技 木 TOXU TECHNOLOGY CO., LTD.		
SCALE:	UNIT: mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KINGRF		
DRAWN BY: LI	CHECKED BY: YS	TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR		
DESIGNED BY: De wen	APPROVED BY: YS	DEVICES WITHOUT PERMISSION		
TITLE : KC.IA.00382 Antenna Specification				
THEE TROUGHT AIRCO	ma opoomoanom	D0		

3. Mechanical Specification:

3-1. Mechanical Configuration (Unit: mm) The appearance of the antenna is according to drawing





UNLESS OTHER SPECIFIED X=± X.X= ANGLES=±		TOXU 同讯技术	TOXU TECHNOLOGY CO., LTD.	
SCALE:	UNIT: mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KII TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USE THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATU		
DRAWN BY: LI	CHECKED BY: YS			
DESIGNED BY: De wen	APPROVED BY: YS	DEVICES WITHOUT PERMISSION		
TITLE : KC.IA.00382 Antenna Specification				
THEE TROUBLE ARROWN OPCOMODUS				

4 .Packaging specification:

Product number: KC.IA.00382

Product model: WIFI/BT

─、Label requirements:

Customer	xxx			
supplier	xxxxx			
Material coding	xx			
Product model	xx			
Number	XXX PCS	Factory date	xxx	
Remarks				

二、Boxing:

Job description:

1. Inner packaging:


XXpcs A bag

2. External packaging:

Xx PCS;

- 3. Matters needing attention:
 - a. Whether to add partition and pearl cotton;
 - b. Label attachments, such as ROHS, etc.;





UNLESS OTHER SPECIFIED TOLERANCES ON:				
$X=\pm$ X.X=	\pm X.XX= \pm	TOXU 同讯技术	TOXU TECHNOLOGY CO)., LTD.
ANGLES=±	HOLEDIA=±	同批技术		
SCALE:	UNIT: mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KING TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS		RTY OF KINGRF
DRAWN BY: LI	CHECKED BY: YS			
DESIGNED BY: De wen	APPROVED BY: YS	DEVICES WITHOUT PERMISSION		
TITLE : KC.IA.00382 Antenna Specification			SPEC REV.	
			DΛ	

P0