



## Appendix G

### RF Test Data for 5.8WIFI (Conducted Measurement)

Product Name: Smart Diagnostic System

Test Model: P902

#### Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Joker Hu
Supervised by:	Jack Cheng





### G.1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant0	16.322	>=0.5	Pass
NVNT	a	5785	Ant0	16.334	>=0.5	Pass
NVNT	a	5825	Ant0	16.35	>=0.5	Pass
NVNT	n20	5745	Ant0	17.54	>=0.5	Pass
NVNT	n20	5785	Ant0	17.018	>=0.5	Pass
NVNT	n20	5825	Ant0	17.227	>=0.5	Pass
NVNT	n40	5755	Ant0	35.592	>=0.5	Pass
NVNT	n40	5795	Ant0	35.618	>=0.5	Pass
NVNT	ac20	5745	Ant0	17.263	>=0.5	Pass
NVNT	ac20	5785	Ant0	17.368	>=0.5	Pass
NVNT	ac20	5825	Ant0	17.293	>=0.5	Pass
NVNT	ac40	5755	Ant0	35.934	>=0.5	Pass
NVNT	ac40	5795	Ant0	35.641	>=0.5	Pass
NVNT	ac80	5775	Ant0	75.525	>=0.5	Pass






Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant0



-6dB Bandwidth NVNT a 5785MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT a 5825MHz Ant0



-6dB Bandwidth NVNT n20 5745MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT n20 5785MHz Ant0




-6dB Bandwidth NVNT n20 5825MHz Ant0






-6dB Bandwidth NVNT n40 5755MHz Ant0




-6dB Bandwidth NVNT n40 5795MHz Ant0






-6dB Bandwidth NVNT ac20 5745MHz Ant0



-6dB Bandwidth NVNT ac20 5785MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT ac20 5825MHz Ant0



-6dB Bandwidth NVNT ac40 5755MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






-6dB Bandwidth NVNT ac40 5795MHz Ant0



-6dB Bandwidth NVNT ac80 5775MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## G.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	11.85	30	Pass
NVNT	a	5785	Ant0	10.7	30	Pass
NVNT	a	5825	Ant0	9.51	30	Pass
NVNT	n20	5745	Ant0	11.95	30	Pass
NVNT	n20	5785	Ant0	11.22	30	Pass
NVNT	n20	5825	Ant0	9.93	30	Pass
NVNT	n40	5755	Ant0	12.19	30	Pass
NVNT	n40	5795	Ant0	10.73	30	Pass
NVNT	ac20	5745	Ant0	12.63	30	Pass
NVNT	ac20	5785	Ant0	11.35	30	Pass
NVNT	ac20	5825	Ant0	10.25	30	Pass
NVNT	ac40	5755	Ant0	12.15	30	Pass
NVNT	ac40	5795	Ant0	10.74	30	Pass
NVNT	ac80	5775	Ant0	11.27	30	Pass





### G.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	-1.67	30	Pass
NVNT	a	5785	Ant0	-3.03	30	Pass
NVNT	a	5825	Ant0	-4.02	30	Pass
NVNT	n20	5745	Ant0	-1.39	30	Pass
NVNT	n20	5785	Ant0	-2.51	30	Pass
NVNT	n20	5825	Ant0	-3.79	30	Pass
NVNT	n40	5755	Ant0	-4.34	30	Pass
NVNT	n40	5795	Ant0	-5.87	30	Pass
NVNT	ac20	5745	Ant0	-1.1	30	Pass
NVNT	ac20	5785	Ant0	-2.35	30	Pass
NVNT	ac20	5825	Ant0	-3.53	30	Pass
NVNT	ac40	5755	Ant0	-4.43	30	Pass
NVNT	ac40	5795	Ant0	-5.72	30	Pass
NVNT	ac80	5775	Ant0	-8.39	30	Pass








Test Graphs



PSD NVNT a 5745MHz Ant0



PSD NVNT a 5785MHz Ant0













PSD NVNT n40 5755MHz Ant0



PSD NVNT n40 5795MHz Ant0













PSD NVNT ac20 5825MHz Ant0



PSD NVNT ac40 5755MHz Ant0







## G.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	5650	-50.48	2	-48.48	Peak	-27	Pass
NVNT	a	5745	Ant0	5650	-56.8	2	-54.8	Average	-27	Pass
NVNT	a	5745	Ant0	5700	-40.84	2	-38.84	Peak	10	Pass
NVNT	a	5745	Ant0	5700	-52.37	2	-50.37	Average	10	Pass
NVNT	a	5745	Ant0	5720	-28.69	2	-26.69	Peak	15.6	Pass
NVNT	a	5745	Ant0	5720	-40.23	2	-38.23	Average	15.6	Pass
NVNT	a	5745	Ant0	5725	-25.65	2	-23.65	Peak	27	Pass
NVNT	a	5745	Ant0	5725	-33.33	2	-31.33	Average	27	Pass
NVNT	a	5825	Ant0	5850	-37.69	2	-35.69	Peak	27	Pass
NVNT	a	5825	Ant0	5850	-47.19	2	-45.19	Average	27	Pass
NVNT	a	5825	Ant0	5855	-42.69	2	-40.69	Peak	15.6	Pass
NVNT	a	5825	Ant0	5855	-50.77	2	-48.77	Average	15.6	Pass
NVNT	a	5825	Ant0	5875	-48.92	2	-46.92	Peak	10	Pass
NVNT	a	5825	Ant0	5875	-56.07	2	-54.07	Average	10	Pass
NVNT	a	5825	Ant0	5925	-49.87	2	-47.87	Peak	-27	Pass
NVNT	a	5825	Ant0	5925	-56.63	2	-54.63	Average	-27	Pass
NVNT	n20	5745	Ant0	5650	-49.57	2	-47.57	Peak	-27	Pass
NVNT	n20	5745	Ant0	5650	-56.4	2	-54.4	Average	-27	Pass
NVNT	n20	5745	Ant0	5700	-39.87	2	-37.87	Peak	10	Pass
NVNT	n20	5745	Ant0	5700	-50.33	2	-48.33	Average	10	Pass
NVNT	n20	5745	Ant0	5720	-28.85	2	-26.85	Peak	15.6	Pass
NVNT	n20	5745	Ant0	5720	-37.6	2	-35.6	Average	15.6	Pass
NVNT	n20	5745	Ant0	5725	-20.54	2	-18.54	Peak	27	Pass
NVNT	n20	5745	Ant0	5725	-30.19	2	-28.19	Average	27	Pass
NVNT	n20	5825	Ant0	5850	-34.38	2	-32.38	Peak	27	Pass
NVNT	n20	5825	Ant0	5850	-42.84	2	-40.84	Average	27	Pass
NVNT	n20	5825	Ant0	5855	-36.98	2	-34.98	Peak	15.6	Pass
NVNT	n20	5825	Ant0	5855	-49.13	2	-47.13	Average	15.6	Pass
NVNT	n20	5825	Ant0	5875	-48.78	2	-46.78	Peak	10	Pass
NVNT	n20	5825	Ant0	5875	-55.59	2	-53.59	Average	10	Pass
NVNT	n20	5825	Ant0	5925	-49.78	2	-47.78	Peak	-27	Pass
NVNT	n20	5825	Ant0	5925	-56.15	2	-54.15	Average	-27	Pass
NVNT	n40	5755	Ant0	5650	-47.74	2	-45.74	Peak	-27	Pass
NVNT	n40	5755	Ant0	5650	-55.03	2	-53.03	Average	-27	Pass
NVNT	n40	5755	Ant0	5700	-36.67	2	-34.67	Peak	10	Pass
NVNT	n40	5755	Ant0	5700	-44.69	2	-42.69	Average	10	Pass
NVNT	n40	5755	Ant0	5720	-22.54	2	-20.54	Peak	15.6	Pass
NVNT	n40	5755	Ant0	5720	-31.07	2	-29.07	Average	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	n40	5755	Ant0	5725	-21.37	2	-19.37	Peak	27	Pass
NVNT	n40	5755	Ant0	5725	-29.93	2	-27.93	Average	27	Pass
NVNT	n40	5795	Ant0	5850	-37.83	2	-35.83	Peak	27	Pass
NVNT	n40	5795	Ant0	5850	-46.82	2	-44.82	Average	27	Pass
NVNT	n40	5795	Ant0	5855	-41.2	2	-39.2	Peak	15.6	Pass
NVNT	n40	5795	Ant0	5855	-48.54	2	-46.54	Average	15.6	Pass
NVNT	n40	5795	Ant0	5875	-48.41	2	-46.41	Peak	10	Pass
NVNT	n40	5795	Ant0	5875	-54.58	2	-52.58	Average	10	Pass
NVNT	n40	5795	Ant0	5925	-48.39	2	-46.39	Peak	-27	Pass
NVNT	n40	5795	Ant0	5925	-56.56	2	-54.56	Average	-27	Pass
NVNT	ac20	5745	Ant0	5650	-49.91	2	-47.91	Peak	-27	Pass
NVNT	ac20	5745	Ant0	5650	-56.11	2	-54.11	Average	-27	Pass
NVNT	ac20	5745	Ant0	5700	-38.04	2	-36.04	Peak	10	Pass
NVNT	ac20	5745	Ant0	5700	-50.1	2	-48.1	Average	10	Pass
NVNT	ac20	5745	Ant0	5720	-26.39	2	-24.39	Peak	15.6	Pass
NVNT	ac20	5745	Ant0	5720	-37.41	2	-35.41	Average	15.6	Pass
NVNT	ac20	5745	Ant0	5725	-19.82	2	-17.82	Peak	27	Pass
NVNT	ac20	5745	Ant0	5725	-30.2	2	-28.2	Average	27	Pass
NVNT	ac20	5825	Ant0	5850	-32.31	2	-30.31	Peak	27	Pass
NVNT	ac20	5825	Ant0	5850	-41.66	2	-39.66	Average	27	Pass
NVNT	ac20	5825	Ant0	5855	-38.03	2	-36.03	Peak	15.6	Pass
NVNT	ac20	5825	Ant0	5855	-46.86	2	-44.86	Average	15.6	Pass
NVNT	ac20	5825	Ant0	5875	-47.31	2	-45.31	Peak	10	Pass
NVNT	ac20	5825	Ant0	5875	-55.46	2	-53.46	Average	10	Pass
NVNT	ac20	5825	Ant0	5925	-49.95	2	-47.95	Peak	-27	Pass
NVNT	ac20	5825	Ant0	5925	-56.07	2	-54.07	Average	-27	Pass
NVNT	ac40	5755	Ant0	5650	-47.01	2	-45.01	Peak	-27	Pass
NVNT	ac40	5755	Ant0	5650	-54.95	2	-52.95	Average	-27	Pass
NVNT	ac40	5755	Ant0	5700	-37.95	2	-35.95	Peak	10	Pass
NVNT	ac40	5755	Ant0	5700	-44.72	2	-42.72	Average	10	Pass
NVNT	ac40	5755	Ant0	5720	-24.52	2	-22.52	Peak	15.6	Pass
NVNT	ac40	5755	Ant0	5720	-31.13	2	-29.13	Average	15.6	Pass
NVNT	ac40	5755	Ant0	5725	-22.81	2	-20.81	Peak	27	Pass
NVNT	ac40	5755	Ant0	5725	-29.64	2	-27.64	Average	27	Pass
NVNT	ac40	5795	Ant0	5850	-37.13	2	-35.13	Peak	27	Pass
NVNT	ac40	5795	Ant0	5850	-46.45	2	-44.45	Average	27	Pass
NVNT	ac40	5795	Ant0	5855	-40.84	2	-38.84	Peak	15.6	Pass
NVNT	ac40	5795	Ant0	5855	-48.52	2	-46.52	Average	15.6	Pass
NVNT	ac40	5795	Ant0	5875	-46.49	2	-44.49	Peak	10	Pass
NVNT	ac40	5795	Ant0	5875	-54.67	2	-52.67	Average	10	Pass
NVNT	ac40	5795	Ant0	5925	-49.52	2	-47.52	Peak	-27	Pass
NVNT	ac40	5795	Ant0	5925	-56.42	2	-54.42	Average	-27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ac80	5775	Ant0	5650	-40.61	2	-38.61	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5650	-48.76	2	-46.76	Average	-27	Pass
NVNT	ac80	5775	Ant0	5700	-29.74	2	-27.74	Peak	10	Pass
NVNT	ac80	5775	Ant0	5700	-35.22	2	-33.22	Average	10	Pass
NVNT	ac80	5775	Ant0	5720	-25.56	2	-23.56	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5720	-31.28	2	-29.28	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5725	-25.75	2	-23.75	Peak	27	Pass
NVNT	ac80	5775	Ant0	5725	-30.74	2	-28.74	Average	27	Pass
NVNT	ac80	5775	Ant0	5850	-27.07	2	-25.07	Peak	27	Pass
NVNT	ac80	5775	Ant0	5850	-34.03	2	-32.03	Average	27	Pass
NVNT	ac80	5775	Ant0	5855	-29.1	2	-27.1	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5855	-34.87	2	-32.87	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5875	-35.79	2	-33.79	Peak	10	Pass
NVNT	ac80	5775	Ant0	5875	-41.04	2	-39.04	Average	10	Pass
NVNT	ac80	5775	Ant0	5925	-45.38	2	-43.38	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5925	-51.43	2	-49.43	Average	-27	Pass






Test Graphs

Restrict Band NVNT a 5745MHz Ant0 Peak



Restrict Band NVNT a 5745MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5825MHz Ant0 Peak




Restrict Band NVNT a 5825MHz Ant0 Average








Restrict Band NVNT n20 5745MHz Ant0 Peak



Restrict Band NVNT n20 5745MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Restrict Band NVNT n20 5825MHz Ant0 Peak



Restrict Band NVNT n20 5825MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5755MHz Ant0 Peak




Restrict Band NVNT n40 5755MHz Ant0 Average






Restrict Band NVNT n40 5795MHz Ant0 Peak



Restrict Band NVNT n40 5795MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5745MHz Ant0 Peak



Restrict Band NVNT ac20 5745MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5825MHz Ant0 Peak



Restrict Band NVNT ac20 5825MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5755MHz Ant0 Peak



Restrict Band NVNT ac40 5755MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5795MHz Ant0 Peak



Restrict Band NVNT ac40 5795MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Restrict Band NVNT ac80 5775MHz Ant0 Peak




Restrict Band NVNT ac80 5775MHz Ant0 Average








Restrict Band NVNT ac80 5775MHz Ant0 Peak



Restrict Band NVNT ac80 5775MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



### G.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
NVNT	ac20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
NVNT	ac20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
NVNT	ac40	5755	Ant0	5755	0	0	25	Pass
NVNT	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
NVNT	ac80	5775	Ant0	5775	0	0	25	Pass






Test Graphs

Freq. Stability NVNT ac20 5745MHz Ant0



Freq. Stability NVNT ac20 5785MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT ac20 5825MHz Ant0




Freq. Stability NVNT ac40 5755MHz Ant0






Freq. Stability NVNT ac40 5795MHz Ant0



Freq. Stability NVNT ac80 5775MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



### G.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant0	95.68	0.19	0.72
NVNT	a	5785	Ant0	95.68	0.19	0.72
NVNT	a	5825	Ant0	95.68	0.19	0.72
NVNT	n20	5745	Ant0	94.94	0.23	0.85
NVNT	n20	5785	Ant0	94.94	0.23	0.85
NVNT	n20	5825	Ant0	95.02	0.22	0.85
NVNT	n40	5755	Ant0	90.45	0.44	1.7
NVNT	n40	5795	Ant0	90.45	0.44	1.7
NVNT	ac20	5745	Ant0	95.04	0.22	0.84
NVNT	ac20	5785	Ant0	95.04	0.22	0.84
NVNT	ac20	5825	Ant0	94.96	0.22	0.84
NVNT	ac40	5755	Ant0	90.56	0.43	1.68
NVNT	ac40	5795	Ant0	90.56	0.43	1.68
NVNT	ac80	5775	Ant0	82.68	0.83	3.38






Test Graphs

Duty Cycle NVNT a 5745MHz Ant0



Duty Cycle NVNT a 5785MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT a 5825MHz Ant0




Duty Cycle NVNT n20 5745MHz Ant0








Duty Cycle NVNT n20 5785MHz Ant0




Duty Cycle NVNT n20 5825MHz Ant0






Duty Cycle NVNT n40 5755MHz Ant0




Duty Cycle NVNT n40 5795MHz Ant0






Duty Cycle NVNT ac20 5745MHz Ant0




Duty Cycle NVNT ac20 5785MHz Ant0






Duty Cycle NVNT ac20 5825MHz Ant0




Duty Cycle NVNT ac40 5755MHz Ant0





Duty Cycle NVNT ac40 5795MHz Ant0



Duty Cycle NVNT ac80 5775MHz Ant0

