



Appendix A: Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	ERP (dBm)	Power Class	Verdict
N26-814-824	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	22.73	17.08	PC3	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	22.79	17.14	PC3	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	Outer_Full	22.76	17.11	PC3	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	Inner_Full	22.75	17.10	PC3	PASS
N26-814-824	15	5	DFT-QPSK	L	Edge_1RB_Left	22.70	17.05	PC3	PASS
N26-814-824	15	5	DFT-QPSK	L	Edge_1RB_Right	22.75	17.10	PC3	PASS
N26-814-824	15	5	DFT-QPSK	L	Outer_Full	22.74	17.09	PC3	PASS
N26-814-824	15	5	DFT-QPSK	L	Inner_Full	22.79	17.14	PC3	PASS
N26-814-824	15	5	CP-QPSK	L	Edge_1RB_Left	20.65	15.00	PC3	PASS
N26-814-824	15	5	CP-QPSK	L	Edge_1RB_Right	20.78	15.13	PC3	PASS
N26-814-824	15	5	CP-QPSK	L	Outer_Full	20.77	15.12	PC3	PASS
N26-814-824	15	5	CP-QPSK	L	Inner_Full	22.12	16.47	PC3	PASS
N26-814-824	15	5	CP-16QAM	L	Edge_1RB_Left	21.17	15.52	PC3	PASS
N26-814-824	15	5	CP-16QAM	L	Edge_1RB_Right	21.28	15.63	PC3	PASS
N26-814-824	15	5	CP-16QAM	L	Outer_Full	20.65	15.00	PC3	PASS
N26-814-824	15	5	CP-16QAM	L	Inner_Full	21.90	16.25	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 2 of 58

N26-814 -824	15	5	CP-64QAM	L	Edge_1RB_Left	20.35	14.70	PC3	PASS
N26-814 -824	15	5	CP-64QAM	L	Edge_1RB_Right	20.00	14.35	PC3	PASS
N26-814 -824	15	5	CP-64QAM	L	Outer_Full	20.24	14.59	PC3	PASS
N26-814 -824	15	5	CP-64QAM	L	Inner_Full	20.17	14.52	PC3	PASS
N26-814 -824	15	5	CP-256QAM	L	Edge_1RB_Left	17.02	11.37	PC3	PASS
N26-814 -824	15	5	CP-256QAM	L	Edge_1RB_Right	17.12	11.47	PC3	PASS
N26-814 -824	15	5	CP-256QAM	L	Outer_Full	17.32	11.67	PC3	PASS
N26-814 -824	15	5	CP-256QAM	L	Inner_Full	17.26	11.61	PC3	PASS
N26-814 -824	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	22.81	17.16	PC3	PASS
N26-814 -824	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	22.80	17.15	PC3	PASS
N26-814 -824	15	5	DFT-PI2BPSK	M	Outer_Full	22.82	17.17	PC3	PASS
N26-814 -824	15	5	DFT-PI2BPSK	M	Inner_Full	22.86	17.21	PC3	PASS
N26-814 -824	15	5	DFT-QPSK	M	Edge_1RB_Left	22.77	17.12	PC3	PASS
N26-814 -824	15	5	DFT-QPSK	M	Edge_1RB_Right	22.77	17.12	PC3	PASS
N26-814 -824	15	5	DFT-QPSK	M	Outer_Full	22.84	17.19	PC3	PASS
N26-814 -824	15	5	DFT-QPSK	M	Inner_Full	22.84	17.19	PC3	PASS
N26-814 -824	15	5	CP-QPSK	M	Edge_1RB_Left	20.69	15.04	PC3	PASS
N26-814 -824	15	5	CP-QPSK	M	Edge_1RB_Right	20.66	15.01	PC3	PASS
N26-814 -824	15	5	CP-QPSK	M	Outer_Full	20.73	15.08	PC3	PASS
N26-814 -824	15	5	CP-QPSK	M	Inner_Full	22.20	16.55	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 3 of 58

N26-814 -824	15	5	CP-16QAM	M	Edge_1RB_Left	21.23	15.58	PC3	PASS
N26-814 -824	15	5	CP-16QAM	M	Edge_1RB_Right	21.27	15.62	PC3	PASS
N26-814 -824	15	5	CP-16QAM	M	Outer_Full	20.73	15.08	PC3	PASS
N26-814 -824	15	5	CP-16QAM	M	Inner_Full	21.97	16.32	PC3	PASS
N26-814 -824	15	5	CP-64QAM	M	Edge_1RB_Left	19.98	14.33	PC3	PASS
N26-814 -824	15	5	CP-64QAM	M	Edge_1RB_Right	19.96	14.31	PC3	PASS
N26-814 -824	15	5	CP-64QAM	M	Outer_Full	20.32	14.67	PC3	PASS
N26-814 -824	15	5	CP-64QAM	M	Inner_Full	20.21	14.56	PC3	PASS
N26-814 -824	15	5	CP-256QAM	M	Edge_1RB_Left	17.09	11.44	PC3	PASS
N26-814 -824	15	5	CP-256QAM	M	Edge_1RB_Right	17.04	11.39	PC3	PASS
N26-814 -824	15	5	CP-256QAM	M	Outer_Full	17.36	11.71	PC3	PASS
N26-814 -824	15	5	CP-256QAM	M	Inner_Full	17.30	11.65	PC3	PASS
N26-814 -824	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	22.76	17.11	PC3	PASS
N26-814 -824	15	5	DFT-PI2BPSK	H	Edge_1RB_Right	22.89	17.24	PC3	PASS
N26-814 -824	15	5	DFT-PI2BPSK	H	Outer_Full	22.82	17.17	PC3	PASS
N26-814 -824	15	5	DFT-PI2BPSK	H	Inner_Full	22.86	17.21	PC3	PASS
N26-814 -824	15	5	DFT-QPSK	H	Edge_1RB_Left	22.76	17.11	PC3	PASS
N26-814 -824	15	5	DFT-QPSK	H	Edge_1RB_Right	22.82	17.17	PC3	PASS
N26-814 -824	15	5	DFT-QPSK	H	Outer_Full	22.77	17.12	PC3	PASS
N26-814 -824	15	5	DFT-QPSK	H	Inner_Full	22.82	17.17	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 4 of 58

N26-814 -824	15	5	CP-QPSK	H	Edge_1RB_Left	20.70	15.05	PC3	PASS
N26-814 -824	15	5	CP-QPSK	H	Edge_1RB_Right	20.78	15.13	PC3	PASS
N26-814 -824	15	5	CP-QPSK	H	Outer_Full	20.70	15.05	PC3	PASS
N26-814 -824	15	5	CP-QPSK	H	Inner_Full	22.14	16.49	PC3	PASS
N26-814 -824	15	5	CP-16QAM	H	Edge_1RB_Left	21.21	15.56	PC3	PASS
N26-814 -824	15	5	CP-16QAM	H	Edge_1RB_Right	21.29	15.64	PC3	PASS
N26-814 -824	15	5	CP-16QAM	H	Outer_Full	20.70	15.05	PC3	PASS
N26-814 -824	15	5	CP-16QAM	H	Inner_Full	21.96	16.31	PC3	PASS
N26-814 -824	15	5	CP-64QAM	H	Edge_1RB_Left	20.36	14.71	PC3	PASS
N26-814 -824	15	5	CP-64QAM	H	Edge_1RB_Right	20.03	14.38	PC3	PASS
N26-814 -824	15	5	CP-64QAM	H	Outer_Full	20.29	14.64	PC3	PASS
N26-814 -824	15	5	CP-64QAM	H	Inner_Full	20.20	14.55	PC3	PASS
N26-814 -824	15	5	CP-256QAM	H	Edge_1RB_Left	17.06	11.41	PC3	PASS
N26-814 -824	15	5	CP-256QAM	H	Edge_1RB_Right	17.10	11.45	PC3	PASS
N26-814 -824	15	5	CP-256QAM	H	Outer_Full	17.29	11.64	PC3	PASS
N26-814 -824	15	5	CP-256QAM	H	Inner_Full	17.27	11.62	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	22.77	17.12	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Edge_1RB_Right	22.88	17.23	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	22.85	17.20	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Inner_Full	22.84	17.19	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 5 of 58

N26-814 -824	15	10	DFT-QPSK	L	Edge_1RB_Left	22.79	17.14	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	L	Edge_1RB_Right	22.80	17.15	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	22.81	17.16	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	L	Inner_Full	22.82	17.17	PC3	PASS
N26-814 -824	15	10	CP-QPSK	L	Edge_1RB_Left	20.73	15.08	PC3	PASS
N26-814 -824	15	10	CP-QPSK	L	Edge_1RB_Right	20.88	15.23	PC3	PASS
N26-814 -824	15	10	CP-QPSK	L	Outer_Full	20.80	15.15	PC3	PASS
N26-814 -824	15	10	CP-QPSK	L	Inner_Full	22.29	16.64	PC3	PASS
N26-814 -824	15	10	CP-16QAM	L	Edge_1RB_Left	21.22	15.57	PC3	PASS
N26-814 -824	15	10	CP-16QAM	L	Edge_1RB_Right	21.30	15.65	PC3	PASS
N26-814 -824	15	10	CP-16QAM	L	Outer_Full	20.79	15.14	PC3	PASS
N26-814 -824	15	10	CP-16QAM	L	Inner_Full	21.86	16.21	PC3	PASS
N26-814 -824	15	10	CP-64QAM	L	Edge_1RB_Left	19.94	14.29	PC3	PASS
N26-814 -824	15	10	CP-64QAM	L	Edge_1RB_Right	20.08	14.43	PC3	PASS
N26-814 -824	15	10	CP-64QAM	L	Outer_Full	20.38	14.73	PC3	PASS
N26-814 -824	15	10	CP-64QAM	L	Inner_Full	20.37	14.72	PC3	PASS
N26-814 -824	15	10	CP-256QAM	L	Edge_1RB_Left	17.08	11.43	PC3	PASS
N26-814 -824	15	10	CP-256QAM	L	Edge_1RB_Right	17.37	11.72	PC3	PASS
N26-814 -824	15	10	CP-256QAM	L	Outer_Full	17.31	11.66	PC3	PASS
N26-814 -824	15	10	CP-256QAM	L	Inner_Full	17.30	11.65	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 6 of 58

N26-814 -824	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	22.86	17.21	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Edge_1RB_Right	22.88	17.23	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	22.90	17.25	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Inner_Full	22.86	17.21	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	M	Edge_1RB_Left	22.80	17.15	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	M	Edge_1RB_Right	22.83	17.18	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	22.85	17.20	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	M	Inner_Full	22.83	17.18	PC3	PASS
N26-814 -824	15	10	CP-QPSK	M	Edge_1RB_Left	20.77	15.12	PC3	PASS
N26-814 -824	15	10	CP-QPSK	M	Edge_1RB_Right	20.78	15.13	PC3	PASS
N26-814 -824	15	10	CP-QPSK	M	Outer_Full	20.90	15.25	PC3	PASS
N26-814 -824	15	10	CP-QPSK	M	Inner_Full	22.29	16.64	PC3	PASS
N26-814 -824	15	10	CP-16QAM	M	Edge_1RB_Left	21.24	15.59	PC3	PASS
N26-814 -824	15	10	CP-16QAM	M	Edge_1RB_Right	21.33	15.68	PC3	PASS
N26-814 -824	15	10	CP-16QAM	M	Outer_Full	20.81	15.16	PC3	PASS
N26-814 -824	15	10	CP-16QAM	M	Inner_Full	21.90	16.25	PC3	PASS
N26-814 -824	15	10	CP-64QAM	M	Edge_1RB_Left	20.32	14.67	PC3	PASS
N26-814 -824	15	10	CP-64QAM	M	Edge_1RB_Right	20.01	14.36	PC3	PASS
N26-814 -824	15	10	CP-64QAM	M	Outer_Full	20.40	14.75	PC3	PASS
N26-814 -824	15	10	CP-64QAM	M	Inner_Full	20.33	14.68	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 7 of 58

N26-814 -824	15	10	CP-256QAM	M	Edge_1RB_Left	17.09	11.44	PC3	PASS
N26-814 -824	15	10	CP-256QAM	M	Edge_1RB_Right	17.15	11.50	PC3	PASS
N26-814 -824	15	10	CP-256QAM	M	Outer_Full	17.37	11.72	PC3	PASS
N26-814 -824	15	10	CP-256QAM	M	Inner_Full	17.27	11.62	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	22.84	17.19	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Edge_1RB_Right	22.92	17.27	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	22.87	17.22	PC3	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Inner_Full	22.89	17.24	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	H	Edge_1RB_Left	22.81	17.16	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	H	Edge_1RB_Right	22.85	17.20	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	22.89	17.24	PC3	PASS
N26-814 -824	15	10	DFT-QPSK	H	Inner_Full	22.87	17.22	PC3	PASS
N26-814 -824	15	10	CP-QPSK	H	Edge_1RB_Left	20.78	15.13	PC3	PASS
N26-814 -824	15	10	CP-QPSK	H	Edge_1RB_Right	20.82	15.17	PC3	PASS
N26-814 -824	15	10	CP-QPSK	H	Outer_Full	20.88	15.23	PC3	PASS
N26-814 -824	15	10	CP-QPSK	H	Inner_Full	22.32	16.67	PC3	PASS
N26-814 -824	15	10	CP-16QAM	H	Edge_1RB_Left	21.26	15.61	PC3	PASS
N26-814 -824	15	10	CP-16QAM	H	Edge_1RB_Right	21.34	15.69	PC3	PASS
N26-814 -824	15	10	CP-16QAM	H	Outer_Full	20.82	15.17	PC3	PASS
N26-814 -824	15	10	CP-16QAM	H	Inner_Full	21.89	16.24	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 8 of 58

N26-814 -824	15	10	CP-64QAM	H	Edge_1RB_Left	20.44	14.79	PC3	PASS
N26-814 -824	15	10	CP-64QAM	H	Edge_1RB_Right	20.04	14.39	PC3	PASS
N26-814 -824	15	10	CP-64QAM	H	Outer_Full	20.39	14.74	PC3	PASS
N26-814 -824	15	10	CP-64QAM	H	Inner_Full	20.35	14.70	PC3	PASS
N26-814 -824	15	10	CP-256QAM	H	Edge_1RB_Left	17.06	11.41	PC3	PASS
N26-814 -824	15	10	CP-256QAM	H	Edge_1RB_Right	17.13	11.48	PC3	PASS
N26-814 -824	15	10	CP-256QAM	H	Outer_Full	17.40	11.75	PC3	PASS
N26-814 -824	15	10	CP-256QAM	H	Inner_Full	17.39	11.74	PC3	PASS



Appendix B: Peak-to-Average Ratio for SA


Peak-to-Average Ratio(PAPR)


Test Result

Band	SCS	Bandwidth h	Modulation	Channel	RB Config	Result	Limit	Verdict
N26-814-8 24	15	10	DFT-PI2BPSK	L	Outer_Full	9.16	≤13	PASS
N26-814-8 24	15	10	DFT-QPSK	L	Outer_Full	7.93	≤13	PASS
N26-814-8 24	15	10	DFT-PI2BPSK	M	Outer_Full	9.22	≤13	PASS
N26-814-8 24	15	10	DFT-QPSK	M	Outer_Full	7.92	≤13	PASS
N26-814-8 24	15	10	DFT-PI2BPSK	H	Outer_Full	9.14	≤13	PASS
N26-814-8 24	15	10	DFT-QPSK	H	Outer_Full	7.93	≤13	PASS



Test Graphs







Appendix C: 26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N26-814-824	15	5	DFT-QPSK	L	Outer_Full	4.487	5.170	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	Outer_Full	4.473	5.060	PASS
N26-814-824	15	5	DFT-16QAM	L	Outer_Full	4.479	5.100	PASS
N26-814-824	15	5	DFT-64QAM	L	Outer_Full	4.49	5.100	PASS
N26-814-824	15	5	CP-QPSK	L	Outer_Full	4.476	5.070	PASS
N26-814-824	15	5	CP-16QAM	L	Outer_Full	4.479	5.110	PASS
N26-814-824	15	5	CP-64QAM	L	Outer_Full	4.474	5.050	PASS
N26-814-824	15	5	CP-256QAM	L	Outer_Full	4.475	5.010	PASS
N26-814-824	15	5	DFT-QPSK	M	Outer_Full	4.467	4.950	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	Outer_Full	4.473	5.080	PASS
N26-814-824	15	5	DFT-16QAM	M	Outer_Full	4.472	5.070	PASS
N26-814-824	15	5	DFT-64QAM	M	Outer_Full	4.476	5.030	PASS
N26-814-824	15	5	CP-QPSK	M	Outer_Full	4.471	4.910	PASS
N26-814-824	15	5	CP-16QAM	M	Outer_Full	4.466	5.130	PASS
N26-814-824	15	5	CP-64QAM	M	Outer_Full	4.471	5.030	PASS
N26-814-824	15	5	CP-256QAM	M	Outer_Full	4.472	5.110	PASS
N26-814	15	5	DFT-QPSK	H	Outer_Full	4.49	4.950	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 13 of 58

-824								
N26-814 -824	15	5	DFT-PI2BPSK	H	Outer_Full	4.474	4.950	PASS
N26-814 -824	15	5	DFT-16QAM	H	Outer_Full	4.47	5.010	PASS
N26-814 -824	15	5	DFT-64QAM	H	Outer_Full	4.483	4.880	PASS
N26-814 -824	15	5	CP-QPSK	H	Outer_Full	4.462	5.100	PASS
N26-814 -824	15	5	CP-16QAM	H	Outer_Full	4.474	5.090	PASS
N26-814 -824	15	5	CP-64QAM	H	Outer_Full	4.473	5.110	PASS
N26-814 -824	15	5	CP-256QAM	H	Outer_Full	4.485	5.130	PASS
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	8.941	9.700	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	8.911	9.720	PASS
N26-814 -824	15	10	DFT-16QAM	L	Outer_Full	8.937	9.560	PASS
N26-814 -824	15	10	DFT-64QAM	L	Outer_Full	8.939	9.580	PASS
N26-814 -824	15	10	CP-QPSK	L	Outer_Full	9.308	10.000	PASS
N26-814 -824	15	10	CP-16QAM	L	Outer_Full	9.273	9.900	PASS
N26-814 -824	15	10	CP-64QAM	L	Outer_Full	9.3	10.060	PASS
N26-814 -824	15	10	CP-256QAM	L	Outer_Full	9.295	9.980	PASS
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	8.915	9.720	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	8.915	9.660	PASS
N26-814 -824	15	10	DFT-16QAM	M	Outer_Full	8.946	9.520	PASS
N26-814 -824	15	10	DFT-64QAM	M	Outer_Full	8.926	9.580	PASS
N26-814	15	10	CP-QPSK	M	Outer_Full	9.283	9.960	PASS



CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A6

Page 14 of 58

-824								
N26-814 -824	15	10	CP-16QAM	M	Outer_Full	9.28	10.080	PASS
N26-814 -824	15	10	CP-64QAM	M	Outer_Full	9.303	10.180	PASS
N26-814 -824	15	10	CP-256QAM	M	Outer_Full	9.296	10.080	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	8.95	9.720	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	8.931	9.720	PASS
N26-814 -824	15	10	DFT-16QAM	H	Outer_Full	8.932	9.620	PASS
N26-814 -824	15	10	DFT-64QAM	H	Outer_Full	8.927	9.560	PASS
N26-814 -824	15	10	CP-QPSK	H	Outer_Full	9.301	10.060	PASS
N26-814 -824	15	10	CP-16QAM	H	Outer_Full	9.27	9.940	PASS
N26-814 -824	15	10	CP-64QAM	H	Outer_Full	9.293	10.140	PASS
N26-814 -824	15	10	CP-256QAM	H	Outer_Full	9.28	10.100	PASS



Test Graphs






CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A6

Page 16 of 58




1-N26-814-824-PC3-15-5-L-5-CP-QPSK-Out
er_Full-25@0-Ant1-4.476-5.070-≤5-PASS

1-N26-814-824-PC3-15-5-L-6-CP-16QAM-O
uter_Full-25@0-Ant1-4.479-5.110-≤5-PASS



1-N26-814-824-PC3-15-5-L-7-CP-64QAM-O
uter_Full-25@0-Ant1-4.474-5.050-≤5-PASS

1-N26-814-824-PC3-15-5-L-8-CP-256QAM-
Outer_Full-25@0-Ant1-4.475-5.010-≤5-PASS






CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A6

Page 18 of 58




1-N26-814-824-PC3-15-5-M-5-CP-QPSK-Out
er_Full-25@0-Ant1-4.471-4.910-≤5-PASS

1-N26-814-824-PC3-15-5-M-6-CP-16QAM-O
uter_Full-25@0-Ant1-4.466-5.130-≤5-PASS



1-N26-814-824-PC3-15-5-M-7-CP-64QAM-O
uter_Full-25@0-Ant1-4.471-5.030-≤5-PASS

1-N26-814-824-PC3-15-5-M-8-CP-256QAM-
Outer_Full-25@0-Ant1-4.472-5.110-≤5-PASS






CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A6

Page 20 of 58



1-N26-814-824-PC3-15-5-H-5-CP-QPSK-Out
er_Full-25@0-Ant1-4.462-5.100-≤5-PASS

1-N26-814-824-PC3-15-5-H-6-CP-16QAM-O
uter_Full-25@0-Ant1-4.474-5.090-≤5-PASS




1-N26-814-824-PC3-15-5-H-7-CP-64QAM-O
uter_Full-25@0-Ant1-4.473-5.110-≤5-PASS


1-N26-814-824-PC3-15-5-H-8-CP-256QAM-
Outer_Full-25@0-Ant1-4.485-5.130-≤5-PASS

















Appendix D: Band Edge for SA


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Verdict
N26-814-8 24	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	see graph	PASS
N26-814-8 24	15	5	DFT-PI2BPSK	L	Outer_Full	see graph	PASS
N26-814-8 24	15	5	DFT-QPSK	L	Edge_1RB_Left	see graph	PASS
N26-814-8 24	15	5	DFT-QPSK	L	Outer_Full	see graph	PASS
N26-814-8 24	15	5	DFT-PI2BPSK	H	Edge_1RB_Right	see graph	PASS
N26-814-8 24	15	5	DFT-PI2BPSK	H	Outer_Full	see graph	PASS
N26-814-8 24	15	5	DFT-QPSK	H	Edge_1RB_Right	see graph	PASS
N26-814-8 24	15	5	DFT-QPSK	H	Outer_Full	see graph	PASS
N26-814-8 24	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	see graph	PASS
N26-814-8 24	15	10	DFT-PI2BPSK	L	Outer_Full	see graph	PASS
N26-814-8 24	15	10	DFT-QPSK	L	Edge_1RB_Left	see graph	PASS
N26-814-8 24	15	10	DFT-QPSK	L	Outer_Full	see graph	PASS
N26-814-8 24	15	10	DFT-PI2BPSK	H	Edge_1RB_Right	see graph	PASS
N26-814-8 24	15	10	DFT-PI2BPSK	H	Outer_Full	see graph	PASS
N26-814-8 24	15	10	DFT-QPSK	H	Edge_1RB_Right	see graph	PASS
N26-814-8 24	15	10	DFT-QPSK	H	Outer_Full	see graph	PASS




Test Graphs











Appendix E: Conducted Spurious Emission for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	StartFreq	StopFreq	Result	Limit	Verdict
N26-81 4-824	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	0.009	0.15	-107.35	-33	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	0.15	30	-92.45	-23	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	30	1000	-60.27	-13	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	1000	3000	-48.12	-13	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	3000	12000	-45.54	-13	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	12000	20000	-51.54	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-107.43	-33	PASS
N26-81 4-824	15	5	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-92.47	-23	PASS
N26-81 4-824	15	5	DFT-QPSK	L	Edge_1RB_Left	30	1000	-59.66	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-48.07	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-45.81	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-51.54	-13	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	0.009	0.15	-107.09	-33	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	0.15	30	-92.46	-23	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	30	1000	-60.46	-13	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	1000	3000	-48.38	-13	PASS
N26-81	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	3000	12000	-45.73	-13	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 33 of 58

4-824										
N26-81 4-824	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	12000	20000	-51.49	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-107.29	-33	PASS
N26-81 4-824	15	5	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-92.45	-23	PASS
N26-81 4-824	15	5	DFT-QPSK	M	Edge_1RB_Left	30	1000	-60.48	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-48.28	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-45.58	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-51.49	-13	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	0.009	0.15	-107.04	-33	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	0.15	30	-92.51	-23	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	30	1000	-59.95	-13	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	1000	3000	-47.98	-13	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	3000	12000	-45.32	-13	PASS
N26-81 4-824	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	12000	20000	-51.22	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-107.03	-33	PASS
N26-81 4-824	15	5	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-92.49	-23	PASS
N26-81 4-824	15	5	DFT-QPSK	H	Edge_1RB_Left	30	1000	-60.66	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-48.35	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-45.85	-13	PASS
N26-81 4-824	15	5	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-51.61	-13	PASS
N26-81	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	0.009	0.15	-107.32	-33	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 34 of 58

4-824										
N26-81 4-824	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	0.15	30	-92.43	-23	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	30	1000	-60.53	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	1000	3000	-48.15	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	3000	12000	-45.81	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	12000	20000	-51.36	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-107.20	-33	PASS
N26-81 4-824	15	10	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-92.51	-23	PASS
N26-81 4-824	15	10	DFT-QPSK	L	Edge_1RB_Left	30	1000	-60.38	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-48.26	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-45.70	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-51.65	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	0.009	0.15	-107.54	-33	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	0.15	30	-92.43	-23	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	30	1000	-59.90	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	1000	3000	-48.28	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	3000	12000	-45.57	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	12000	20000	-51.71	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-107.16	-33	PASS
N26-81 4-824	15	10	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-92.46	-23	PASS
N26-81 4-824	15	10	DFT-QPSK	M	Edge_1RB_Left	30	1000	-60.91	-13	PASS



CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A6

Page 35 of 58

4-824										
N26-81 4-824	15	10	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-48.27	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-45.78	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-51.66	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	0.009	0.15	-107.22	-33	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	0.15	30	-92.49	-23	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	30	1000	-60.63	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	1000	3000	-48.16	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	3000	12000	-45.57	-13	PASS
N26-81 4-824	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	12000	20000	-51.56	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-107.38	-33	PASS
N26-81 4-824	15	10	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-92.43	-23	PASS
N26-81 4-824	15	10	DFT-QPSK	H	Edge_1RB_Left	30	1000	-60.24	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-48.07	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-45.68	-13	PASS
N26-81 4-824	15	10	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-51.28	-13	PASS



Test Graphs








CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 37 of 58












CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 40 of 58












CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 43 of 58











CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 46 of 58








CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 48 of 58






CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 49 of 58







CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 50 of 58









CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 52 of 58







Appendix F: Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N26-814-824	15	10	DFT-PI2BPSK	L	Outer_Full	VL	NT	-1.900000	-0.002320	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Outer_Full	VH	NT	-1.500000	-0.001832	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Outer_Full	VN	NT	-2.500000	-0.003053	PASS
N26-814-824	15	10	DFT-QPSK	L	Outer_Full	VN	NT	-1.700000	-0.002076	PASS
N26-814-824	15	10	DFT-QPSK	L	Outer_Full	VL	NT	1.400000	0.001709	PASS
N26-814-824	15	10	DFT-QPSK	L	Outer_Full	VH	NT	0.000000	0.000000	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Outer_Full	VH	NT	-0.800000	-0.000977	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Outer_Full	VN	NT	-1.100000	-0.001343	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Outer_Full	VL	NT	-0.100000	-0.000122	PASS
N26-814-824	15	10	DFT-QPSK	M	Outer_Full	VL	NT	-1.400000	-0.001709	PASS
N26-814-824	15	10	DFT-QPSK	M	Outer_Full	VH	NT	0.500000	0.000611	PASS
N26-814-824	15	10	DFT-QPSK	M	Outer_Full	VN	NT	-0.500000	-0.000611	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Outer_Full	VN	NT	0.700000	0.000855	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Outer_Full	VL	NT	-1.700000	-0.002076	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Outer_Full	VH	NT	-0.600000	-0.000733	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 55 of 58

N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	VH	NT	-2.300000	-0.002808	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	VN	NT	1.000000	0.001221	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	VL	NT	-1.400000	-0.001709	PASS

Frequency Error VS. Temperature

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	NV	-20	-1.700000	-0.002076	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	NV	-10	-0.400000	-0.000488	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	NV	0	-1.400000	-0.001709	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	NV	10	-1.000000	-0.001221	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	NV	20	0.500000	0.000611	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	NV	30	-0.800000	-0.000977	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	NV	40	-0.800000	-0.000977	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	NV	50	0.100000	0.000122	PASS
N26-814 -824	15	10	DFT-PI2BPSK	L	Outer_Full	NV	-30	-0.700000	-0.000855	PASS
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	NV	0	-1.200000	-0.001465	PASS
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	NV	50	-0.500000	-0.000611	PASS
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	NV	40	-0.600000	-0.000733	PASS
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	NV	30	-0.300000	-0.000366	PASS
N26-814	15	10	DFT-QPSK	L	Outer_Full	NV	10	-1.700000	-0.002076	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 56 of 58

-824										
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	NV	-10	-1.100000	-0.001343	PASS
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	NV	-20	-0.200000	-0.000244	PASS
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	NV	-30	-1.800000	-0.002198	PASS
N26-814 -824	15	10	DFT-QPSK	L	Outer_Full	NV	20	-0.300000	-0.000366	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	NV	40	-0.300000	-0.000366	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	NV	50	-0.400000	-0.000488	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	NV	-30	-0.400000	-0.000488	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	NV	-20	-1.900000	-0.002320	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	NV	-10	-0.600000	-0.000733	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	NV	0	-0.600000	-0.000733	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	NV	10	0.800000	0.000977	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	NV	20	0.600000	0.000733	PASS
N26-814 -824	15	10	DFT-PI2BPSK	M	Outer_Full	NV	30	-1.000000	-0.001221	PASS
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	NV	-20	-0.800000	-0.000977	PASS
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	NV	-10	-1.000000	-0.001221	PASS
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	NV	0	-1.200000	-0.001465	PASS
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	NV	10	-0.900000	-0.001099	PASS
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	NV	20	0.300000	0.000366	PASS
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	NV	30	-1.600000	-0.001954	PASS
N26-814	15	10	DFT-QPSK	M	Outer_Full	NV	40	-1.700000	-0.002076	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 57 of 58

-824										
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	NV	50	-2.100000	-0.002564	PASS
N26-814 -824	15	10	DFT-QPSK	M	Outer_Full	NV	-30	0.000000	0.000000	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	NV	0	-1.300000	-0.001587	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	NV	50	-1.900000	-0.002320	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	NV	40	0.000000	0.000000	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	NV	30	-0.100000	-0.000122	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	NV	10	-2.200000	-0.002686	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	NV	-10	-1.400000	-0.001709	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	NV	-20	0.100000	0.000122	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	NV	-30	0.200000	0.000244	PASS
N26-814 -824	15	10	DFT-PI2BPSK	H	Outer_Full	NV	20	-0.900000	-0.001099	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	NV	50	-2.000000	-0.002442	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	NV	-30	-1.500000	-0.001832	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	NV	-20	0.200000	0.000244	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	NV	-10	-1.900000	-0.002320	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	NV	0	-1.000000	-0.001221	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	NV	10	0.500000	0.000611	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	NV	20	-1.900000	-0.002320	PASS
N26-814 -824	15	10	DFT-QPSK	H	Outer_Full	NV	30	-1.800000	-0.002198	PASS
N26-814	15	10	DFT-QPSK	H	Outer_Full	NV	40	-1.700000	-0.002076	PASS

CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A6

Page 58 of 58

[illegible]